

=> FIL REG

FILE 'REGISTRY' ENTERED AT 12:45:25 ON 31 AUG 2011
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2011 American Chemical Society (ACS)

=> D HIS NOFILE

FILE 'HCA' ENTERED AT 12:10:03 ON 31 AUG 2011

E US2006-594654/APPS

L1 1 SEA SPE=ON ABB=ON PLU=ON US2006-594654/AP

E GB2004-6841/APPS

L2 1 SEA SPE=ON ABB=ON PLU=ON GB2004-6841/PRN

E WO2005-GB1159/APPS

L3 1 SEA SPE=ON ABB=ON PLU=ON (WO2005-GB1159/AP OR WO2005-GB1159/
PRN)

L4 1 SEA SPE=ON ABB=ON PLU=ON (L1 OR L2 OR L3)

SEL L4 RN

FILE 'REGISTRY' ENTERED AT 12:10:54 ON 31 AUG 2011

L5 16 SEA SPE=ON ABB=ON PLU=ON (12597-69-2/BI OR 1303-00-0/BI OR

FILE 'HCA' ENTERED AT 12:12:04 ON 31 AUG 2011

SEL L4 AU

L6 88 SEA SPE=ON ABB=ON PLU=ON ("BUCK, MANFRED"/AU OR "CYGANIK,
PIOTR"/AU)

E THE UNIVERSITY COURT/CO

L7 3320 SEA SPE=ON ABB=ON PLU=ON "THE UNIVERSITY COURT OF THE
UNIVERSITY OF ST ANDREWS"+ALL/CO,CS,PA

L8 QUE SPE=ON ABB=ON PLU=ON (SUBSTRAT? OR SURFACE? OR BASE# OR
SUBSTRUCT? OR UNDERSTRUCT? OR UNDERLAY? OR FOUNDATION? OR
PANE? OR DISK? OR DISC# OR WAFER?)

L9 QUE SPE=ON ABB=ON PLU=ON (HEAT? OR WARM? OR HOT# OR
CALEFACT? OR TORREFACT? OR PYROL? OR SINTER? OR CALCIN? OR
AUTOCLAV? OR THERMOL? OR THERMAL? OR TEPEFACT? OR PREHEAT? OR
MELT? OR FUSE# OR FUSING# OR FUSION?)

L10 QUE SPE=ON ABB=ON PLU=ON SAM OR SELF (5A) ASSEMB? (5A)
(MONOLAY? OR MONO (2A) LAY?)

L11 QUE SPE=ON ABB=ON PLU=ON ARYL# OR AROM? OR ?CYCL? OR RING?

L12 QUE SPE=ON ABB=ON PLU=ON ?LITHO?

L13 1988802 SEA SPE=ON ABB=ON PLU=ON L8 AND L9

L14 2179 SEA SPE=ON ABB=ON PLU=ON L13 AND L10

L15 QUE SPE=ON ABB=ON PLU=ON ARYL# OR AROM? OR CYCL? OR RING?

L16 366 SEA SPE=ON ABB=ON PLU=ON L14 AND L15

L17 27 SEA SPE=ON ABB=ON PLU=ON L16 AND L12

E SELF-ASSEMBLED MONOLAYERS/CT

L18 14705 SEA SPE=ON ABB=ON PLU=ON "SELF-ASSEMBLED MONOLAYERS"+PFT/CT

L19 195 SEA SPE=ON ABB=ON PLU=ON L16 AND L18

L20 18 SEA SPE=ON ABB=ON PLU=ON L17 AND L18

L21 QUE SPE=ON ABB=ON PLU=ON SURFACE?/SC,SX

L22 98 SEA SPE=ON ABB=ON PLU=ON L19 AND L21

L23 5 SEA SPE=ON ABB=ON PLU=ON L20 AND L21

E LITHOGRAPHY/CT

L24 34469 SEA SPE=ON ABB=ON PLU=ON LITHOGRAPHY+PFT/CT

L25 12 SEA SPE=ON ABB=ON PLU=ON L16 AND (L18 AND L24)

L26 120 SEA SPE=ON ABB=ON PLU=ON L17 OR L22 OR L23 OR L25

L27 1 SEA SPE=ON ABB=ON PLU=ON L26 AND (L6 OR L7)

L28 119 SEA SPE=ON ABB=ON PLU=ON L26 NOT L27

L29 62 SEA SPE=ON ABB=ON PLU=ON 1802-2006/PY,PRY,AY AND L28

August 31, 2011

10/594,654

2

L30 QUE SPE=ON ABB=ON PLU=ON 3/SC,SX
L31 60 SEA SPE=ON ABB=ON PLU=ON L29 NOT L30

=> FIL HCA

FILE 'HCA' ENTERED AT 12:45:32 ON 31 AUG 2011

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2011 AMERICAN CHEMICAL SOCIETY (ACS)

=> D L27 1 IBIB ABS HITSTR HITIND RETABLE

L27 ANSWER 1 OF 1 HCA COPYRIGHT 2011 ACS on STN

ACCESSION NUMBER: 143:374060 HCA Full-text

TITLE: Patterning by thermal treatment of
self-assembled monolayer
anchored on substrate surface

INVENTOR(S): Buck, Manfred; Cyganik, Piotr

PATENT ASSIGNEE(S): The University Court of the University of St.
Andrews, UK

SOURCE: PCT Int. Appl., 24 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005092516	A1	20051006	WO 2005-GB1159	20050324
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
GB 2426724	A	20061206	GB 2006-18673	20050324
GB 2426724	B	20080903		
US 20070140901	A1	20070621	US 2006-594654	20060926
PRIORITY APPLN. INFO.:			GB 2004-6841	A 20040326
			WO 2005-GB1159	W 20050324

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT

AB The present invention provides a process for producing a surface -modified layer system comprising a substrate and a self -assembled monolayer (SAM) anchored to its surface. The SAM is comprised by aryl or rigid alicyclic moiety species. The process comprises providing a polymorphic SAM anchored to the substrate, e.g., a conductor or semiconductor metal or compound, and thermally treating the SAM to change from a first to a second structural form thereof. The invention also provides a thermolithog. process in which the thermal treatment is used to transfer a pattern to the SAM, which is then developed. IPCI B05D0001-18 [ICM,7]; B05D0003-02 [ICS,7]

IPCR B05D0001-18 [I,C*]; B05D0001-18 [I,A]; B05D0003-02 [I,C*]; B05D0003-02

[I,A]; B05D0005-00 [N,C*]; B05D0005-00 [N,A]
 CC 66-3 (Surface Chemistry and Colloids)
 Section cross-reference(s): 74, 76
 ST self assembled monolayer substrate
 surface thermal treatment patterning
 IT Self-assembled monolayers
 Surface phase transition
 Surface structure
 (patterning by thermal treatment of self-
 assembled monolayer anchored on substrate
 surface)
 IT Lithography
 (thermo-; patterning by thermal treatment of self-
 assembled monolayer anchored on substrate
 surface)
 IT 298704-23-1
 (SAM, gold bound; patterning by thermal treatment
 of self-assembled monolayer anchored on
 substrate surface)
 IT 1303-00-0, Gallium arsenide, uses 7429-90-5, Aluminum, uses 7439-89-6,
 Iron, uses 7439-96-5, Manganese, uses 7439-98-7, Molybdenum, uses
 7440-06-4, Platinum, uses 7440-22-4, Silver, uses 7440-32-6, Titanium,
 uses 7440-33-7, Tungsten, uses 7440-47-3, Chromium, uses 7440-57-5,
 Gold, uses 7440-62-2, Vanadium, uses 7440-67-7, Zirconium, uses
 12597-69-2, Steel, uses 22398-80-7, Indium phosphide, uses
 (substrate; patterning by thermal treatment of
 self-assembled monolayer anchored on
 substrate surface)

RETABLE

Referenced Author (RAU)	Year (RPY)	VOL (RVL)	PG (RPG)	Referenced Work (RWK)	Referenced File
Bension, R	1994			EP 0598361 A	HCA
Bocian, D	2003			US 2003081463 A1	
Effenberger, F	2003			US 2003035967 A1	HCA

=> D L31 1-60 ALL

L31 ANSWER 1 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 148:133222 HCA Full-text

ED Entered STN: 31 Jan 2008

TI Novel metal nanoparticle with self assembled
 monolayers of crosslinking agents for forming large-area films or
 ultrafine patterns by printing

IN Park, Jong Jin; Kim, Sung Woong; Shin, Dong Woo; Park, Sang Hoon

PA Samsung Electronics Co., Ltd., S. Korea

SO U.S. Pat. Appl. Publ., 10 pp.

CODEN: USXXCO

DT Patent

LA English

CC 76-2 (Electric Phenomena)

Section cross-reference(s): 38, 48, 66, 74

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 20080003363	A1	20080103	US 2006-589783	20061031 <--
	KR 2008001567	A	20080103	KR 2006-75148	20060809 <--

August 31, 2011

10/594,654

4

PRAI KR 2006-58846 A 20060628 <--
KR 2006-75148 A 20060809 <--

CLASS

PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
US 20080003363	INCL	427256000; 427421100; 427372200
	IPCI	B05D0005-00 [I,A]; B05D0003-02 [I,A]; B05D0001-02 [I,A]
	IPCR	B05D0005-00 [I,A]; B05D0001-02 [I,A]; B05D0003-02 [I,A]
	NCL	427/256.000; 427/372.200; 427/421.100
	ECLA	H05K001/09D; B22F001/00A4; C03C017/00D2; C09D011/00C; L05D001:18C; L22F998:00+B22F1/00A2B4; M03C217:195; M03C217:420; M03C217:445; M03C217:479
KR 2008001567	IPCI	B82B0003-00 [I,A]
	IPCR	B82B0003-00 [I,A]

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT

OS MARPAT 148:133222

AB A printable metal nanoparticle having a self-assembled monolayer (SAM) composed of a compound containing a thiol (-SH), isocyanide (-CN), amino (-NH₂), carboxylate (-COO) or phosphate group, as a linker, formed on the surface thereof, and a method for formation of a conductive pattern using the same are provided. The metal nanoparticles of an exemplary embodiment can be easily formed into a conductive film or pattern by a printing method, and the resulting film or pattern exhibits excellent conductivity which optimally may be adjusted if desired. Therefore, the resulting metal nanoparticles of can be used to advantage in the fields such as antistatic washable sticky mats, antistatic shoes, conductive polyurethane printer rollers, electromagnetic interference shielding materials, etc.

ST self assembled crosslinked metal nanoparticle conductor film patterning

IT Polyesters
(aromatic; novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)

IT Films
(elec. conductive; novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)

IT Electric conductors
(films; novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)

IT Polyethers
(nitrile; novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)

IT Conducting polymers
Crosslinking agents
Drying
Electric conductors
Electronic device fabrication
Heat treatment
Ink-jet printing
Nanoparticles
Printing (impact)
Printing (nonimpact)
Self-assembled monolayers
(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)

IT Amines
Carboxylic acids

Isocyanides

Phosphates

Thiols

(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)

IT Acrylic rubber

(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)

IT Butyl rubber

(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)

IT Epoxy resins

(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)

IT Fluoropolymers

(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)

IT Metals

(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)

IT Nitrile rubber

(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)

IT Phenolic resins

(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)

IT Polyacetylenes

(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)

IT Polyamides

(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)

IT Polyanilines

(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)

IT Polybenzimidazoles

(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)

IT Polycarbodiimides

(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)

IT Polycarbonates

(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)

IT Polyesters

(novel metal nanoparticle with self assembled

- monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)
- IT Polymers
(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)
- IT Polyoxyphenylenes
(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)
- IT Polysiloxanes
(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)
- IT Polythiophenylenes
(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)
- IT Polyureas
(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)
- IT Polyvinyl butyrals
(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)
- IT Polyimides
(polyamide-; novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)
- IT Polyimides
Polyketones
Polysulfones
(polyether-; novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)
- IT Polyamides
Polyethers
(polyimide-; novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)
- IT Polyethers
(polyketone-; novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)
- IT Acetals
(polymers; novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)
- IT Conducting polymers
(polypyrroles; novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)
- IT Polyethers
(polysulfone-; novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)
- IT Conducting polymers
(polythiophenes; novel metal nanoparticle with self assembled monolayers of crosslinking agents for

- forming large-area films or ultrafine patterns by printing)
- IT 9010-85-9
(butyl rubber; novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)
- IT 7440-05-3P, Palladium, properties 7440-06-4P, Platinum, properties
7440-22-4P, Silver, properties 7440-50-8P, Copper, properties
7440-57-5P, Gold, properties
(nanoparticles; novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)
- IT 9003-18-3
(nitrile rubber; novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)
- IT 68-12-2, Dimethylformamide, processes 14866-33-2, Tetraoctylammonium bromide 84540-57-8, Propylene glycol methyl ether acetate 88917-22-0, Dipropylene glycol methyl ether acetate
(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)
- IT 62-53-3, Aniline, uses 69-72-7, Salicylic acid, uses 86-55-5, 1-Naphthalenecarboxylic acid 92-67-1, 4-Aminobiphenyl 98-73-7, 4-tert-Butylbenzoic acid 101-02-0, Triphenyl phosphite 103-82-2, Phenylacetic acid, uses 104-47-2, (4-Methoxyphenyl)acetonitrile 112-37-8, Undecanoic acid 112-57-2, Tetraethylenepentamine 115-89-9, Diphenyl methyl phosphate 124-07-2, Octanoic acid, uses 140-29-4, Benzyl cyanide 149-91-7, Gallic acid, uses 326-62-5, 2-Fluorophenylacetonitrile 405-50-5, 4-Fluorophenylacetic acid 471-31-8, Hydrazinecarboxylic acid 554-95-0, 1,3,5-Benzenetricarboxylic acid 555-21-5, 4-Nitrophenylacetonitrile 589-16-2, 4-Ethylaniline 610-28-6, 2,5-Dinitrobenzoic acid 626-22-2, 1,3-Phenylenediacetonitrile 627-03-2, Ethoxyacetic acid 646-24-2, 1,9-Diaminononane 646-25-3, 1,10-Diaminodecane 706-03-6, 3-(Benzylamino)propionitrile 767-00-0, 4-Cyanophenol 768-94-5, 1-Adamantanamine 787-70-2, 4,4'-Biphenyldicarboxylic acid 929-57-7, 1,6-Diisocyanohexane 931-53-3, Cyclohexyl isocyanide 947-73-9, 9-Aminophenanthrene 1067-47-6, 4-(Triethoxysilyl)butyronitrile 1075-76-9, 3-Anilinopropionitrile 1136-89-6, 1-Naphthyl phosphate 1138-80-3, Carbobenzyloxyglycine 1210-12-4, 9-Anthracenecarbonitrile 1460-16-8, Cycloheptanecarboxylic acid 1529-41-5, 3-Chlorobenzyl cyanide 1571-33-1, Phenylphosphonic acid 1638-86-4, Diethyl phenylphosphonite 1760-24-3, N-[3-(Trimethoxysilyl)propylethylenediamine 1779-48-2, Phenylphosphinic acid 1852-04-6, Undecanedioic acid 1947-00-8, 6-(Carbobenzyloxyamino)caproic acid 1989-33-9, 9-Fluorene carboxylic acid 2046-18-6, 4-Phenylbutyronitrile 2510-86-3, Ethyl phenyl phosphate 2768-31-2, Benzyl diethyl phosphite 2769-64-4, Butyl isocyanide 2783-17-7, 1,12-Diaminododecane 2856-63-5, 2-Chlorobenzyl cyanide 2920-38-9, 4-Biphenylcarbonitrile 2946-61-4, Dimethyl phenylphosphonite 3069-29-2, N-(2-Aminoethyl)-3-aminopropylmethyldimethoxysilane 3069-30-5, 4-Aminobutyltriethoxysilane 3544-25-0, 4-Aminobenzyl cyanide 3663-44-3, 3-Aminopropylmethyldimethoxysilane 3863-11-4, 3,4-Difluoroaniline 4420-74-0, 3-Mercaptopropyltrimethoxysilane 4712-55-4, Diphenyl phosphite 4942-47-6, 1-Adamantaneacetic acid 5424-27-1, (4-Aminobenzyl)phosphonic acid 5581-75-9, 6-Phenylhexanoic acid 6373-50-8, 4-Cyclohexylaniline 7188-38-7, tert-Butyl isocyanide 7400-08-0, 4-Hydroxycinnamic acid 7447-39-4, Cupric chloride, uses 7498-57-9, 2-Naphthylacetonitrile 7761-88-8, Silver nitrate, uses 13621-47-1 13820-53-6, Disodium tetrachloropalladate 14191-95-8, 4-Hydroxybenzyl cyanide 14542-93-9, 1,1,3,3-Tetramethylbutyl

- isocyanide 14814-09-6, 3-Mercaptopropyltriethoxysilane 16225-26-6, 3,5-Di-tert-butylbenzoic acid 16903-35-8, Hydrogen tetrachloroaurate 16941-12-1, Dihydrogen hexachloroplatinate 17176-77-1, Dibenzyl phosphite 17722-17-7, 4'-Chloro-2-cyanoacetanilide 18638-99-8, 3,4,5-Trimethoxybenzylamine 19472-74-3, 2-Bromophenylacetonitrile 19694-02-1, 1-Pyrenecarboxylic acid 19812-93-2, 4'-Hydroxy-4-biphenylcarbonitrile 19924-43-7, (3-Methoxyphenyl)acetonitrile 22364-68-7, 2-Methylbenzyl cyanide 29138-97-4 31001-77-1, 3-Mercaptopropylmethyldimethoxysilane 34698-41-4, 1-Aminoindan 34967-24-3, 3,5-Dimethoxybenzylamine 35193-63-6, 1,1'-Binaphthyl-2,2'-diyl hydrogen phosphate 40665-68-7 40817-08-1, 4'-Pentyl-4-biphenylcarbonitrile 41122-70-7, 4'-Hexyl-4-biphenylcarbonitrile 51632-29-2, 3-Phenoxyphenylacetonitrile 55161-63-2, Mercaptomethylmethyldiethoxysilane 58698-89-8, 3-(Triethoxysilyl)propylisothiocyanate 59649-56-8, 2,3-Diaminophenol 61540-35-0, Cyanomethyl N,N-dimethyldithiocarbamate 65463-54-9 70411-42-6, m-Aminophenyltrimethoxysilane
(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)
- IT 16404-34-5P
(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)
- IT 302-01-2, Hydrazine, uses 7722-84-1, Hydrogen peroxide, uses 16940-66-2, Sodium tetrahydroborate
(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)
- IT 108-78-1D, Melamine, polymer 9002-84-0, Polyethylenetetrafluoride 9002-89-5, Polyvinyl alcohol 9003-17-2, Polybutadiene 9003-17-2D, Polybutadiene, hydrogenated 9003-28-5, Polybutene 9003-31-0, Polyisoprene 9003-31-0D, Polyisoprene, hydrogenated 9003-53-6, Polystyrene 9003-55-8, Styrene-butadiene copolymer 9003-55-8D, Styrene-butadiene copolymer, hydrogenated 9010-79-1, Ethylene-propylene copolymer 9011-14-7, Polymethyl methacrylate 9016-80-2, Polymethylpentene 9078-70-0, Polypentene 25014-12-4, Polymethacrylamide 25067-58-7, Acetylene polymers 25068-01-3, Ethylene-butadiene copolymer 25190-62-9, Poly(1,4-phenylene) 25212-74-2, Poly(thio-1,4-phenylene) 25233-34-5, Thiophene polymer 26009-24-5, Poly(1,4-phenylene-1,2-ethenediyl) 26009-24-5D, Poly(1,4-phenylene-1,2-ethenediyl), alkoxy derivs. 36630-93-0 42441-75-8D, Heptadiene, homopolymers 91201-85-3, Polyisothianaphthene 104934-50-1, Poly(3-hexyl)thiophene 126213-51-2, PEDOT
(novel metal nanoparticle with self assembled monolayers of crosslinking agents for forming large-area films or ultrafine patterns by printing)
- L31 ANSWER 2 OF 60 HCA COPYRIGHT 2011 ACS on STN
- AN 146:345306 HCA Full-text
- ED Entered STN: 12 Apr 2007
- TI Chemical force microscopy for hot-embossing lithography release layer characterization
- AU Cameron, Neil S.; Ott, Arnaud; Roberge, Helene; Veres, Teodor
- CS Industrial Materials Institute, National Research Council Canada, Boucherville, QC, J4B 6Y4, Can.
- SO Soft Matter (2006), 2(7), 553-557
CODEN: SMOABF; ISSN: 1744-683X
- PB Royal Society of Chemistry
- DT Journal

LA English
CC 66-5 (Surface Chemistry and Colloids)
AB The authors employed variable temperature chemical force microscopy (VT-CFM) using tips silanized with four different hydro- and hydrofluoroalkyl self-assembling monolayers (SAMs) interacting with a thin-film of poly(cyclic olefin), (PCO) to model the hot-embossing stamp-polymer interaction over a temperature range spanning the glass transition of the PCO.
ST hot embossing lithog release layer characterization
chem force microscopy; stamp polymer interaction hot embossing lithog chem force microscopy
IT Atomic force microscopy
Glass transition
Self-assembled monolayers
Simulation and Modeling
(chemical force microscopy for hot-embossing lithog. release layer characterization)
IT Lithography
(nanoimprint, hot embossing; chemical force microscopy for hot-embossing lithog. release layer characterization)
IT 5283-66-9, n-Octyltrichlorosilane 78560-44-8,
1,1,2,2-Tetrahydroperfluorodecyltrichlorosilane 78560-45-9,
1,1,2,2-Tetrahydroperfluorooctyltrichlorosilane 149838-19-7,
3-(Heptafluoroisopropoxy)propyltriethoxysilane 351376-50-6, Zeonor 750R
(chemical force microscopy for hot-embossing lithog. release layer characterization)
IT 7440-21-3, Silicon, properties
(wafer; chemical force microscopy for hot-embossing lithog. release layer characterization)
OSC.G 6 THERE ARE 6 CAPLUS RECORDS THAT CITE THIS RECORD (6 CITINGS)
UPOS.G Date last citing reference entered STN: 02 Aug 2010
OS.G CAPLUS 2010:906972; 2009:683721; 2008:178660; 2007:821529; 2006:1152863;
2006:639773
RE.CNT 42 THERE ARE 42 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE CITED REFERENCES
(1) Albrecht, T; J Chem Phys 1991, V95, P2807 HCA
(2) Alkaisi, M; Microelectr Eng 2001, V57, P367
(3) Alves, C; Langmuir 1993, V9, P3507 HCA
(4) Anon; Springer Handbook of Nanotechnology 2004
(5) Anon; <http://public.itrs.net>
(6) Anon; <http://www.zeonchemicals.com/>
(7) Baney, J; J Appl Phys 1999, V86, P4232 CAPLUS
(8) Baney, J; Langmuir 2001, V17, P681 HCA
(9) Binnig, G; Phys Rev Lett 1986, V56, P930
(10) Burnham, N; J Vac Sci Technol, A 1989, V7, P2906 HCA
(11) Cameron, N; Lab Chip, DOI:10.1039/b600584e 2006
(12) Chou, S; Appl Phys Lett 1995, V67, P3114 HCA
(13) Corbierre, M; Langmuir 2004, V20, P2867 HCA
(14) Corbierre, M; Langmuir 2005, V21, P6063 HCA
(15) Esch, M; Lab Chip 2003, V3, P121 HCA
(16) Fadeev, A; Langmuir 2000, V16, P7268 HCA
(17) Frisbie, C; Science 1994, V265, P2071 HCA
(18) Gates, B; Chem Rev 2005, V105, P1171 HCA
(19) Genzer, J; Langmuir 2002, V18, P9307 HCA
(20) Gotsmann, B; Langmuir 2004, V20, P1495 HCA
(21) Hirai, Y; Journal of Photopolymer Science and Technology 2001, V14, P457 HCA
(22) Hui, C; J Polym Sci, Part B: Polym Phys 2000, V38, P1485 HCA
(23) Jarvis, S; Rev Sci Instrum 1993, V64, P3515 HCA
(24) Kim, B; Microelectron Eng 2001, V57-58, P755 HCA
(25) Knochenhauer, G; J Chem Soc, Chem Commun 1995, V16, P1619

- (26) Lantz, M; Science 2001, V291, P2580 HCA
- (27) Lorentz, C; Langmuir 2005, V21, P11744
- (28) Luengo, G; Macromolecules 1997, V30, P2482 HCA
- (29) Luesebrink, H; J Nanosci Nanotechnol 2005, V5, P864 HCA
- (30) Man, K; Journal of Microelectromechanical Systems 2002, V11, P175
- (31) Metrology Group; MultiMode SPM ver 4.31 ce Instrument Manual:Digital Instruments, Chapter 11 1999
- (32) Reven, L; Langmuir 2006, V22, P1055
- (33) Sader, J; App Phys Lett 2004, V84, P1801 CAPLUS
- (34) Scheer, H; Microelectron Eng 2001, V56, P311 HCA
- (35) Schiff, H; Nanotechnology 2005, V16, PS171 HCA
- (36) Schmidt, M; J Chem Phys 1996, V104, P2114 HCA
- (37) Schmidt, M; J Phys Chem 1996, V104, P2101 HCA
- (38) Smart, B; Chemistry of Organic Fluorine Compounds II: A Critical Review 1995, V187, P979 HCA
- (39) Sprik, M; J Phys Chem B 1997, V101, P2745 HCA
- (40) Taniguchi, J; Jpn J Appl Phys 2002, V41, P4194 HCA
- (41) Ulman, A; An Introduction to Ultrathin Organic Films:From Langmuir-Blodgett to Self-Assembly 1997
- (42) Wasserman, S; J Am Chem Soc 1989, V111, P5852 HCA

L31 ANSWER 3 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 146:345233 HCA Full-text

ED Entered STN: 12 Apr 2007

TI Preparation and study of complex self-assembled film as a super-thin barrier on silver

AU Wang, Yihong; Song, Wei; Zhou, Jie; Ning, Gu; Wesche, K. D.

CS National Laboratory of Molecular and Biomolecular Electronics, Department of Chemistry and Chemical Engineering, Southeast University, Nanjing, 210096, Peop. Rep. China

SO Applied Surface Science (2006), 252(23), 8264-8269
CODEN: ASUSEE; ISSN: 0169-4332

PB Elsevier B.V.

DT Journal

LA English

CC 66-4 (Surface Chemistry and Colloids)

AB A self-assembled monolayers (SAMs) of (3-mercaptopropyl)trimethoxysilane (3-MPT) chemisorbed on silver surface was chemical modified by 1-octadecanethiol (C18H37SH) (to form self-assembled mixed-monolayer (SMM)) and the co-polymer of N-vinylcarbazole and Me methacrylate ester to form complex self-assembled film (CSAF). The combinative state of interface between SAMs (or SMM) and co-polymer were characterized by dynamic mech. thermal anal. (DMTA). The thickness of film on Ag was characterized by XPS. Cyclic voltammetry (CV) measurements in 10% NaOH aqueous solution with the silver surface and covered with film indicated that 3-MPT SAMs modified with C18H37SH and then with co-polymer have higher capability against oxidation

ST silver complex self assembled monolayer

super thin barrier; mercaptopropyltrimethoxysilane complex self

assembled monolayer film silver barrier; octadecanethiol

complex self assembled monolayer film silver

barrier; Me methacrylate copolymer complex self assembled film silver

barrier; vinylcarbazole copolymer complex self assembled film silver barrier

IT Cyclic voltammetry

Self-assembled monolayers

Thickness

(preparation and study of complex self-assembled film as super-thin barrier on silver)

IT Oxidation

(resistance to; preparation and study of complex self-assembled film as

super-thin barrier on silver)

IT Thermal analysis
(thermomech.; preparation and study of complex self-assembled film as
super-thin barrier on silver)

IT 2885-00-9, 1-Octadecanethiol 4420-74-0,
(3-Mercaptopropyl)trimethoxysilane 7440-22-4, Silver, properties
27235-32-1, Methyl methacrylate-N-vinylcarbazole copolymer
(preparation and study of complex self-assembled film as super-thin barrier
on silver)

OSC.G 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD (1 CITINGS)

UPOS.G Date last citing reference entered STN: 09 Mar 2010

OS.G CAPLUS 2010:146139

RE.CNT 22 THERE ARE 22 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

(1) Ashida, M; J Appl Polym Sci 1985, V30, P1011 HCA
(2) Bain, C; J Am Chem Soc 1989, V111, P7164 HCA
(3) Csonka, G; Chem Phys Lett 1994, V229, P191 HCA
(4) Diaz-Calleja, V; J App Polym Sci 1996, V60, P767
(5) Goss, C; Anal Chem 1991, V63, P85 HCA
(6) Hibinis, P; J Phys Chem 1991, V95, P7017
(7) Ibarra, L; J Appl Polym Sci 1998, V67, P1819 HCA
(8) Iwasaki, N; Surf Sci 1988, V198, P524 HCA
(9) Jiang, Z; Electrochem Acta 1994, V39(16), P2465 HCA
(10) Lioh, M; J Electrochem Soc 1994, V141(8), P2018
(11) Liu, Y; Electrochemical Measurement Technique 1987, P160
(12) Obeng, Y; J Am Chem Soc 1992, V114, P9943 HCA
(13) Poirier, G; Chem Rev 1997, V97, P1117 HCA
(14) Sagiv, J; J Am Chem Soc 1980, V102, P92 HCA
(15) Shirley, D; Phys Rev B 1972, V5(12), P4709
(16) Sun, L; J Am Chem Soc 1991, V113, P8550 HCA
(17) Teijelo, M; J Appl Electrochem 1988, V18, P691
(18) Thompson, W; Chem Mater 1993, V5, P241 HCA
(19) Ulman, A; Chem Rev 1996, V96, P1533 HCA
(20) Wang, Y; Appl Surf Sci 2004, V229, P377 HCA
(21) Wollman, E; J Am Chem Soc 1994, V116, P4395 HCA
(22) Yamamoto, Y; J Electrochem Soc 1993, V140(2), P436 HCA

L31 ANSWER 4 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 146:192563 HCA Full-text

ED Entered STN: 22 Feb 2007

TI Thermal effect on the voltammogram of
7-ferrocenecarboxyloxy-1-heptanethiol self-assembled
monolayer

AU Rahman, M. M.; Jeon, I. C.

CS Laboratory of Interface and Surface Science, Department of Chemistry,
Chonbuk National University, Chonbuk, 561-756, S. Korea

SO Journal of Organometallic Chemistry (2006), 691(26), 5648-5654
CODEN: JORCAI; ISSN: 0022-328X

PB Elsevier Ltd.

DT Journal

LA English

CC 72-2 (Electrochemistry)
Section cross-reference(s): 29, 66

AB The voltammetry of self-assembled monolayers (SAMs) of 7-ferrocenecarboxyloxy-
1-heptanethiol (FcCO₂(CH₂)₇SH) was studied as a function of temperature. Such
SAMs are, when oxidized, susceptible to loss of ferrocene via nucleophilic
attack, but at temps. only just above room temperature, there is an
accelerated loss of ferrocene from the chain termini, an increase in the
capacitance of the layer in its reduced state and a pos. shift in the E_{1/2}
value is observed. A comparison between these data and the effects of multiple

scans recorded at room temperature suggests that there is a reorientation, induced at slightly elevated temps., which is associated with the ferrocene ester linkage at the chain terminus and which apparently renders ferrocene more susceptible to nucleophilic attack. With the increasing of temperature, the loss of ferrocene (terminal) is accelerated, due to the capacitances and permeability of the SAM layers. The pos. shift of the E1/2 value is harder to interpret but may result because the ferrocene is in more intimate contact with the layer and is placed in a more hydrophobic, less polar environment. Other possible influences on the shift of E1/2 are discussed. This work confirms that electroactive terminal groups can provide information on the microenvironment at the SAM /electrolyte interface through variations in current and potential.

ST thermal effect voltammetry ferrocenecarbonyloxy heptanethiol
self assembled monolayer

IT Temperature
(effect in cyclic voltammetry of
ferrocenecarbonyloxyheptanethiol self-assembled
monolayer on gold)

IT Cyclic voltammetry
Self-assembled monolayers
(thermal effect on cyclic voltammetry of
ferrocenecarbonyloxyheptanethiol self-assembled
monolayer on gold)

IT Electrodeposits
(underpotential; thermal effect on cyclic
voltammetry of ferrocenecarbonyloxyheptanethiol self-
assembled monolayer on gold)

IT 167166-47-4, 7-Ferrocenecarbonyloxy-1-heptanethiol
(thermal effect on cyclic voltammetry of
ferrocenecarbonyloxyheptanethiol self-assembled
monolayer on gold)

IT 7440-57-5, Gold, uses
(thermal effect on cyclic voltammetry of
ferrocenecarbonyloxyheptanethiol self-assembled
monolayer on gold)

IT 7601-90-3, Perchloric acid, uses
(thermal effect on cyclic voltammetry of
ferrocenecarbonyloxyheptanethiol self-assembled
monolayer on gold in solution of)

IT 7440-50-8, Copper, uses
(underpotential deposit; thermal effect on cyclic
voltammetry of ferrocenecarbonyloxyheptanethiol self-
assembled monolayer on gold)

OSC.G 6 THERE ARE 6 CAPLUS RECORDS THAT CITE THIS RECORD (6 CITINGS)

UPOS.G Date last citing reference entered STN: 19 Nov 2010

OS.G CAPLUS 2010:1386102; 2009:1197039; 2009:251164; 2009:227639;
2009:221906; 2009:56323

RE.CNT 53 THERE ARE 53 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Badia, A; Angew Chem, Int Ed Engl 1994, V33, P2332
- (2) Bain, C; J Am Chem Soc 1989, V111, P321 HCA
- (3) Bensebaa, F; Langmuir 1998, V14, P2361 HCA
- (4) Bond, A; J Electroanal Chem 1997, V426, P145 HCA
- (5) Chidsey, C; J Am Chem Soc 1990, V112, P4301 HCA
- (6) Chidsey, C; Science 1991, V251, P919 HCA
- (7) Collard, D; Langmuir 1991, V7, P1192 HCA
- (8) Creager, S; Anal Chem 1994, V66, P3164
- (9) Creager, S; Anal Chim Acta 1991, V246, P233 HCA
- (10) Creager, S; J Electroanal Chem 1994, V370, P203 HCA
- (11) Creager, S; J Electroanal Chem 1994, V370, P203 HCA

- (12) Creager, S; J Electroanal Chem 1997, V420, P291 HCA
- (13) Creager, S; Langmuir 1992, V8, P854 HCA
- (14) Creager, S; Langmuir 1993, V9, P2330 HCA
- (15) Curtin, L; Anal Chem 1993, V65, P386 HCA
- (16) DeLong, H; Langmuir 1991, V7, P2196 HCA
- (17) Dubois, L; Annu Rev Phys Chem 1992, V43, P437 HCA
- (18) Duevel, R; Anal Chem 1992, V64, P337 HCA
- (19) Finklea, H; Electroanalytical Chemistry, A Series of Advances 1996, V19, P109 HCA
- (20) Finklea, H; J Am Chem Soc 1992, V114, P3173 HCA
- (21) Finklea, H; J Electroanal Chem 1993, V347, P327 HCA
- (22) Finklea, H; J Phys Chem 1994, V98, P3843
- (23) Finklea, H; J Phys Chem Sect B 2001, V105, P3088 HCA
- (24) Finklea, H; Langmuir 1993, V9, P223 HCA
- (25) Finklea, H; Langmuir 1993, V9, P223 HCA
- (26) Hickman, J; J Am Chem Soc 1991, V113, P1128 HCA
- (27) Hockett, L; Langmuir 1995, V11, P2318 HCA
- (28) Honeychurch, M; Electroanalysis 1998, V10, P285 HCA
- (29) Honeychurch, M; Electroanalysis 1998, V10, P453 HCA
- (30) Hong, H; Langmuir 1991, V7, P2362 HCA
- (31) Hsu, C; J Electroanal Chem 1997, V438, P27 HCA
- (32) Ju, H; Phys Chem Chem Phys 1999, V1, P1549 HCA
- (33) Katz, E; Langmuir 1993, V9, P1392 HCA
- (34) Kondo, T; J Organomet Chem 2001, V637, P841
- (35) Nahir, T; Anal Chem 1994, V66, P2595 HCA
- (36) Nishiyama, K; Chem Lett 2000, P930 HCA
- (37) Nuzzo, R; J Chem Phys 1990, V93, P767 HCA
- (38) Popenoe, D; Langmuir 1992, V8, P2521 HCA
- (39) Prins, R; J Organomet Chem 1972, V39, P335 HCA
- (40) Richardson, J; J Phys Chem 1995, V99, P766 HCA
- (41) Rowe, G; J Phys Chem 1994, V98, P5500 HCA
- (42) Rowe, G; Langmuir 1991, V7, P2307 HCA
- (43) Rowe, G; Langmuir 1994, V10, P1186 HCA
- (44) Rowe, G; Langmuir 1995, V11, P1797 HCA
- (45) Sabapathy, R; Langmuir 1998, V14, P124 HCA
- (46) Sato, Y; Bull Chem Soc Jpn 1994, V67, P21 HCA
- (47) Shimazu, K; J Electroanal Chem 1994, V375, P409 HCA
- (48) Smalley, J; J Phys Chem 1995, V99, P13141 HCA
- (49) Tender, L; Anal Chem 1994, V66, P3173 HCA
- (50) Teuscher, J; Faraday Discuss 1997, V107, P399 HCA
- (51) Tsutsumi, H; J Electrochem Soc 1992, V139, P1522 HCA
- (52) Ulman, A; An Introduction to Ultrathin Organic Films from Langmuir Blodgett to Self-Assembly 1991
- (53) Weber, K; J Phys Chem Sect B 1997, V101, P8286 HCA

L31 ANSWER 5 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 146:111086 HCA Full-text

ED Entered STN: 25 Jan 2007

TI Soft lithography using perfluorinated polyether molds and PRINT technology for fabrication of 3-D arrays on glass substrates

AU Wiles, Kenton B.; Wiles, Natasha S.; Herlihy, Kevin P.; Maynor, Benjamin W.; Rolland, Jason P.; DeSimone, Joseph M.

CS Dept. of Chemistry, Univ. of North Carolina, Chapel Hill, NC, 27599, USA

SO Proceedings of SPIE-The International Society for Optical Engineering (2006), 6151(Pt. 2, Emerging Lithographic Technologies X), 61513F/1-61513F/9

CODEN: PSISDG; ISSN: 0277-786X

PB SPIE-The International Society for Optical Engineering

DT Journal

LA English

- CC 74-5 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)
- AB The fabrication of nanometer size structures and complex devices for microelectronics is of increasing importance so as to meet the challenges of large-scale com. applications. Soft lithog. typically employs elastomeric polydimethylsiloxane (PDMS) molds to replicate micro- and nanoscale features. However, the difficulties of PDMS for nanoscale fabrication include inherent incompatibility with organic liqs. and the production of a residual scum or flash layer that link features where the nano-structures meet the substrate. An emerging technol. advanced technique known as pattern replication in non-wetting templates (PRINT) avoids both of these dilemmas by utilizing photocurable perfluorinated polyether (PFPE) rather than PDMS as the elastomeric molding material. PFPE is a liquid at room temperature that exhibits low modulus and high gas permeability when cured. The highly fluorinated PFPE material allows for resistance to swelling by organic liqs. and very low surface energies, thereby preventing flash layer formation and ease of separation of PFPE molds from the substrates. These enhanced characteristics enable easy removal of the stamp from the molded material, thereby minimizing damage to the nanoscale features. The authors describe that PRINT can be operated in two different modes depending on whether the objects to be molded are to be removed and harvested (i.e. to make shape specific organic particles) or whether scum free objects are desired which are adhered onto the substrate (i.e. for scum free pattern generation using imprint lithog.). The former can be achieved using a non-reactive, low surface energy substrate (PRINT: particle replication in non-wetting templates) and the latter can be achieved using a reactive, low surface energy substrate (PRINT: pattern replication in non-wetting templates). The authors show that the PRINT technol. can be used to fabricate nanoparticle arrays covalently bound to a glass substrate with no scum layer. The nanometer size arrays were fabricated using a PFPE mold and a self-assembled monolayer (SAM) fluorinated glass substrate that was also functionalized with free-radically reactive SAM methacrylate moieties. The molded polymeric materials were covalently bound to the glass substrate through thermal curing with the methacrylate groups to permit three dimensional array fabrication. The low surface energies of the PFPE mold and fluorinated glass substrate allowed for no flash layer formation, permitting well resolved structures.
- ST soft lithog perfluorinated polyether mold PRINT technol;
nanoimprint lithog perfluoropolyether mold 3D nanoparticle array
glass bound; hot embossing lithog perfluoropolyether
mold nanoparticle array glass bound
- IT Nanoparticles
Self-assembled monolayers
Surface energy
(fabrication of 3D nanoparticle arrays covalently bound to
functionalized glass substrate by nanoimprint lithog
. using perfluoropolyether mold)
- IT Contact angle
(fluorinated glass functionalized with reactive SAM
methacrylate moieties for fabrication of bound 3D nanoparticle arrays
by nanoimprint lithog. using perfluoropolyether mold)
- IT Lithography
(nanoimprint; nanoimprint lithog. fabrication of 3D
nanoparticle arrays covalently bound to glass substrate using
perfluoropolyether mold)
- IT Lithographic plates
(nanoimprint; preparation of perfluoropolyether mold for nanoimprint
lithog. fabrication of 3D nanoparticle arrays covalently bound
to glass substrate)
- IT Polyethers
(perfluoro, diols, reaction products with isocyanatoethyl methacrylate;

fabrication of 3D nanoparticle arrays covalently bound to glass substrate by nanoimprint lithog. using perfluoropolyether mold)

- IT Fluoropolymers
(polyether-, perfluoro, diols, reaction products with isocyanatoethyl methacrylate; fabrication of 3D nanoparticle arrays covalently bound to glass substrate by nanoimprint lithog. using perfluoropolyether mold)
- IT 7351-61-3D, 3-Trichlorosilyl propylmethacrylate, glass-bound, reaction product with poly(trimethylolpropane triacrylate) 220791-24-2D, (Trichloroperfluorooctyl)silane, glass-bound
(fabrication of 3D nanoparticle arrays covalently bound to functionalized glass substrate by nanoimprint lithog . using perfluoropolyether mold)
- IT 36446-02-3DP, Poly(trimethylolpropane triacrylate), reaction product with fluorinated glass bound trichlorosilyl propylmethacrylate
(fabrication of 3D nanoparticle arrays covalently bound to functionalized glass substrate by nanoimprint lithog . using perfluoropolyether mold)
- IT 947-19-3, α -Hydroxy cyclohexyl phenyl ketone
(methacrylate end-capping of perfluoropolyether diol followed by photocuring to form crosslinked network for fabrication of nanoimprint lithog. mold)
- IT 30674-80-7D, reaction product with perfluoropolyether diol
(mold; nanoimprint lithog. fabrication of 3D nanoparticle arrays covalently bound to glass substrate using perfluoropolyether mold)

RE.CNT 14 THERE ARE 14 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE CITED REFERENCES

- (1) Bailey, T; J Vac Sci Technol, B 2000, V18, P3572 HCA
- (2) Carter, K; Polymer Preprints 2002, V8, P403
- (3) Klopp, J; J Chem Mater 2001, V13, P4147 HCA
- (4) Langer, R; Nature 1998, V392, P5 HCA
- (5) Ma, Q; J Am Chem Soc 2001, V123, P4627 HCA
- (6) Miller, R; Science 1999, V286, P421 CAPLUS
- (7) Priola, A; Macromol Chem Phys 1997, V198, P1893 HCA
- (8) Rolland, J; Angew, Chem Int Ed 2004, V43, P5796 HCA
- (9) Rolland, J; J Am Chem Soc 2004, V126, P8349 HCA
- (10) Rolland, J; J Am Chem Soc 2005, V127, P10096 HCA
- (11) von Werne, T; J Am Chem Soc 2003, V125, P3831 HCA
- (12) Xia, Y; Angew Chem Int Ed 1998, V37, P551
- (13) Xia, Y; Chem Rev 1999, V99, P1823 HCA
- (14) Xu, Q; Nano Lett 2004, V4, P2509 HCA

L31 ANSWER 6 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 146:109655 HCA Full-text

ED Entered STN: 25 Jan 2007

TI Structure and electrochemical behaviour of
4,7-diazaheptyl-trimethoxy-silane and vinyl-trialkoxysilane adsorbed at
silver surface

AU Luczak, Teresa; Pankiewicz, Radoslaw; Leska, Boguslawa; Schroeder,
Grzegorz; Beltowska-Brzezinska, Maria; Brzezinski, Bogumil

CS Faculty of Chemistry, A. Mickiewicz University, Poznan, PL-60780, Pol.

SO Journal of Molecular Structure (2006), 800(1-3), 140-145
CODEN: JMOSB4; ISSN: 0022-2860

PB Elsevier B.V.

DT Journal

LA English

CC 72-2 (Electrochemistry)

Section cross-reference(s): §§, 69

AB Novel self-assembled monolayers were obtained on Ag using 4,7-diazaheptyltrimethoxy-silane (SiN) and vinyl-trialkoxysilane (SiVA, where the alkyl group is 3,6,9,12,15,18,21,24,27,30,33,36,39,42,45,48,51,54,57,60-eicoxa-hexaheptaconan). Thus modified metal surface was protected against electrooxidn. A densely packed monolayer remained stable and did not desorb from the Ag electrode on the potential cycling. The structure of SiN and SiVA as well as their complexes with Li⁺ cations were calculated and visualized by the AM1d and PM5 semi-empirical methods.

ST diazaheptyltrimethoxysilane vinyltrialkoxysilane adsorbed silver electrochem inactive self assembled monolayer

IT Adsorbed substances
(electrochem. oxidation of silver and effect of diazaheptyltrimethoxysilane and vinyltrialkoxysilane adsorbates)

IT Formation enthalpy
(of diazaheptyltrimethoxysilane and vinyltrialkoxysilane on and their lithium complexes and of diazaheptyltrimethoxysilane and vinyltrialkoxysilane on coordinated and chemical bonded to silver)

IT Chemisorption
Complexation
(of diazaheptyltrimethoxysilane and vinyltrialkoxysilane on silver)

IT Oxidation, electrochemical
(of silver and effect of diazaheptyltrimethoxysilane and vinyltrialkoxysilane adsorbates)

IT Cyclic voltammetry
(of silver electrode with and without modification with diazaheptyltrimethoxysilane in propylene carbonate containing LiClO₄)

IT Chemically modified electrodes
(silver modified with diazaheptyltrimethoxysilane)

IT Order
Self-assembled monolayers
(well-ordered self-assembled monolayers of diazaheptyltrimethoxysilane and vinyltrialkoxysilane on silver with electrochem. inactivity and protection of silver against electrochem. oxidation)

IT 917950-37-9
(SiVA; well-ordered self-assembled monolayers on silver with electrochem. inactivity and protection of silver against electrochem. oxidation)

IT 1760-24-3D, lithium complexes 7439-93-2D, Lithium, complexes with diazaheptyltrimethoxysilane and vinyltrialkoxysilane on 917950-37-9D, lithium complexes
(heat of formation on silver)

IT 7440-22-4, Silver, uses
(well-ordered self-assembled monolayers of diazaheptyltrimethoxysilane and vinyltrialkoxysilane on silver with electrochem. inactivity and protection of silver against electrochem. oxidation)

IT 1760-24-3
(well-ordered self-assembled monolayers on silver with electrochem. inactivity and protection of silver against electrochem. oxidation)

OSC.G 5 THERE ARE 5 CAPLUS RECORDS THAT CITE THIS RECORD (5 CITINGS)

UPOS.G Date last citing reference entered STN: 03 Aug 2011

OS.G CAPLUS 2009:850615; 2009:517820; 2008:1444819; 2008:1308464; 2008:467104

RE.CNT 24 THERE ARE 24 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Alves, C; J Am Chem Soc 1991, V113, P2805
- (2) Bryant, M; J Am Chem Soc 1991, V113, P3629 HCA
- (3) Bryant, M; J Am Chem Soc 1991, V113, P8284 HCA
- (4) Brzezinski, B; J Phys Chem 1995, V99, P8519 HCA

- (5) Chailapakul, O; Langmuir 1995, V11, P1329 HCA
- (6) Chidey, C; Langmuir 1990, V6, P682
- (7) Chon, S; Phys Chem Chem Phys 2001, V3, P3405 HCA
- (8) Fujitsu; CAChe 5.04 UserGuide 2003
- (9) Joo, T; J Phys Chem 1986, V90, P5816 HCA
- (10) Leska, B; J Mol Struct 2005, V741, P11 HCA
- (11) Leska, B; Thin Solid Films 2006
- (12) Li, Y; J Am Chem Soc 1992, V114, P2428 HCA
- (13) Matsuura, T; Eur Phys J 2002, VE7, P233
- (14) Offord, D; Langmuir 1994, V10, P883 HCA
- (15) Paik, W; Langmuir 2000, V16, P10198 HCA
- (16) Porter, M; J Am Chem Soc 1987, V109, P3559 HCA
- (17) Przybylski, P; Biopolymers 2004, V73, P470 HCA
- (18) Sellers, H; J Am Chem Soc 1993, V115, P9389 HCA
- (19) Shon, Y; Langmuir 1999, V15, P1136 HCA
- (20) Sobocinski, R; J Am Chem Soc 1990, V112, P6177 HCA
- (21) Ulman, A; Chem Rev 1996, V96, P1533 HCA
- (22) Walczak, M; J Am Chem Soc 1991, V113, P2370
- (23) Widrig, C; J Electroanal Chem 1991, V310, P335 HCA
- (24) Zundel, G; J Mol Struct 1993, V300, P573 HCA

L31 ANSWER 7 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 144:157459 HCA Full-text

ED Entered STN: 21 Feb 2006

TI Mapping molecular orientation of pentacene on patterned Au surface

AU Hsu, Y. J.; Hu, W. S.; Wei, D. H.; Wu, Y. S.; Tao, Y. T.

CS National Synchrotron Radiation Research Center, Hsinchu, 30076, Taiwan

SO Journal of Electron Spectroscopy and Related Phenomena (2005),
144-147, 401-404

CODEN: JESRAW; ISSN: 0368-2048

PB Elsevier B.V.

DT Journal

LA English

CC 66-3 (Surface Chemistry and Colloids)

AB With a photoemission electron microscope, the authors studied the orientation of pentacene films deposited on Au surface that was patterned with self-assembled monolayers (SAMs). Organic thiols $X(CH_2)_nSH$ with $X = -COOH$ or $-Me$ and an aromatic thiol; served as alignment layers to control the orientation of pentacene mols. thermally deposited on top of the SAM. According to the PEEM images and near-edge x-ray absorption fine structure spectra, a SAM exposing a nonpolar Me group, a terphenyl group or a polar carboxyl group all induced perpendicular alignment of the pentacene moiety, in contrast with parallel alignment on a bare Au surface.

ST pentacene orientation thiol self assembled
monolayer patterned gold surface

IT Thiols, properties

(aryl; mapping mol. orientation of pentacene on Au
surface patterned with thiol self-assembled
monolayers using photoemission electron microscopy and NEXAFS
spectra)

IT Molecular orientation

NEXAFS spectra

Self-assembled monolayers

(mapping mol. orientation of pentacene on Au surface
patterned with thiol self-assembled
monolayers using photoemission electron microscopy and NEXAFS
spectra)

IT Thiols, properties

(mapping mol. orientation of pentacene on Au surface
patterned with thiol self-assembled

monolayers using photoemission electron microscopy and NEXAFS spectra)

IT Phenols, properties
(thiophenols; mapping mol. orientation of pentacene on Au surface patterned with thiol self-assembled monolayers using photoemission electron microscopy and NEXAFS spectra)

IT 135-48-8, Pentacene 7440-57-5, Gold, properties 78540-82-6, [1,1':4',1''-Terphenyl]-4-methanethiol
(mapping mol. orientation of pentacene on Au surface patterned with thiol self-assembled monolayers using photoemission electron microscopy and NEXAFS spectra)

OSC.G 2 THERE ARE 2 CAPLUS RECORDS THAT CITE THIS RECORD (2 CITINGS)

UPOS.G Date last citing reference entered STN: 16 Feb 2009

OS.G CAPLUS 2008:338009; 2008:205716

RE.CNT 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

(1) Ade, H; Appl Phys Lett 1998, V73, P3775 HCA
(2) Chen, Y; IEEE Trans Electron Devices 1997, V44, P1325
(3) Cossy-Favre, A; Macromolecules 1998, V31, P4957 HCA
(4) Dimitrakopoulos, C; Adv Mater 2002, V14, P99 HCA
(5) Gundlach, D; Appl Phys Lett 1997, V71, P3853 HCA
(6) Katz, H; J Phys Chem 2000, V104, P671 HCA
(7) Loiacono, M; J Phys Chem 1998, VB102, P1679
(8) Scholl, A; Science 2000, V287, P1014 HCA
(9) Schroeder, P; J Appl Phys 2002, V91, P3010 HCA
(10) Shtein, M; Appl Phys Lett 2002, V81, P268 HCA
(11) Wei, D; J Phys IV France 2003, V104, P77
(12) Wei, D; Surf Rev Let 2003, V10, P617 CAPLUS

L31 ANSWER 8 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 144:137315 HCA Full-text

ED Entered STN: 09 Feb 2006

TI The geometry of nanometer-sized electrodes and its influence on electrolytic currents and metal deposition processes in scanning tunneling and scanning electrochemical microscopy

AU Sklyar, Oleg; Treutler, Thomas H.; Vlachopoulos, Nikolaos; Wittstock, Gunther

CS Carl von Ossietzky University of Oldenburg, Institute of Pure and Applied Chemistry and Institute of Chemistry and Biology of the Marine Environment (ICBM), Oldenburg, D-26111, Germany

SO Surface Science (2005), 597(1-3), 181-195
CODEN: SUSCAS; ISSN: 0039-6028

PB Elsevier B.V.

DT Journal

LA English

CC 72-2 (Electrochemistry)
Section cross-reference(s): 56, §§

AB Electrodes with an effective radius of .apprx.10 nm were produced by a combination of electrochem. etching, electrophoretic deposition of polymer, and heat curing. Their size and stability were characterized by cyclic voltammetry. They were then used in combined electrochem. scanning tunneling microscopic (ECSTM) and scanning electrochem. microscopic (SECM) expts. In an extension of an earlier report, electrochem. surface modification approaches are reported here. They comprise the local electrochem. removal of a self-assembled monolayer (SAM) of dodecanethiol on flame-annealed Au by an electrochem. desorption procedure. The possibility of local electrochem. deposition is demonstrated by positioning a nanoelectrode 0.5 nm above a surface and switching off the distance regulation while performing an

electrodeposition of Pt at the tip. The growing deposit bridges the tip-sample gap. If the distance regulation is switched on after 1 ms, the Pt junction is disrupted leaving a Pt nanodot at the sample surface. The dot was characterized by ECSTM expts. after solution exchange. Digital simulations by the boundary element method (BEM) provide a quant. description of Faraday currents in nanoelectrochem. assemblies. A software tool was created that can accept arbitrary geometries as input data sets. The flexibility of the simulation strategy was demonstrated by the calcn. of local current densities during Cu electrodeposition on a smooth electrode in the presence of an ECSTM tip close to the surface. The current densities deviate <1% from those in the absence of tip if the average c.d. is kept <1 $\mu\text{A cm}^{-2}$. SECM approach curves for nanoelectrodes were also calculated

- ST geometry nanoelectrode effect current metal deposition electrochem STM SECM
- IT Current density
 - (calcn. local current densities during Cu electrodeposition on smooth electrode in presence of ECSTM tip close to surface)
- IT Electrodeposition
 - (digital simulation of calcn. local current densities during Cu electrodeposition on smooth electrode in presence of ECSTM tip close to surface)
- IT Simulation and Modeling
 - (digital; local current densities during Cu electrodeposition on smooth electrode in presence of ECSTM tip close to surface)
- IT Scanning tunneling microscopy
 - (electrochem.; geometry of nanometer-sized electrodes and its effect on electrolytic currents and metal deposition in scanning tunneling and scanning electrochem. microscopy)
- IT Desorption
 - (electrochem.; of dodecanethiol self-assembled monolayer of dodecanethiol on flame-annealed Au and geometry of nanoelectrodes and its effect on electrolytic currents and metal deposition in scanning tunneling and scanning electrochem. microscopy)
- IT Scanning electrochemical microscopy
 - (geometry of nanometer-sized electrodes and its effect on electrolytic currents and metal deposition in scanning tunneling and scanning electrochem. microscopy)
- IT Microelectrodes
 - (nanoelectrodes; geometry of nanometer-sized electrodes and its effect on electrolytic currents and metal deposition in scanning tunneling and scanning electrochem. microscopy)
- IT Cyclic voltammetry
 - (of cone-shaped ultramicroelectrodes produced by etching and electrophoretic coating and heat curing in sulfuric acid solution containing $\text{Ru}(\text{NH}_3)_6\text{Cl}_3$)
- IT Self-assembled monolayers
 - (of dodecanethiol self-assembled monolayer of dodecanethiol on flame-annealed Au and geometry of nanoelectrodes and its effect on electrolytic currents and metal deposition in scanning tunneling and scanning electrochem. microscopy)
- IT Scanning tunneling microscopes
 - (tips, electrochem.; digital simulation of calcn. local current densities during Cu electrodeposition on smooth electrode in presence of ECSTM tip close to surface)
- IT 14282-91-8, Hexaammineruthenium(3+) trichloride
 - (cyclic voltammetry of cone-shaped ultramicroelectrodes produced by etching and electrophoretic coating and heat curing in sulfuric acid solution containing $\text{Ru}(\text{NH}_3)_6\text{Cl}_3$)
- IT 7664-93-9, Sulfuric acid, uses
 - (cyclic voltammetry of cone-shaped ultramicroelectrodes

produced by etching and electrophoretic coating and ~~heat~~
curing in sulfuric acid solution containing Ru(NH₃)₆Cl₃)

IT 7440-06-4P, Platinum, uses
(localized electrodeposition of Pt on dodecanethiolate-covered
flame-annealed Au and geometry of nanoelectrodes and its effect on
electrolytic currents and metal deposition in scanning tunneling and
scanning electrochem. microscopy)

IT 112-55-0, 1-Dodecanethiol 7440-57-5, Gold, uses
(localized electrodeposition of Pt on dodecanethiolate-covered
flame-annealed gold and geometry of nanoelectrodes and its effect on
electrolytic currents and metal deposition in scanning tunneling and
scanning electrochem. microscopy)

OSC.G 14 THERE ARE 14 CAPLUS RECORDS THAT CITE THIS RECORD (14 CITINGS)

UPOS.G Date last citing reference entered STN: 05 Aug 2011

OS.G CAPLUS 2011:892732; 2010:1383552; 2010:1455360; 2010:1457243;
2010:74964; 2009:892064; 2009:591463; 2008:1296953; 2008:1269422;
2008:117089; 2007:1084783; 2007:393893; 2007:78959; 2006:725369

RE.CNT 64 THERE ARE 64 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Amphlett, J; J Phys Chem B 1998, V102, P9946 HCA
- (2) Anon; Electrochemical Nanotechnology: In-situ Local Probe Techniques at
Electrochemical Interfaces 1998
- (3) Anon; Scanning Electrochemical Microscopy 2001
- (4) Anon; Solid--Liquid Interfaces: Macroscopic Phenomena--Microscopic
Understanding 2003
- (5) Bach, C; J Electrochem Soc 1993, V140, P1281 HCA
- (6) Ballesteros Katemann, B; Electroanalysis 2002, V14, P1
- (7) Bard, A; Electroanalytical Chemistry 1994, V18, P243 HCA
- (8) Bard, A; J Phys Chem 1992, V96, P1881
- (9) Bard, A; Science 1991, V254, P68 HCA
- (10) Barker, A; Anal Chim Acta 1999, V385, P223 HCA
- (11) Basame, S; Langmuir 1999, V15, P819 HCA
- (12) Brebbia, C; Boundary Elements: An Introductory Course, Computational
Mechanics Publications 1994
- (13) Budevski, E; Electrochemical Phase Formation and Growth: An Introduction
to the Initial Stages of Metal Deposition 1996
- (14) Divisek, J; J Electroanal Chem 1997, V440, P169 HCA
- (15) Engstrom, R; Anal Chem 1989, V61, P1099A HCA
- (16) Fulian, Q; J Phys Chem B 1999, V103, P4387 HCA
- (17) Fushimi, K; Electrochim Acta 2001, V47, P121 HCA
- (18) Garfias-Mesias, L; J Electrochem Soc 1998, V145, P2005 HCA
- (19) Gewirth, A; Chem Rev 1997, V97, P1129 HCA
- (20) Gilbert, J; J Biomed Mater Res 1998, V42, P321 HCA
- (21) Itaya, K; Prog Surf Sci 1998, V58, P121 HCA
- (22) Jones, C; Electrochem Commun 1999, V1, P55 HCA
- (23) Kolb, D; Progr Surf Sci 1996, V51, P109 HCA
- (24) Kolb, D; Science 1997, V275, P218
- (25) Kranz, C; Anal Chem 2001, V73, P2491 HCA
- (26) Kucernak, A; Electrochim Acta 2000, V45, P4483 HCA
- (27) Kwak, J; Anal Chem 1989, V61, P1221 HCA
- (28) Lee, C; Anal Chem 1993, V63, P2442
- (29) Li, C; Appl Phys Lett 1998, V72, P894 HCA
- (30) Macpherson, J; Anal Chem 2000, V72, P276 HCA
- (31) Macpherson, J; Anal Chem 2001, V73, P550 HCA
- (32) Macpherson, J; Anal Chem 2002, V74, P1841
- (33) Macpherson, J; J Electrochem Soc 2002, V149, PB306 HCA
- (34) Macpherson, J; J Phys Chem 1994, V98, P11764 HCA
- (35) Magnussen, O; Faraday Discuss 2002, V121, P43 HCA
- (36) Magnussen, O; personal communication 2003
- (37) Mandler, D; Israel J Chem 1996, V36, P73 HCA

- (38) Meier, J; Faraday Discuss 2002, V121, P365 HCA
- (39) Mirkin, M; Anal Chim Acta 2000, V406, P119 HCA
- (40) Mirkin, M; J Electroanal Chem 1992, V328, P47 HCA
- (41) Nann, T; Electrochem Commun 1999, V1, P289 HCA
- (42) Nann, T; Electrochim Acta 2003, V48, P3975 HCA
- (43) Patrick, J; J Electrochem Soc 1996, V143, P3853
- (44) Schindler, W; J Appl Phys 2000, V87, P7007 HCA
- (45) Scott, E; Anal Chem 1993, V65, P1537 HCA
- (46) Selzer, Y; Anal Chem 2000, V72, P2383 HCA
- (47) Shao, Y; Anal Chem 1997, V69, P1627 HCA
- (48) Shiku, H; Sensors Update 2000, V6, P231
- (49) Siegenthaler, H; Springer Series Surface Science 1992, V28, P7 HCA
- (50) Sklyar, O; Electrochim Acta 2003, V49, P117 HCA
- (51) Sklyar, O; J Phys Chem B 2002, V106, P7499 HCA
- (52) Slevin, C; J Phys Chem B 1997, V101, P1051
- (53) Still, W; J Electrochem Soc 1997, V144, P2657
- (54) Treutler, T; Electrochim Acta 2003, V48, P2923 HCA
- (55) Ufheil, J; Anal Chem 2002, V74, P1316 HCA
- (56) Wei, C; J Phys Chem 1995, V99, P16033 HCA
- (57) Wightman, R; Electroanalytical Chemistry 1989, V15, P267
- (58) Wilhelm, T; Angew Chem Int Ed Engl 2003, V42, P2247
- (59) Wilhelm, T; Electrochim Acta 2002, V47, P2653
- (60) Wilhelm, T; Mikrochim Acta 2000, V133, P1 HCA
- (61) Williams, D; J Electrochem Soc 1998, V145, P2664 HCA
- (62) Wittstock, G; Anal Chem 1997, V69, P5059 HCA
- (63) Wittstock, G; Fresenius J Anal Chem 2001, V370, P303 HCA
- (64) Wittstock, G; Top Appl Phys 2003, V85, P335 HCA

L31 ANSWER 9 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 144:117676 HCA Full-text

ED Entered STN: 02 Feb 2006

TI ~~Hot~~ embossing lithography: Release layer

characterization by chemical force microscopy

AU Cameron, Neil S.; Ott, Arnaud; Roberge, Helene; Veres, Teodor

CS IMI, National Research Council Canada, Boucherville, QC, J4B 6Y4, Can.

SO Materials Research Society Symposium Proceedings (2005),
872(Micro- and Nanosystems--Materials and Devices), 197-202

CODEN: MRSPDH; ISSN: 0272-9172

PB Materials Research Society

DT Journal

LA English

CC 74-5 (Radiation Chemistry, Photochemistry, and Photographic and Other
Reprographic Processes)

AB ~~Hot~~ embossing lithog. is a powerful method of replicating three-dimensional micro- and nano-structures using a stamp that is pressed into a ~~heat~~-softened polymer resin. Cooling below the glass-transition temperature (T_g) of the polymer cures the motifs and the stamp and ~~substrate~~ are then separated. Successful replication is therefore contingent on interfacial interactions during the embossing phase and most importantly during the separation or release phase. Various organo- and perfluoro-silane release layers have been proposed and studied. The authors have employed variable temperature chemical force microscopy (VT-CFM) using tips silanized with four different ~~SAMs~~ interacting with a thin-film of poly(~~cyclic~~ olefin), (PCO). The silanized-tip/polymer interaction was studied over a temperature range spanning the T_g of the PCO (.apprx.373 K). Adhesion between a saturated hydrocarbon-decorated tip (OTS) and PCO was comparatively strong (170 nN) 30 K above the T_g of the polymer. Adhesion among the perfluorinated tips was 20 to 50 nN lower at 373 K with a relative increase in perfluoromethyl groups (weight/weight).

ST ~~hot~~ embossing lithog release layer characterization
chem force microscopy; nanoimprint lithog release layer

characterization chem force microscopy

IT Adhesion, physical
Atomic force microscopy
Contact angle
Glass transition temperature
Release coatings
 ~~Self-assembled monolayers~~
Silylation
 Surface potential
 (chemical force microscopy in characterization of release layers for
 ~~hot embossing lithog.~~)

IT Lithographic plates
 (nanoimprint stamps; chemical force microscopy in characterization of
 release layers for ~~hot embossing lithog.~~)

IT Lithography
 (nanoimprint; chemical force microscopy in characterization of release
 layers for ~~hot embossing lithog.~~)

IT 351376-50-6, Zeonor 750R
 (chemical force microscopy in characterization of release layers for
 ~~hot embossing lithog.~~)

IT 5283-66-9, Octyltrichlorosilane 78560-44-8,
1,1,2,2-Tetrahydroperfluorodecyltrichlorosilane 78560-45-9,
1,1,2,2-Tetrahydroperfluorooctyltrichlorosilane 149838-19-7,
3-(Heptafluoroisopropoxy)propyltriethoxysilane
 (release layer; chemical force microscopy in characterization of release
 layers for ~~hot embossing lithog.~~)

IT 7440-21-3, Silicon, processes
 (~~wafer substrate~~; chemical force microscopy in
 characterization of release layers for ~~hot embossing
 lithog.~~)

OSC.G 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD (1 CITINGS)

UPOS.G Date last citing reference entered STN: 16 Feb 2009

OS.G CAPLUS 2008:231150

RE.CNT 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

(1) Alkaisi, M; Microelectronic Engineering 2001, V57, P367

(2) Chou, S; Applied Physics Letters 1995, V67, P3114 HCA

(3) Hirai, Y; Journal of Photopolymer Science and Technology 2001, V14(3), P457
HCA

(4) Kim, B; Microelectronic Engineering 2001, 57-58, P755

(5) Kim Gyu Man; Journal of Microelectromechanical Systems 2002, V11(3), P175

(6) Luengo, G; Macromolecules 1997, V30, P2482 HCA

(7) Luesebrink, H; Journal of Nanoscience and Nanotechnology, In press 2005,
VX(1-5)

(8) Muriel, K; Langmuir 2004, 20, P2867

(9) Muriel, K; Langmuir, in press 2005

(10) Park, S; presented at the MRS (unpublished) 2003

(11) Taniguchi, J; Japanese Journal of Applied Physics, Part 41 2002, 6B, P4194
HCA

(12) Uhnann, A; Introduction to Ultrathin Organic Films: From Langmuir-Blodgett
to Self-Assembly 1997

L31 ANSWER 10 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 143:474084 HCA Full-text

ED Entered STN: 15 Dec 2005

TI Assembly of nanomaterials through hybrid conjugation with ordered
~~self-assembled monolayers~~ and proteins

AU Ma, Hong; Zin, Melvin T.; Ylp, Hinlap; Horwitz, Joel S.; Kang, Mun-Sik;
Xu, Qing-Min; Sarikaya, Mehmet; Jen, Alex K.-Y.

CS Department of Materials Science and Engineering, University of Washington,

Seattle, WA, 98195-2120, USA

SO PMSE Preprints (2005), 93, 343-345
CODEN: PPMRA9; ISSN: 1550-6703

PB American Chemical Society

DT Journal; (computer optical disk)

LA English

CC 6-3 (General Biochemistry)

AB In this proof-of-concept demonstration using gold-binding protein, the patterning of genetically engineered polypeptides by microcontact printing (μ CP) was evaluated. By combining μ CP with surface chemical reaction patterns of hybrid structures consisting polypeptides and organic mols. can be generated on the substrate with sub-micron dimensions. Laterally structured hybrid assemblies composed of genetically engineered polypeptides and fused-ring organic mols. were used to guide the assembly of gold nanoparticles in a site-selective way. Peptide GBP-1 was covalently bonded onto the self-assembled monolayers of π -conjugated thiols pre-formed on Au(111) substrate by the combination of μ CP and surface reaction to produce a two-dimensional template with sub-micron patterns. Assembly of gold nanoparticles occurred through surface recognition.

ST gold binding protein 1 self assembled
monolayer gold; microcontact printing nanoparticle nanomaterial
CBP 1 gold protein

IT Proteins
(GBP-1 (gold-binding protein 1); assembly of nanomaterials through hybrid conjugation with ordered self-assembled monolayers and proteins)

IT Nanoparticles
Self-assembled monolayers
Self-assembly
(assembly of nanomaterials through hybrid conjugation with ordered self-assembled monolayers and proteins)

IT Lithography
(microcontact printing; assembly of nanomaterials through hybrid conjugation with ordered self-assembled monolayers and proteins)

IT Materials
Nanostructures
(nanomaterials; assembly of nanomaterials through hybrid conjugation with ordered self-assembled monolayers and proteins)

IT 869503-85-5
(GBP-1 (gold-binding protein 1); assembly of nanomaterials through hybrid conjugation with ordered self-assembled monolayers and proteins)

IT 7440-57-5, Gold, uses 869502-24-9
(assembly of nanomaterials through hybrid conjugation with ordered self-assembled monolayers and proteins)

RE.CNT 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Brown, S; Nature Biotechnol 1997, V15, P269 HCA
- (2) Kang, S; Angew Chem 2004, V116, P1538
- (3) Mann, S; Biominearalization Principles and Concepts in Bioinorganic Materials Chemistry 2001
- (4) Sarikaya, M; Nature Mater 2003, V2, P577 HCA
- (5) Sarikaya, M; Proc Natl Acad Sci USA 1999, V96, P14183 HCA
- (6) Seeman, N; PNAS 2002, V99, P6451 HCA
- (7) Stupp, S; Science 1997, V277, P1242 HCA
- (8) Whaley, S; Nature 2000, V405, P665 HCA

(9) Zareie, M; Nano Lett 2003, V3, P139

L31 ANSWER 11 OF 60 HCA COPYRIGHT 2011 ACS on STN
AN 143:468270 HCA Full-text
ED Entered STN: 08 Dec 2005
TI Characterization of self-assembled thin films of zirconium phosphonate/
aromatic diimides
AU Marcon, Rodrigo O.; Brochsztain, Sergio
CS Centro Interdisciplinar de Investigacao Bioquimica, Universidade de Mogi
das Cruzes, Mogi das Cruzes, 08780-911, Brazil
SO Thin Solid Films (2005), 492(1-2), 30-34
CODEN: THSFAP; ISSN: 0040-6090
PB Elsevier B.V.
DT Journal
LA English
CC 73-4 (Optical, Electron, and Mass Spectroscopy and Other Related
Properties)
Section cross-reference(s): 29, 66
OS CASREACT 143:468270
AB The synthesis of three novel phosphonate-substituted aromatic diimides is
described: N,N'-bis(2-phosphonoethyl)pyromellitimide (PPMI), N,N'-bis(2-
phosphonoethyl)-1,4,5,8-naphthalenediimide (PNDI) and N,N'-bis(2-
phosphonoethyl)-3,4,9,10-perylenediimide (PPDI). The imides are water-
soluble, allowing spectroscopical studies to be performed in water. PPMI and
PNDI exist in the monomeric form in water, but PPDI formed dimers. Self-
assembled thin films of the three compds. were grown on phosphonate-primed
silicon and quartz substrates by the zirconium phosphonate method. Film
growth was followed by ellipsometry (silicon) and UV/visible absorption
spectroscopy (quartz). The films obtained were highly thermally and
solvolytically stable for all the three imides, making them excellent
candidates for applications in nanotechnol. devices.
ST self assembled thin film zirconium phosphonate arom diimide
IT Self-assembled monolayers
(characterization of self-assembled thin films of
zirconium phosphonate/aromatic diimides)
IT Imides
(diimides; characterization of self-assembled thin films of zirconium
phosphonate/aromatic diimides)
IT Aggregation
(dye aggregation in water; characterization of self-assembled thin
films of zirconium phosphonate/aromatic diimides)
IT Molar absorptivity
(increases with diimide ring size; characterization of
self-assembled thin films of zirconium phosphonate/aromatic
diimides)
IT UV and visible spectra
(of diimides in solution and film; characterization of self-assembled thin
films of zirconium phosphonate/aromatic diimides)
IT 243126-11-6P, N,N'-Bis(2-phosphonoethyl)-1,4,5,8-naphthalenediimide
869371-05-1P, N,N'-Bis(2-phosphonoethyl)pyromellitimide 869371-15-3P,
N,N'-Bis(2-phosphonoethyl)-3,4,9,10-perylenediimide
(characterization of self-assembled thin films of zirconium
phosphonate/aromatic diimides)
IT 869371-10-8P 869371-26-6P
(characterization of self-assembled thin films of zirconium
phosphonate/aromatic diimides)
IT 2041-14-7, 2-Aminoethylphosphonic acid
(imidation reactions; characterization of self-assembled thin films of
zirconium phosphonate/aromatic diimides)
IT 81-30-1, 1,4,5,8-Naphthalenetetracarboxylic dianhydride 89-32-7,

Pyromellitic dianhydride 128-69-8, 3,4,9,10-Perylenetetracarboxylic dianhydride

(imidation; characterization of self-assembled thin films of zirconium phosphonate/aromatic diimides)

IT 869371-16-4P

(saponification; characterization of self-assembled thin films of zirconium phosphonate/aromatic diimides)

IT 7440-21-3D, Silicon, successive surface modifications with aminopropyl, phosphonate, and zirconate groups 14808-60-7D, Quartz, successive surface modifications with aminopropyl, phosphonate, and zirconate groups, uses

(substrate; characterization of self-assembled thin films of zirconium phosphonate/aromatic diimides)

IT 10025-87-3, Phosphoryl chloride

(surface reaction with aminopropylated silicon and quartz for generating surface phosphonate groups; characterization of self-assembled thin films of zirconium phosphonate/aromatic diimides)

IT 919-30-2, 3-(Aminopropyl)triethoxysilane

(surface reaction with silicon and quartz for generating surface aminopropyl groups; characterization of self-assembled thin films of zirconium phosphonate/aromatic diimides)

IT 7699-43-6, Zirconyl chloride

(surface reaction with successively aminopropylated and phosphonated silicon and quartz for generating surface zirconate groups; characterization of self-assembled thin films of zirconium phosphonate/aromatic diimides)

OSC.G 8 THERE ARE 8 CAPLUS RECORDS THAT CITE THIS RECORD (8 CITINGS)

UPOS.G Date last citing reference entered STN: 08 Nov 2010

OS.G CAPLUS 2010:1360588; 2009:435969; 2009:220171; 2009:156271; 2007:1167283; 2007:448185; 2006:843380; 2006:45088

RE.CNT 19 THERE ARE 19 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Aveline, B; J Am Chem Soc 1997, V119, P11785 HCA
- (2) Barros, T; J Photochem Photobiol, A Chem 1997, V111, P97 HCA
- (3) Cammarata, V; Langmuir 1992, V8, P876 HCA
- (4) Cao, G; Acc Chem Res 1992, V25, P420 HCA
- (5) Dutta, A; Langmuir 1996, V12, P4158 HCA
- (6) Ebeid, E; J Phys Chem 1988, V92, P4565 HCA
- (7) Ford, W; J Photochem 1987, V37, P189 HCA
- (8) Ford, W; J Phys Chem 1989, V93, P6692 HCA
- (9) Forrest, S; Chem Rev 1997, V97, P1793 HCA
- (10) Gosztola, D; J Phys Chem 2000, V104, P6545 HCA
- (11) Greenfield, S; J Am Chem Soc 1996, V118, P6767 HCA
- (12) Johnson, E; Langmuir 1995, V11, P1693 HCA
- (13) Katz, H; Nature 2000, V404, P478 HCA
- (14) Katz, H; Science 1991, V254, P1485 HCA
- (15) Lu, W; Macromolecules 1999, V32, P8880 HCA
- (16) Miller, L; J Am Chem Soc 1993, V115, P5982 HCA
- (17) Rodrigues, M; Photochem Photobiol 1999, V70, P35 HCA
- (18) Rodrigues, M; Thin Solid Films 2000, V371, P109 HCA
- (19) Viehbeck, A; J Electrochem Soc 1990, V137, P1460 HCA

L31 ANSWER 12 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 143:355013 HCA Full-text

ED Entered STN: 27 Oct 2005

TI Scanning Tunneling Microscopy, Fourier Transform Infrared Spectroscopy, and Electrochemical Characterization of 2-Naphthalenethiol Self-Assembled Monolayers on the Au Surface: A Study of Bridge-Mediated Electron Transfer in Ru(NH₃)₆²⁺|Ru(NH₃)₆³⁺ Redox

Reactions

- AU Ganesh, V.; Lakshminarayanan, V.
CS Raman Research Institute, Bangalore, 560080, India
SO Journal of Physical Chemistry B (2005), 109(34), 16372-16381
CODEN: JPCBFK; ISSN: 1520-6106
PB American Chemical Society
DT Journal
LA English
CC 72-2 (Electrochemistry)
Section cross-reference(s): 66, 67
- AB The authors have studied the structure, adsorption kinetics, and barrier properties of self-assembled monolayers of 2-naphthalenethiol on Au using electrochem. techniques, grazing-angle FTIR spectroscopy, and scanning tunneling microscopy (STM). The results of cyclic voltammetric and impedance measurements using redox probes show that 2-naphthalenethiol on Au forms a stable and reproducible, but moderately blocking, monolayer. Annealing of the self-assembled monolayer (SAM)-modified surface at $72 \pm 2^\circ$ remarkably improves the blocking property of the monolayer of 2-naphthalenethiol on Au. From the study of kinetics of SAM formation, the self-assembly follows Langmuir adsorption isotherm. The STM and FTIR results show that the mols. are adsorbed with the naphthalene ring tilted from the surface normal by forming a $\sqrt{3} + 3 R30^\circ$ overlayer structure. The electron-transfer reaction of ferro/ferricyanide in the freshly formed monolayer occurs predominantly through the pinholes and defects present in the monolayer. However, in the case of thermally annealed specimen, although the ferro/ferricyanide reaction is almost completely blocked, the electron-transfer reaction of hexaammineruthenium(III) chloride is not significantly inhibited. Probably the electron-transfer reaction in the case of the Ru redox couple takes place by a tunneling mechanism through the high-electron-d. aromatic naphthalene ring acting as a bridge between the monolayer-modified electrode and the Ru complex.
- ST STM IR spectra electrochem naphthalenethiol SAM monolayer gold electrode; ruthenium ammine redox reaction bridge mediated electron transfer; cyclic voltammetry impedance naphthalenethiol self assembled monolayer gold; cyanoferrate electrochem naphthalenethiol monolayer modified gold electrode
- IT Self-assembled monolayers
(STM and IR spectra and electrochem. characterization of naphthalenethiol self-assembled monolayers on Au surface and study of bridge-mediated electron transfer in $\text{Ru}(\text{NH}_3)_6^{2+}/\text{Ru}(\text{NH}_3)_6^{3+}$ redox reactions)
- IT Redox reaction
(electrochem.; of ruthenium-ammine complexes and cyanoferrates at naphthalenethiol self-assembled monolayers on Au surface)
- IT Chemically modified electrodes
(naphthalenethiol-modified gold)
- IT Cyclic voltammetry
Electric impedance
(of cyanoferrates and Ru-ammine complexes at naphthalenethiol-modified gold electrode)
- IT Surface structure
(of naphthalenethiol adsorbed on gold)
- IT Molecular orientation
(of naphthalenethiol adsorbed on gold electrode)
- IT IR spectra
(of naphthalenethiol self-assembled monolayers on Au surface)
- IT Annealing
(of naphthalenethiol-modified gold electrode)

IT Electric capacitance-potential relationship
(of naphthalenethiol-modified gold electrode in NaF solution)

IT Adsorbed monolayers
(orientation of naphthalenethiol adsorbed on gold electrode)

IT 7440-57-5, Gold, uses
(STM and IR spectra and electrochem. characterization of
naphthalenethiol self-assembled monolayers
on Au surface and study of bridge-mediated electron transfer
in Ru(NH₃)₆²⁺/Ru(NH₃)₆³⁺ redox reactions)

IT 91-60-1, 2-Naphthalenethiol
(STM and IR spectra and electrochem. characterization of
naphthalenethiol self-assembled monolayers
on Au surface and study of bridge-mediated electron transfer
in Ru(NH₃)₆²⁺/Ru(NH₃)₆³⁺ redox reactions)

IT 18943-33-4, Hexaammineruthenium(3+) 19052-44-9, Hexaammineruthenium(2+)
(bridge-mediated electron transfer in Ru(NH₃)₆²⁺/Ru(NH₃)₆³⁺ redox
reactions at naphthalenethiol self-assembled
monolayers on Au surface)

IT 13746-66-2, Potassium ferricyanide 13943-58-3, Potassium ferrocyanide
(cyclic voltammetry and elec. impedance at
naphthalenethiol-modified gold electrode in NaF solution)

IT 7791-03-9, Lithium perchlorate (LiClO₄) 14282-91-8,
Ruthenium(3+), hexaamine-, trichloride
(cyclic voltammetry and elec. impedance of cyanoferrates at
naphthalenethiol-modified gold electrode in LiClO₄ solution)

IT 7681-49-4, Sodium fluoride (NaF), uses
(cyclic voltammetry and elec. impedance of cyanoferrates at
naphthalenethiol-modified gold electrode in NaF solution)

IT 13408-62-3, Ferricyanide 13408-63-4, Ferrocyanide
(electrochem. redox reaction at naphthalenethiol self-
assembled monolayers on Au surface)

OSC.G 20 THERE ARE 20 CAPLUS RECORDS THAT CITE THIS RECORD (20 CITINGS)

UPOS.G Date last citing reference entered STN: 15 Aug 2011

OS.G CAPLUS 2011:951374; 2011:896773; 2011:682801; 2011:421454; 2010:831640;
2010:193073; 2010:102549; 2009:1243968; 2009:1184243;
2009:999491; 2009:386766; 2008:1050469; 2008:752437; 2008:715354;
2008:297299; 2007:1098964; 2007:766705; 2007:740820; 2006:976163;
2006:908708

RE.CNT 67 THERE ARE 67 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Amatore, C; J Electroanal Chem 1983, V147, P39 HCA
- (2) Anderson, M; Langmuir 1994, V10, P1638 HCA
- (3) Aslam, M; J Colloid Interface Sci 2001, V234, P410 HCA
- (4) Bandyopadhyay, K; J Electroanal Chem 1998, V447, P11 HCA
- (5) Bandyopadhyay, K; Langmuir 1997, V13, P866 HCA
- (6) Bandyopadhyay, K; Langmuir 1998, V14, P625 HCA
- (7) Bandyopadhyay, K; Langmuir 1999, V15, P5314 HCA
- (8) Batz, V; J Electroanal Chem 2000, V491, P55 HCA
- (9) Blumberger, J; J Phys Chem B 2005, V109, P6793 HCA
- (10) Bruce, L; J Phys Chem B 2000, V104, P9004
- (11) Bruce, L; Langmuir 2000, V16, P7464
- (12) Chailapakul, O; Langmuir 1995, V11, P1329 HCA
- (13) Chang, S; J Am Chem Soc 1994, V116, P6792 HCA
- (14) Chidsey, C; Science 1991, V251, P919 HCA
- (15) Cornell, B; Nature 1997, V387, P580 HCA
- (16) Damaskin, B; Adsorption of Organic compounds on Electrodes 1971
- (17) Dannenberger, O; J Phys Chem B 1999, V103, P2202 HCA
- (18) Davis, W; Nature 1998, V396, P60 HCA
- (19) Finklea, H; Electroanalytical Chemistry, A Series of Advances 1996, V19,
P166

- (20) Finklea, H; Encyclopedia of Analytical Chemistry
(21) Finklea, H; Langmuir 1993, V9, P3660 HCA
(22) Fleischmann, M; J Electroanal Chem 1985, V182, P87 HCA
(23) Frey, S; Langmuir 2001, V17, P2408 HCA
(24) Guo, L; J Phys Chem 1995, V99, P4106 HCA
(25) Guo, L; J Phys Chem 1995, V99, P8458 HCA
(26) Hagg, R; J Am Chem Soc 1999, V121, P7895
(27) Hayes, A; Langmuir 1996, V12, P3688
(28) Hickman, J; Science 1991, V252, P688 HCA
(29) Huang, J; Langmuir 1994, V10, P626 HCA
(30) Janek, R; Langmuir 1998, V14, P3011 HCA
(31) Jayadevaiah, M; Meas Sci Technol 2004, V15, PN35 CAPLUS
(32) Jin, Q; Surf Sci 1999, V425, P101 HCA
(33) Karpovich, D; Langmuir 1994, V10, P3315 HCA
(34) Kawanishi, Y; Langmuir 1992, V8, P2601 HCA
(35) Kolega, R; Langmuir 1998, V14, P5469 HCA
(36) Krings, N; Electrochim Acta 2003, V49, P167 HCA
(37) Laibinis, P; J Am Chem Soc 1992, V114, P9022 HCA
(38) Lewis, F; Proc Natl Acad Sci U S A 2002, V99, P12536 HCA
(39) Li, D; J Am Chem Soc 1990, V112, P7389 HCA
(40) Mirkin, C; Annu Rev Phys Chem 1992, V43, P719 HCA
(41) Ohno, N; J Electrochem Soc 1993, V140, P2512 HCA
(42) Paik, W; Langmuir 2000, V16, P10198 HCA
(43) Protsailo, L; Langmuir 2002, V18, P8933 HCA
(44) Protsailo, L; Langmuir 2002, V18, P9342 HCA
(45) Rampi, M; Chem Phys 2002, V281, P373 HCA
(46) Retna, R; J Electroanal Chem 2003, V540, P69
(47) Ron, H; J Am Chem Soc 1998, V120, P13444 HCA
(48) Sabatani, E; Langmuir 1993, V9, P2974 HCA
(49) Sawaguchi, T; Electrochim Acta 2000, V45, P2861 HCA
(50) Sikes, H; Science 2001, V291, P1519 HCA
(51) Smalley, J; J Phys Chem 1995, V99, P13141 HCA
(52) Subramanian, R; Electrochim Acta 2000, V45, P4501 HCA
(53) Subramanian, R; Electrochim Acta 2000, V45, P4501 HCA
(54) Tariov, M; J Am Chem Soc 1993, V115, P5305
(55) Tokuda, K; J Electroanal Chem 1979, V102, P41 HCA
(56) Ulman, A; An Introduction to Ultrathin organic films from
Langmuir-Blodgett to self-assembly 1991
(57) Ulman, A; Chem Rev 1996, V96, P1533 HCA
(58) Venkataramanan, M; J Colloid Interface Sci 1999, V212, P553 HCA
(59) Wang, W; J Phys Chem B 2004, V108, P18398 HCA
(60) Weber, K; J Phys Chem B 1997, V101, P8286 HCA
(61) Wollman, E; J Am Chem Soc 1994, V116, P4395 HCA
(62) Wooster, T; Langmuir 1996, V12, P6616 HCA
(63) Yan, D; Langmuir 2002, V18, P10202 HCA
(64) Yan, D; Langmuir 2002, V18, P10202 HCA
(65) Yang, Y; Sens, Actuators, B 2004, V97, P221
(66) Yu, H; J Electroanal Chem 1998, V448, P119 HCA
(67) Zhong, C; Anal Chem 1995, V67, P709A HCA
- L31 ANSWER 13 OF 60 HCA COPYRIGHT 2011 ACS on STN
AN 143:293107 HCA Full-text
ED Entered STN: 06 Oct 2005
TI Self-assembled monolayers of isocyanides on
nickel electrodes
AU Lee, Youngu; Morales, Gustavo M.; Yu, Luping
CS Department of Chemistry and James Franck Institute, The University of
Chicago, Chicago, IL, 60637, USA
SO Angewandte Chemie, International Edition (2005), 44(27),
4228-4231

CODEN: ACIEF5; ISSN: 1433-7851

PB Wiley-VCH Verlag GmbH & Co. KGaA

DT Journal

LA English

CC 66-4 (Surface Chemistry and Colloids)

OS CASREACT 143:293107

AB Monolayers of ferrocenyl-terminated isocyanides are strongly chemisorbed on nickel surfaces. The nickel-isocyanide interaction has a parallel binding mode, and the monolayers have higher thermal stability in boiling ethanol than thiol monolayers on gold. The nickel-isocyanide monolayers could be useful in mol. electronics.

ST self assembled monolayer isocyanide nickel
electrode thermal stability

IT Self-assembled monolayers
(formation of self-assembled monolayer of
isocyanide on nickel electrode)

IT Cyclic voltammetry
Thermal stability
(formation of self-assembled monolayer of
isocyanide on nickel electrode and its)

IT 7440-02-0, Nickel, processes
(formation of self-assembled monolayer of
isocyanide on nickel electrode)

IT 134029-92-8P
(formation of self-assembled monolayer of
isocyanide on nickel electrode)

IT 864297-49-4P 864297-52-9P
(intermediate; formation of self-assembled
monolayer of isocyanide on nickel electrode)

IT 151781-66-7P 151781-67-8P 182413-34-9P 864297-50-7P
(intermediate; to study formation of self-assembled
monolayer of isocyanide on nickel electrode)

IT 864297-48-3P 864297-51-8P
(intermediate; to synthesize functionalized isocyanide)

IT 136237-36-0
(to synthesize functionalized isocyanide)

OSC.G 10 THERE ARE 10 CAPLUS RECORDS THAT CITE THIS RECORD (10 CITINGS)

UPOS.G Date last citing reference entered STN: 19 Jul 2011

OS.G CAPLUS 2011:871995; 2009:1481210; 2008:814490; 2008:194226; 2007:764503;
2007:374339; 2007:55674; 2006:1101383; 2006:965183; 2006:904359

RE.CNT 28 THERE ARE 28 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Bard, A; Electrochemical Methods 1980
- (2) Bensebaa, F; Langmuir 1998, V14, P2361 HCA
- (3) Bong, D; J Am Chem Soc 2004, V126, P11796 HCA
- (4) Clot, O; Langmuir 1999, V15, P8549 HCA
- (5) Datta, S; Phys Rev Lett 1997, V79, P2530 HCA
- (6) Delamarche, E; Langmuir 1994, V10, P4103 HCA
- (7) Finklea, H; Electroanalytical Chemistry 1998, V19
- (8) Friend, C; J Am Chem Soc 1981, V103, P767 HCA
- (9) Friend, C; J Phys Chem 1981, V85, P3256 HCA
- (10) Geissler, M; Langmuir 2004, V20, P6993 HCA
- (11) Greenler, R; J Chem Phys 1966, V44, P310 HCA
- (12) Han, H; Langmuir 1999, V15, P6868 HCA
- (13) Henderson, J; Langmuir 2000, V16, P6183 HCA
- (14) Kane, S; J Phys Chem B 2001, V105, P9548 HCA
- (15) Kane, S; Surf Sci 2000, V468, P101 HCA
- (16) Mekhalif, Z; J Mater Chem 1998, V8, P545 HCA
- (17) Mekhalif, Z; Langmuir 2003, V19, P637 HCA
- (18) Murphy, K; Langmuir 2004, V20, P1732 HCA

- (19) Murphy, K; Surf Sci 2000, V467, P1 HCA
- (20) Ontko, A; Langmuir 1998, V14, P3071 HCA
- (21) Ramachandran, G; Science 2003, V300, P1413 HCA
- (22) Schlenoff, J; J Am Chem Soc 1995, V117, P12528 HCA
- (23) Seminario, J; J Am Chem Soc 2001, V123, P5616 HCA
- (24) Ulman, A; Thin Films:Self-Assembled Monolayers of Thiols 1998
- (25) Xia, Y; Angew Chem 1998, V110, P568
- (26) Xia, Y; Angew Chem Int Ed 1998, V37, P550 HCA
- (27) Xiong, Z; Nature 2004, V427, P821 HCA
- (28) Zhitenev, N; Phys Rev Lett 2004, V92, P186805 MEDLINE

L31 ANSWER 14 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 143:239491 HCA Full-text

ED Entered STN: 15 Sep 2005

TI ~~Wafer~~-Scale Fabrication of Polymer-Based Microdevices
via Injection Molding and Photolithographic Micropatterning
Protocols

AU Lee, Dae-Sik; Yang, Haesik; Chung, Kwang-Hyo; Pyo, Hyeon-Bong

CS BioMEMS Group, ETRI, Daejeon, Yuseong-Gu, 305-350, S. Korea

SO Analytical Chemistry (2005), 77(16), 5414-5420

CODEN: ANCHAM; ISSN: 0003-2700

PB American Chemical Society

DT Journal

LA English

CC 76-3 (Electric Phenomena)

Section cross-reference(s): 38, 74

AB Micropatterns for temperature sensing and microelectrode sets for electroanal. were implemented on an injection-molded thin polymer membrane using conventional semiconductor processing techniques (i.e., standard photolithog. methods). A cyclic olefin copolymer (COC, Topas 6015) was used as substrate because of its high chemical and thermal stability. A COC 5-in. wafer (1-mm thickness) was manufactured by injection molding, where polymer membranes (.apprx.130 μ m thick and 3 mm + 6 mm in area) are implemented simultaneously to reduce local thermal mass around micropatterned heaters and temperature sensors. The highly polished surface (.apprx.4 nm within 40 μ m + 40 μ m area) of the fabricated COC wafer and its good resistance to typical process chems. makes it possible to use standard photolithog. and etching protocols on the COC wafer. Gold micropatterns with a min. 5- μ m line width were fabricated as microheaters, temperature sensors, and microelectrodes. An insulating layer of aluminum oxide (Al₂O₃) was prepared on a COC-endurable low temperature (.apprx.120°) by atomic layer deposition and micropatterning for the electrode contacts. The heating and temperature sensor microdevice shows improved thermal insulation, and microelectrodes display good electrochem. performance as electrochem. sensors. The 5-in. wafer-level microfabrication method is a simple and cost-effective protocol to prepare polymer substrates and demonstrates good potential for application to highly integrated and miniaturized biomedical devices.

ST bicycloheptene ethylene copolymer substrate semiconductor device
fabrication; injection molding cyclic polyolefin
photolithog gold patterning microelectrode; temp sensor
micropatterning cyclic polyolefin wafer
substrate stability

IT Thermal stability

(fabrication of cyclic olefin copolymer wafer
based microdevices by injection molding and photolithog
. micropatterning protocols and device calibration)

IT Molding of plastics and rubbers

(injection; fabrication of cyclic olefin copolymer
wafer based microdevices by injection molding and

photolithog. micropatterning protocols and device calibration)

IT Heating systems
(microdevices; fabrication of cyclic olefin copolymer wafer based microdevices by injection molding and photolithog. micropatterning protocols and device calibration)

IT Materials processing
(micropatterning; fabrication of cyclic olefin copolymer wafer based microdevices by injection molding and photolithog. micropatterning protocols and device calibration)

IT Electrochemical cells
(polymer wafer based; fabrication of cyclic olefin copolymer wafer based microdevices by injection molding and photolithog. micropatterning protocols and device calibration)

IT Cycloalkenes
(polymers; fabrication of cyclic olefin copolymer wafer based microdevices by injection molding and photolithog. micropatterning protocols and device calibration)

IT Electronic device fabrication
Microelectrodes
Semiconductor device fabrication
Temperature sensors
(polyolefin wafer based; fabrication of cyclic olefin copolymer wafer based microdevices by injection molding and photolithog. micropatterning protocols and device calibration)

IT Photolithography
(submicron; fabrication of cyclic olefin copolymer wafer based microdevices by injection molding and photolithog. micropatterning protocols and device calibration)

IT 7757-79-1, Potassium nitrate, uses 14282-91-8, Hexaamminetrichlororuthenium
(CV electrolyte; fabrication of cyclic olefin copolymer wafer based microdevices by injection molding and photolithog. micropatterning protocols and device calibration)

IT 1344-28-1, Aluminum oxide, processes
(insulating layer; fabrication of cyclic olefin copolymer wafer based microdevices by injection molding and photolithog. micropatterning protocols and device calibration)

IT 7440-57-5, Gold, processes
(micropattern contacts; fabrication of cyclic olefin copolymer wafer based microdevices by injection molding and photolithog. micropatterning protocols and device calibration)

IT 1322-36-7, Dodecanethiol
(self-assembled monolayer on gold microelectrodes; fabrication of cyclic olefin copolymer wafer based microdevices by injection molding and photolithog. micropatterning protocols and device calibration)

IT 26007-43-2, Topas 6015
(wafer, device substrate; fabrication of cyclic olefin copolymer wafer based microdevices by injection molding and photolithog. micropatterning protocols and device calibration)

OSC.G 10 THERE ARE 10 CAPLUS RECORDS THAT CITE THIS RECORD (10 CITINGS)

UPOS.G Date last citing reference entered STN: 15 Sep 2010

OS.G CAPLUS 2010:787013; 2010:561361; 2010:86210; 2009:276371; 2008:884522; 2008:780232; 2008:342680; 2007:581006; 2006:1185046; 2006:152901

RE.CNT 46 THERE ARE 46 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Ahn, C; Proc IEEE 2004, V92, P154 HCA
- (2) Becker, H; Electrophoresis 2000, V21, P12 HCA
- (3) Becker, H; Talanta 2002, V56, P267 HCA
- (4) Boone, T; Anal Chem 2002, V74, P78A HCA
- (5) Buch, J; Anal Chem 2004, V76, P874 HCA
- (6) Buchholz, B; Anal Chem 2001, V73, P157 HCA
- (7) Burns, M; Science 1998, V282, P484 HCA
- (8) Chen, H; Sens Actuators, A 2003, V108, P193
- (9) Darhuber, A; IEEE J Microelectromech Syst 2003, V12, P873 HCA
- (10) Ding, Z; Nature 2001, V411, P59 HCA
- (11) Do, J; IEEE T Magn 2004, V40, P3009
- (12) Grass, B; Sens Actuators, B 2001, V72, P249
- (13) Grass, B; Spectrochim Acta, Part B 2002, V57, P1575
- (14) Huang, Y; Anal Bioanal Chem 2002, V372, P49 HCA
- (15) Huber, D; Science 2003, V301, P352 HCA
- (16) Huhmer, A; Anal Chem 2000, V72, P5507 MEDLINE
- (17) Kajiyama, T; Genome Res 2003, V13, P467 HCA
- (18) Kim, K; Chem Commun 2004, P1466 HCA
- (19) Ko, J; Lab Chip 2003, V3, P106 HCA
- (20) Koh, C; Anal Chem 2003, V75, P4591 HCA
- (21) Kopp, M; Science 1998, V280, P1046 HCA
- (22) Lagally, E; Anal Chem 2004, V76, P3162 HCA
- (23) Lee, D; Lab Chip 2004, V4, P401 HCA
- (24) Lim, J; Electrochem Solid-State Lett 2004, V7, PF45 HCA
- (25) Lin, Y; Sens Actuators, B 2001, V79, P137
- (26) Liu, R; Anal Chem 2004, V76, P1824 HCA
- (27) Madou, M; Chem Rev 2000, V100, P2679 HCA
- (28) Mastrangelo, C; Proc IEEE 1998, V86, P1769 HCA
- (29) McCarley, R; J Am Chem Soc 2005, V127, P842 HCA
- (30) Mourlas, N; Sens Actuators, B 2002, V64, P41
- (31) Okano, K; Sens Actuators, B 2000, V64, P88
- (32) Paik, P; Lab Chip 2003, V3, P28 HCA
- (33) Quake, S; Science 2000, V290, P1536 HCA
- (34) Ritala, M; Nanotechnology 1999, V10, P19 HCA
- (35) Rossier, J; Electrophoresis 2002, V23, P858 HCA
- (36) Schienle, M; IEEE Technol Dig ISSCC 2004, V1, P220
- (37) Selvaganapathy, P; Sens Actuators, A 2003, V104, P275
- (38) Simon, I; Sens Actuators, B 2001, V73, P1
- (39) Sze, S; Semiconductor Devices: physics and technology 1985, P364
- (40) Tudos, A; Lab Chip 2001, V1, P83 HCA
- (41) Vilckner, T; Anal Chem 2004, V76, P3373 HCA
- (42) Wang, Z; J Am Chem Soc 2003, V125, P15278 HCA
- (43) Xia, Y; Annu Rev Mater Sci 1998, V28, P153 HCA
- (44) Xia, Y; Chem Mater 1996, V8, P601 HCA
- (45) Xiang, J; Langmuir 2004, V20, P3278 HCA
- (46) Yang, H; Anal Chem 2004, V76, P1537 HCA

L31 ANSWER 15 OF 60 HCA COPYRIGHT 2011 ACS on STN
AN 142:452284 HCA Full-text
ED Entered STN: 02 Jun 2005
TI Molecular Dynamics Simulation Study on a Monolayer of Half
[2]Rotaxane Self-Assembled on Au(111)
AU Jang, Yun Hee; Jang, Seung Soon; Goddard, William A., III
CS Materials and Process Simulation Center, Beckman Institute (139-74),
California Institute of Technology, Pasadena, CA, 91125, USA
SO Journal of the American Chemical Society (2005), 127(13),
4959-4964
CODEN: JACSAT; ISSN: 0002-7863
PB American Chemical Society
DT Journal

LA English
CC 66-4 (Surface Chemistry and Colloids)
AB The self-assembled monolayer (SAM) structure of the tetrathiafulvalene-side half of the Stoddart-Heath type [2]rotaxane on Au(111) surface was investigated using mol. dynamics (MD) simulations. We find that the orientation of the cyclobis(paraquat-p-phenylene) (CBPQT) ring depends dramatically on the coverage, changing in order to obtain highly packed SAMs. The ring lies with its large hollow parallel to the surface at lower coverage (up to one CBPQT per 27 surface Au atoms with a footprint of 1.9 nm²; 1/27) when free space is available around it, but as the coverage increases (up to one CBPQT per 12 surface Au atoms with a footprint of 0.9 nm²; 1/12), it tilts completely around its axis and lies with its smaller side (paraquat or Ph ring) parallel to the surface to accommodate the reduced area available. We find that the best packing densities correspond to one CBPQT per 12-18 surface Au atoms (1/18-1/12) with footprints in the range between 0.9 nm² and 1.3 nm².
ST simulation mol configuration SAM half rotaxane gold
IT Simulation and Modeling
 (mol. dynamics; simulation for mol. configuration of SAM of half [2]rotaxane on gold)
IT Configuration
 Self-assembled monolayers
 (simulation for mol. configuration of SAM of half [2]rotaxane on gold)
IT Rotaxanes
 (simulation for mol. configuration of SAM of half [2]rotaxane on gold)
IT 7440-57-5D, Gold, thiolated
 (simulation for mol. configuration of SAM of half [2]rotaxane on gold)
IT 316821-20-2D, gold bound
 (simulation for mol. configuration of SAM of half [2]rotaxane on gold)
OSC.G 33 THERE ARE 33 CAPLUS RECORDS THAT CITE THIS RECORD (34 CITINGS)
UPOS.G Date last citing reference entered STN: 09 Aug 2011
OS.G CAPLUS 2011:598545; 2010:813118; 2010:697194; 2010:737497; 2010:259715; 2010:230049; 2009:1261112; 2009:1059710; 2009:637046; 2009:427594; 2009:427554; 2009:171592; 2009:112909; 2009:198640; 2008:1231131; 2008:1130716; 2008:845310; 2008:590419; 2008:355100; 2007:1330354; 2007:1167996; 2007:922790; 2007:78369; 2007:23497; 2006:786170; 2006:713152; 2006:350579; 2006:283666; 2005:1337069; 2005:1302426; 2005:1263369; 2005:1037111; 2005:590706
RE.CNT 76 THERE ARE 76 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE CITED REFERENCES
(1) Akinaga, Y; J Chem Phys 2001, V114, P8555 HCA
(2) Anelli, P; Chem-Eur J 1997, V3, P1113 HCA
(3) Anelli, P; J Am Chem Soc 1992, V114, P193 HCA
(4) Azebara, H; Langmuir 2003, V19, P2115 HCA
(5) Bain, C; Langmuir 1989, V5, P723 HCA
(6) Balzani, V; J Org Chem 2000, V65, P1924 HCA
(7) Becke, A; Phys Rev A 1988, V38, P3098 HCA
(8) Biebuyck, H; Langmuir 1993, V9, P1766 HCA
(9) Bryce, M; J Mater Chem 2003, V13, P2111 HCA
(10) Bryce, M; Tetrahedron Lett 2001, V42, P1143 HCA
(11) Camillone, N; J Chem Phys 1993, V98, P3503 HCA
(12) Carroll, R; Angew Chem, Int Ed 2002, V41, P4378
(13) Castro, R; J Am Chem Soc 1996, V118, P10257 HCA
(14) Cheng, Q; Anal Chem 1995, V67, P2767 HCA
(15) Chidsey, C; Langmuir 1990, V6, P682 HCA
(16) Collier, C; Science 1999, V285, P391 HCA

- (17) Collier, C; Science 2000, V289, P1172 HCA
- (18) Cooke, G; Tetrahedron Lett 2000, V41, P8163 HCA
- (19) Cooke, G; Tetrahedron Lett 2001, V42, P5089 HCA
- (20) Deng, W; J Am Chem Soc 2004, V126, P13562 HCA
- (21) Diehl, M; ChemPhysChem 2003, V4, P1335 HCA
- (22) Fenter, P; Science 1994, V266, P1216 HCA
- (23) Fujihara, H; Chem Commun 1999, P737 HCA
- (24) Gottschalck, J; J Chem Phys 2002, V116, P784 HCA
- (25) Grabuleda, X; J Org Chem 1998, V63, P9635 HCA
- (26) Grabuleda, X; J Org Chem 2003, V68, P1539 CAPLUS
- (27) Groenbeck, H; J Am Chem Soc 2000, V122, P3839 HCA
- (28) Hagenhoff, B; Langmuir 1993, V9, P1622 HCA
- (29) Hayashi, T; J Chem Phys 2001, V114, P7615 HCA
- (30) Heath, J; Physics Today 2003, V56, P43 HCA
- (31) Herranz, M; J Org Chem 2003, V68, P8379 HCA
- (32) Ishida, T; Langmuir 1997, V13, P3261 HCA
- (33) Jang, S; J Am Chem Soc 2005, V127, P1563 HCA
- (34) Jang, Y; J Am Chem Soc 2004, V126, P12636 HCA
- (35) Jeppesen, J; Chem-Eur J 2003, V9, P4611 HCA
- (36) Joachim, C; Nature 2000, V408, P541 HCA
- (37) Kaminski, G; J Chem Soc, Perkin Trans 2 1999, P2365 HCA
- (38) Kato, H; J Phys Chem B 2002, V106, P9655 HCA
- (39) Kluth, G; Phys Rev B 1999, V59, PR10449 HCA
- (40) Lee, C; Phys Rev B 1988, V37, P785 HCA
- (41) Liu, H; Chem Commun 1999, P1493 HCA
- (42) Luo, Y; ChemPhysChem 2002, V3, P519 HCA
- (43) Macias, A; J Org Chem 2000, V65, P2083 HCA
- (44) Madoz, J; J Am Chem Soc 1997, V119, P1043 HCA
- (45) Mayo, S; J Phys Chem 1990, V94, P8897 HCA
- (46) Miehlisch, B; Chem Phys Lett 1989, V157, P200 HCA
- (47) Molecular Simulations Inc; Cerius2, v4.0 1999
- (48) Moore, A; J Org Chem 2000, V65, P8269 HCA
- (49) Nishida, N; Jpn J Appl Phys 1996, V35, P5866
- (50) Nishida, N; Jpn J Appl Phys 1996, V35, PL799 HCA
- (51) Noh, J; Langmuir 2000, V16, P2045 HCA
- (52) Noh, J; Langmuir 2002, V18, P1953 HCA
- (53) Nuzzo, R; J Am Chem Soc 1987, V109, P733 HCA
- (54) Odell, B; Angew Chem, Int Ed Engl 1988, V27, P1547
- (55) Pease, A; Acc Chem Res 2001, V34, P433 HCA
- (56) Philp, D; J Chem Soc, Chem Commun 1991, P1584 HCA
- (57) Poirier, G; Langmuir 1994, V10, P2853 HCA
- (58) Reed, M; Sci Am 2000, V282, P86 HCA
- (59) Schonherr, H; Langmuir 1996, V12, P3898
- (60) Schrodinger Inc; Jaguar 4.2 2000
- (61) Sellers, H; J Am Chem Soc 1993, V115, P9389 HCA
- (62) Slater, J; Quantum Theory of Molecules and Solids, The Self-Consistent Field for Molecules and Solids 1974, V4
- (63) Strong, L; Langmuir 1988, V4, P546 HCA
- (64) Tseng, H; Angew Chem, Int Ed 2003, V42, P1491 HCA
- (65) Tsutsumi, H; J Electrochem Soc 1992, V139, P1522 HCA
- (66) Vargas, M; J Phys Chem B 2001, V105, P9509 HCA
- (67) Vosko, S; Can J Phys 1980, V58, P1200 HCA
- (68) Wang, Y; J Phys Chem B 1998, V102, P9922 HCA
- (69) Widrig, C; J Am Chem Soc 1991, V113, P2805 HCA
- (70) Wong, E; J Am Chem Soc 2000, V122, P5831 HCA
- (71) Yamamoto, T; Collect Czech Chem Commun 2003, V68, P1488 HCA
- (72) Yip, C; Langmuir 1994, V10, P549 HCA
- (73) Yourdshahyan, Y; Phys Rev B 2001, V63, P081405
- (74) Yu, H; Angew Chem, Int Ed 2003, V42, P5706 HCA
- (75) Zhang, K; Chem Phys Lett 2001, V333, P195 HCA

(76) Zheng, X; J Phys Chem A 2003, V107, P1207 HCA

L31 ANSWER 16 OF 60 HCA COPYRIGHT 2011 ACS on STN
AN 142:392016 HCA Full-text
ED Entered STN: 12 May 2005
TI Synthesis of Fluorinated Oligomers toward Physical Vapor Deposition
Molecular Electronics Candidates
AU Maya, Francisco; Chanteau, Stephanie H.; Cheng, Long; Stewart, Michael P.;
Tour, James M.
CS Department of Chemistry and Center for Nanoscale Science and Technology,
Rice University, Houston, TX, 77005, USA
SO Chemistry of Materials (2005), 17(6), 1331-1345
CODEN: CMATEX; ISSN: 0897-4756
PB American Chemical Society
DT Journal
LA English
CC 22-9 (Physical Organic Chemistry)
Section cross-reference(s): 36, 66, 76
OS CASREACT 142:392016
AB New electron-deficient fluorinated oligo(phenylene ethynylenes) (OPEs) with
varied functional groups were synthesized as free thiols, nitriles, and
pyridines, ready to be used for ~~surface~~ adhesion. Calculated dipole moments
suggest better matching between energy levels of bulk interfaces and mol.
frontier orbitals when compared to nonfluorinated OPEs. Differential scanning
calorimetry confirmed a higher ~~thermal~~ stability than the nonfluorinated
counterparts. Surface anal. by ellipsometry, contact angle goniometry, cyclic
voltammetry, and ~~surface~~ IR and XPS verified that the OPEs chemisorb on Au and
Pt ~~surfaces~~. On the basis of the phys. properties of the fluorinated OPEs,
they might be useful in future phys. vapor deposition techniques, methods that
are typically used in standard semiconductor fabrication processes. Safety:
deprotection of a thioacetate derivative led to a violent explosion.
ST fluorinated oligomer thiol nitrile pyridine chemisorption gold platinum;
safety deprotection thioacetate
IT LUMO (molecular orbital)
(HOMO gap, of fluorinated oligo(phenylene ethynylenes); synthesis of
fluorinated oligo(phenylene ethynylenes), their ~~thermal~~
stability, and ~~surface~~ anal. of self-
~~assembled monolayers~~ formed therefrom)
IT HOMO (molecular orbital)
(LUMO gap, of fluorinated oligo(phenylene ethynylenes); synthesis of
fluorinated oligo(phenylene ethynylenes), their ~~thermal~~
stability, and ~~surface~~ anal. of self-
~~assembled monolayers~~ formed therefrom)
IT Thermal decomposition
(decomposition temperature of fluorinated oligo(phenylene ethynylenes) vs.
nonfluorinated analogs)
IT Passivation
(electrode passivation by fluorinated oligo(phenylene ethynylenes);
synthesis of fluorinated oligo(phenylene ethynylenes), their
thermal stability, and ~~surface~~ anal. of self
~~-assembled monolayers~~ formed therefrom)
IT Chemisorbed substances
(fluorinated oligo(phenylene ethynylenes) on Au and Pt ~~surfaces~~
; synthesis of fluorinated oligo(phenylene ethynylenes), their
thermal stability, and ~~surface~~ anal. of self
~~-assembled monolayers~~ formed therefrom)
IT Polyacetylenes
(fluorinated oligo(phenylene ethynylenes); synthesis of fluorinated
oligo(phenylene ethynylenes), their ~~thermal~~ stability, and
~~surface~~ anal. of self-assembled

- monolayers formed therefrom)
- IT Hydrophobicity
X-ray photoelectron spectra
(of fluorinated oligo(phenylene ethynylene) SAMs; synthesis of fluorinated oligo(phenylene ethynylenes), their thermal stability, and surface anal. of self-assembled monolayers formed therefrom)
- IT Dipole moment
Electrostatic potential energy surface
(of fluorinated oligo(phenylene ethynylene); synthesis of fluorinated oligo(phenylene ethynylenes), their thermal stability, and surface anal. of self-assembled monolayers formed therefrom)
- IT Melting point
(of fluorinated oligo(phenylene ethynylenes) vs. nonfluorinated analogs)
- IT Differential scanning calorimetry
Self-assembled monolayers
Thermogravimetric analysis
Total energy
(of fluorinated oligo(phenylene ethynylenes); synthesis of fluorinated oligo(phenylene ethynylenes), their thermal stability, and surface anal. of self-assembled monolayers formed therefrom)
- IT 7440-06-4, Platinum, uses 7440-57-5, Gold, uses
(SAM substrate and electrode; synthesis of fluorinated oligo(phenylene ethynylenes), their thermal stability, and surface anal. of self-assembled monolayers formed therefrom)
- IT 344-04-7, Bromopentafluorobenzene 170159-24-7
(Sonogashira coupling; synthesis of fluorinated oligo(phenylene ethynylenes), their thermal stability, and surface anal. of self-assembled monolayers formed therefrom)
- IT 14235-81-5P, 4-Ethynylaniline 812640-67-8P
(Sonogashira coupling; synthesis of fluorinated oligo(phenylene ethynylenes), their thermal stability, and surface anal. of self-assembled monolayers formed therefrom)
- IT 850006-11-0P
(attempted deprotection leading to explosion; synthesis of fluorinated oligo(phenylene ethynylenes), their thermal stability, and surface anal. of self-assembled monolayers formed therefrom)
- IT 656798-51-5P
(coupling and reduction; synthesis of fluorinated oligo(phenylene ethynylenes), their thermal stability, and surface anal. of self-assembled monolayers formed therefrom)
- IT 540-37-4, p-Iodoaniline 1066-54-2, (Trimethylsilyl)acetylene 2510-22-7, 4-Ethynylpyridine 3032-92-6, 4-Ethynylbenzonitrile 15854-87-2, 4-Iodopyridine 25462-68-4, 2,5-Dibromo-4-nitroaniline 69746-43-6
(coupling; synthesis of fluorinated oligo(phenylene ethynylenes), their thermal stability, and surface anal. of self-assembled monolayers formed therefrom)
- IT 5122-07-6P 20691-72-9P, 4-Iodo-2-nitroaniline 105752-04-3P 850006-05-2P 850006-08-5P 850006-10-9P
(coupling; synthesis of fluorinated oligo(phenylene ethynylenes), their thermal stability, and surface anal. of self

-assembled monolayers formed therefrom)

IT 52168-00-0P 75867-39-9P 475666-81-0P 475666-82-1P 518982-26-8P
656798-50-4P 850006-04-1P 850006-06-3P 850006-09-6P
(deprotection; synthesis of fluorinated oligo(phenylene ethynylenes),
their thermal stability, and surface anal. of
self-assembled monolayers formed therefrom)

IT 656798-47-9P 656798-49-1P 850006-07-4P
(diazotization/iodination; synthesis of fluorinated oligo(phenylene
ethynylenes), their thermal stability, and surface
anal. of self-assembled monolayers formed
therefrom)

IT 88-74-4, 2-Nitroaniline 99-09-2, 3-Nitroaniline
(iodination; synthesis of fluorinated oligo(phenylene ethynylenes),
their thermal stability, and surface anal. of
self-assembled monolayers formed therefrom)

IT 850005-95-7DP, surface-bound monolayer 850005-96-8DP,
surface-bound monolayer 850005-97-9DP, surface-bound
monolayer 850005-98-0DP, surface-bound monolayer
850005-99-1DP, surface-bound monolayer 850006-00-7DP,
surface-bound monolayer 850006-01-8DP, surface-bound
monolayer 850006-02-9DP, surface-bound monolayer
850006-03-0DP, surface-bound monolayer
(synthesis of fluorinated oligo(phenylene ethynylenes), their
thermal stability, and surface anal. of self
-assembled monolayers formed therefrom)

IT 850005-95-7P 850005-96-8P 850005-97-9P 850005-98-0P 850005-99-1P
850006-00-7P 850006-01-8P 850006-02-9P 850006-03-0P
(target oligomer, FMO gap, total energy, and chemisorption; synthesis
of fluorinated oligo(phenylene ethynylenes), their thermal
stability, and surface anal. of self-
assembled monolayers formed therefrom)

OSC.G 25 THERE ARE 25 CAPLUS RECORDS THAT CITE THIS RECORD (25 CITINGS)

UPOS.G Date last citing reference entered STN: 24 Aug 2011

OS.G CAPLUS 2011:1051031; 2011:549479; 2011:306450; 2011:40653; 2010:1092101;
2010:1132946; 2010:934244; 2010:787779; 2010:863760; 2010:508419;
2010:94869; 2009:1472616; 2009:1387029; 2009:914837; 2009:919710;
2008:293623; 2007:1216562; 2006:1047390; 2006:1001049;
2006:625491; 2006:552010; 2006:501299; 2006:401513; 2006:348925;
2005:1182653

RE.CNT 51 THERE ARE 51 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Bain, C; J Am Chem Soc 1989, V111, P321 HCA
- (2) Bain, C; J Am Chem Soc 1989, V111, P7155 HCA
- (3) Bubb, D; Appl Phys A 2001, V73, P121 HCA
- (4) Campbell, I; Appl Phys Lett 1997, V71, P3528 HCA
- (5) Campbell, I; Phys Rev Lett 1996, V76, P1900 HCA
- (6) Chanteau, S; Ph D Thesis, Rice University 2003, P41
- (7) Chanteau, S; Tetrahedron Lett 2001, V42, P3057 HCA
- (8) Chen, J; Appl Phys Lett 2000, V77, P1224 HCA
- (9) Cheng, L; Langmuir 2004, V20, P1335 HCA
- (10) Chiang, L; Synth Met 1991, V41, P1425
- (11) Cygan, M; J Am Chem Soc 1998, V120, P2721 HCA
- (12) Dhirani, A; J Chem Phys 1997, V106, P5249
- (13) Dirk, S; Tetrahedron 2001, V57, P5109 HCA
- (14) Dirk, S; Tetrahedron 2003, V59, P287 HCA
- (15) Donhauser, Z; J Am Chem Soc 2003, V125, P11462 HCA
- (16) Elada, L; SPIE Crit Rev 1997, VCR68, P207
- (17) Facchetti, A; Angew Chem, Int Ed 2003, V42, P3900 HCA
- (18) Fan, F; J Am Chem Soc 2004, V126, P2568 HCA
- (19) Fan, F; J Am Chem Soc 2004, V124, P4035

- (20) Kirn, J; Macromolecules 2001, V34, P7817
(21) Kobayashi, J; J Lightware Technol 1998, V16, P1024 HCA
(22) Kosynkin, D; Org Lett 2001, V3, P991 HCA
(23) Li, C; Appl Phys Lett 2003, V82, P645 HCA
(24) Maya, F; Chem Mater 2004, V16, P2987 HCA
(25) Ng, S; Macromolecules 2003, V36, P1543
(26) Olah, G; Fluorine in Organic Chemistry, Interscience Monographs on Organic Chemistry 1973
(27) Pavlath, A; Aromatic Fluorine Compounds 1962
(28) Pique, A; Thin Film Solids 1999, V536, P355
(29) Pitois, C; Macromolecules 1999, V32, P2903 HCA
(30) Price, D; Tetrahedron 2003, V59, P2497 HCA
(31) Ron, H; J Am Chem Chem Soc 1998, V120, P8486
(32) Ron, H; Langmuir 1998, V14, P1116 HCA
(33) Schultz, J; J Polym Sci B 1998, V37, P1183
(34) Seminario, J; J Am Chem Soc 2001, V123, P5616 HCA
(35) Song, W; Synth Met 2000, V41, P355
(36) Sonogashira, K; Tetrahedron Lett 1975, V50, P4467
(37) Stapleton, J; Langmuir 2003, V19, P8245 HCA
(38) Steiner, U; Langmuir 1992, V8, P2771 HCA
(39) Stevens, M; Polymer Chemistry, An Introduction 1999
(40) Stewart, M; J Am Chem Soc 2004, V126, P370 HCA
(41) Sy, W; Synth Commun 1992, V22, P3215 HCA
(42) Tour, J; Chem Eur J 2001, V7, P5118 HCA
(43) Tour, J; J Am Chem Soc 1993, V115, P4935 HCA
(44) Tour, J; J Am Chem Soc 1995, V117, P9529 HCA
(45) Tour, J; Molecular Electronics:Commercial Insights, Chemistry, Devices, Architecture and Programming 2003
(46) Vondrak, T; J Phys Chem B 1999, V103, P8915 HCA
(47) Wang, J; Proc SPIE 2002, V129, P4904
(48) Warner, M; Crystal Structure Determination 1996
(49) Wavefunction Inc; Spartan version 5.1
(50) Zehner, R; Langmuir 1997, V13, P2973 HCA
(51) Ziessel, R; Tetrahedron Lett 1991, V32, P757

L31 ANSWER 17 OF 60 HCA COPYRIGHT 2011 ACS on STN
AN 142:379945 HCA Full-text
ED Entered STN: 05 May 2005
TI Thermal Study of Accumulation of Conformational Disorders in the
Self-Assembled Monolayers of C8 and C18
Alkanethiols on the Au(111) Surface
AU Prathima, N.; Harini, M.; Rai, Neeraj; Chandrashekara, R. H.; Ayappa, K.
G.; Sampath, S.; Biswas, S. K.
CS Departments of Mechanical Engineering, Chemical Engineering, and Inorganic
and Physical Chemistry, Indian Institute of Science, Bangalore, 560012,
India
SO Langmuir (2005), 21(6), 2364-2374
CODEN: LANGD5; ISSN: 0743-7463
PB American Chemical Society
DT Journal
LA English
CC 66-3 (Surface Chemistry and Colloids)
AB The thermal stability of short alkanethiol CH₃(CH₂)₇SH (C8) and long C18 self-
assembled monolayers (SAMs) is investigated using grazing angle reflection-
absorption IR spectroscopy, cyclic voltammetry, and mol. dynamics simulation.
We track the disordering of SAM by untilting and gauche defect accumulation
with increasing temperature in the 300-440 K range, a range of interest to
tribol. Mol. dynamics simulation with both fully covered and partially
covered C6, C8, and C18 monolayers brings out the morphol. changes in the SAM,
which may be associated with the observed thermal stability characteristics.

The mol. dynamics simulations reveal that short-chain C6 and C8 alkanethiols are more defective at lower temperature than the long-chain C18 alkanethiol. With increasing temperature disorder in the SAM, as reflected in both untilting and gauche defect accumulation, tends to saturate at temps. below 360 K for short-chain SAMs such that any further increase in temperature, until desorption, does not lead to any significant change in conformational order. In contrast the disorder in the long-chain C18 SAM increases monotonically with temperature beyond 360 K. Thus, in a practical range of temperature, the ability of a SAM to retain order with increasing thermal perturbations is governed by the state of disorder prior to heat treatment. This deduction derived from mol. dynamics simulation helps to rationalize the significant difference we have observed exptl. between the thermal response of short- and long-chain thiol mols.

ST thermal stability conformational disorder alkanethiol
SAM gold

IT Disorder
(orientational, surface; thermal stability and
conformational disorder of alkanethiol SAM on gold)

IT Self-assembled monolayers
Thermal stability
(thermal stability and conformational disorder of alkanethiol
SAM on gold)

IT 111-31-9D, 1-Hexanethiol, gold bound 111-88-6D, 1-Octanethiol, gold
bound 2885-00-9D, 1-Octadecanethiol, gold bound
(SAM; thermal stability and conformational disorder
of alkanethiol SAM on gold)

IT 7440-57-5D, Gold, thiolated
(thermal stability and conformational disorder of alkanethiol
SAM on gold)

OSC.G 31 THERE ARE 31 CAPLUS RECORDS THAT CITE THIS RECORD (31 CITINGS)

UPOS.G Date last citing reference entered STN: 21 Feb 2011

OS.G CAPLUS 2011:61284; 2010:1394704; 2010:1183571; 2010:600199; 2010:127662;
2009:1606753; 2010:152486; 2010:126578; 2010:59137; 2009:845027;
2009:218589; 2008:1381680; 2008:1173483; 2008:907566;
2008:859312; 2008:712796; 2008:701393; 2008:497904; 2008:333921;
2008:86170; 2007:1265266; 2007:1167996; 2007:1167995;
2007:689959; 2007:350268; 2007:128099; 2007:50475; 2006:1023280;
2005:1256999; 2005:1215582; 2005:951371

RE.CNT 39 THERE ARE 39 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Badia, A; Angew Chem, Int Ed Engl 1994, V33, P2332
- (2) Bareman, J; J Phys Chem 1990, V94, P5202 HCA
- (3) Bensebaa, F; J Vac Sci Technol, A 1995, V13, P1331 HCA
- (4) Bensebaa, F; Langmuir 1998, V14, P2361 HCA
- (5) Berger, R; Science 1997, V276, P2021 HCA
- (6) Bhatia, R; Langmuir 1997, V13, P765 HCA
- (7) Brewer, N; Langmuir 2001, V17, P1970 HCA
- (8) Bryant, M; J Am Chem Soc 1991, V113, P8284 HCA
- (9) Dubois, L; J Chem Phys 1993, V98, P678 HCA
- (10) Fenter, P; Phys Rev Lett 1993, V70, P2447 HCA
- (11) Fenter, P; Physica B 1996, V221, P145 HCA
- (12) Gyepi-Garbrah, S; Phys Chem Chem Phys 2001, V3, P2117 HCA
- (13) Hautman, J; J Chem Phys 1989, V91, P4994 HCA
- (14) Hautman, J; J Chem Phys 1990, V93, P7483 HCA
- (15) Hautman, J; J Chem Soc, Faraday Trans 1991, V87, P2031 HCA
- (16) Jennings, G; Langmuir 1998, V14, P6130 HCA
- (17) Kamakshi, J; Langmuir 2001, V17, P5245 HCA
- (18) Kang, J; Langmuir 1998, V14, P3983 HCA
- (19) Laibinis, P; J Am Chem Soc 1991, V113, P7152 HCA
- (20) Laibinis, P; J Am Chem Soc 1992, V114, P9022 HCA

- (21) Lio, A; J Phys Chem B 1997, V101, P3800 HCA
(22) Mowery, M; Langmuir 1999, V15, P5118 HCA
(23) Nakamura, T; Electrochim Acta 2002, V47, P2407 HCA
(24) Nishi, N; J Chem Phys 2003, V118, P1904 HCA
(25) Nose, S; J Phys Chem 1984, V81, P511 HCA
(26) Nose, S; Mol Phys 1984, V52, P255 HCA
(27) Poirier, G; Chem Rev 1997, V97, P1117 HCA
(28) Poirier, G; Langmuir 1994, V10, P3383 HCA
(29) Porter, M; J Am Chem Soc 1987, V109, P3559 HCA
(30) Rai, B; Langmuir 2004, V20, P3138 HCA
(31) Rong, H; No publication given 2001, V17, P1582 HCA
(32) Schonenberger, C; J Phys Chem 1995, V99, P3259
(33) Schreiber, F; Prog Surf Sci 2000, V65, P151 HCA
(34) Ulman, A; Chem Rev 1996, V96, P1533 HCA
(35) Whitesides, G; Langmuir 1990, V6, P87 HCA
(36) Widrig, C; J Electroanal Chem 1991, V310, P335 HCA
(37) Xiao, X; Langmuir 1996, V12, P235 HCA
(38) Yoshizawa, H; Wear 1993, V168, P161 HCA
(39) Zamborini, F; Langmuir 1998, V14, P640 HCA

L31 ANSWER 18 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 142:267270 HCA Full-text

ED Entered STN: 24 Mar 2005

TI h-BN on Pd(110). A tunable system for self-assembled nanostructures?

AU Corso, Martina; Greber, Thomas; Osterwalder, Juerg

CS Physik Institut, Universitaet Zuerich, Zurich, CH-8057, Switz.

SO Surface Science (2005), 577(2-3), L78-L84

CODEN: SUSCAS; ISSN: 0039-6028

PB Elsevier B.V.

DT Journal

LA English

CC 66-3 (Surface Chemistry and Colloids)

AB A 1 monolayer thick covalent network of hexagonal BN forms on Pd(1 1 0) upon thermal decomposition of borazine (HBNH)₃. Due to the weak interfacial bonding, the different symmetries of overlayer and substrate, and the lattice mismatch, a variety of rotated domains are created. Several Moire patterns appear in STM images, which can be well explained by simple atomic models. Rings in LEED manifest domain averaging. Non-uniform intensity distributions along these rings measure the abundance of certain domains, depending on particular preparation procedures. The individual Moire domains represent interesting periodic nanostructures that can be imprinted in an adsorbed layer of C60 mols.

ST boron nitride adsorption self assembly palladium nanostructure

IT Nanostructures

Self-assembled monolayers

Surface structure

(self-assembled h-BN nanostructures on Pd(110))

IT 10043-11-5, Boron nitride, properties

(self-assembled h-BN nanostructures on Pd(110))

IT 7440-05-3, Palladium, properties

(self-assembled h-BN nanostructures on Pd(110))

OSC.G 26 THERE ARE 26 CAPLUS RECORDS THAT CITE THIS RECORD (26 CITINGS)

UPOS.G Date last citing reference entered STN: 27 Jun 2011

OS.G CAPLUS 2011:605363; 2011:351154; 2010:1503659; 2010:1470420;
2010:1241214; 2010:1116496; 2010:79121; 2009:923841; 2009:568030;
2009:473321; 2009:392314; 2009:125437; 2009:93723; 2008:1448037;
2008:1351214; 2008:1061737; 2008:938432; 2008:549412;
2008:403359; 2008:51033; 2007:1335039; 2007:402853; 2007:272978;
2007:50937; 2006:966861; 2006:503396

RE.CNT 13 THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Auwarter, W; PhD Thesis, University of Zurich 2003
- (2) Auwarter, W; Surf Sci 1999, V429, P229 HCA
- (3) Auwarter, W; Surf Sci 2002, V511, P379 HCA
- (4) Corso, M; Science 2004, V303, P217 HCA
- (5) Desrosiers, R; Surf Sci 1997, V382, P35 HCA
- (6) Grad, G; Phys Rev B 2003, V68, P085404
- (7) He, J; Surf Sci 1990, V232, P138 HCA
- (8) Hebenstreit, W; Surf Sci 1999, V424, PL321 HCA
- (9) Nagashima, A; Phys Rev B 1995, V51, P4606 HCA
- (10) Nagashima, A; Phys Rev Lett 1995, V75, P3918 HCA
- (11) Nagashima, A; Surf Sci 1996, V357-358, P307 HCA
- (12) Paffett, M; Surf Sci 1990, V232, P286 HCA
- (13) Repp, J; Phys Rev Lett 2004, V92, P036803

L31 ANSWER 19 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 142:143010 HCA Full-text

ED Entered STN: 10 Feb 2005

TI Surface-Bound Porphyrazines: Controlling Reduction Potentials of Self-Assembled Monolayers through Molecular Proximity/Orientation to a Metal Surface

AU Vesper, Benjamin J.; Salaita, Khalid; Zong, Hong; Mirkin, Chad A.; Barrett, Anthony G. M.; Hoffman, Brian M.

CS Department of Chemistry and Institute for Nanotechnology, Northwestern University, Evanston, IL, 60208, USA

SO Journal of the American Chemical Society (2004), 126(50), 16653-16658

CODEN: JACSAT; ISSN: 0002-7863

PB American Chemical Society

DT Journal

LA English

CC 72-2 (Electrochemistry)

Section cross-reference(s): 22, 28, 66

OS CASREACT 142:143010

AB The authors report the preparation of 2 novel H₂[pz(An;B₄-n)] porphyrazines (pzs) which were designed to position themselves quite differently when attached to a surface: one to form a standard self-assembled monolayer (SAM) roughly perpendicular to a surface, the other to lie horizontally along a surface. As the former, the authors synthesized a pz, 1, where one pyrrole group is functionalized with 2 thioethers terminated in mercaptides (SR, R = (CH₂)₃CONH(CH₂)₂S-), each protected as a disulfide, and -S-Me is attached to the other pyrrole sites; the latter is a pz, 2, with dialkoxybenzo groups fused to 2 trans-pyrroles of the pz ring, and SR groups are attached to the other pair of pyrroles. Nanostructures of 1 and 2 were successfully patterned on Au surfaces via dip-pen nanolithog., and the predicted mol. orientation of the resulting structures was confirmed by topog. AFM images. The 2 pzs exhibit similar reduction potentials in solution. Both show large shifts in potential upon surface binding, with the magnitude of the shift depending on the proximity/orientation of the pz to the surface. The 1st reduction potential of the vertically aligned 1 shifts by .apprx.+430 mV when incorporated in a binary pz/hexanethiol SAM, while that for 2, which lies flat, shifts by .apprx.+800 mV; the potential thus shifts by .apprx.+370 mV upon taking a given pz that stands atop a 2-legged insulating standoff in a traditional SAM and laying it down. The authors suggest these observed effects can be explained by image-charge energetics, and this is supported by a simple model.

ST surface bound porphyrazine control redn potential self assembled monolayer; gold bound porphyrazine self assembled monolayer redn potential; toluene protected porphyrazine cyclic voltammetry

IT Molecular orientation
Nanostructures
(of surface-bound porphyrazines on gold electrode)

IT Cyclic voltammetry
Reduction, electrochemical
Reduction potential
(of surface-bound porphyrazines on gold in solns. containing NaPF6 and NaClO4 and comparison with thiotoluene-protected porphyrazines in CH2Cl2 containing Bu4NPF6)

IT Self-assembled monolayers
(surface-bound porphyrazines: controlling reduction potentials of self-assembled monolayers through mol. proximity/orientation to a metal surface)

IT 7440-57-5D, Gold, thiolated 827039-27-0D, gold bound 827039-28-1D, gold bound
(cyclic voltammetry in NaPF6 and NaClO4 solns. and controlling reduction potentials of self-assembled monolayers through mol. proximity/orientation to metal surface)

IT 7440-57-5, Gold, uses
(cyclic voltammetry of surface-bound porphyrazines on gold in solns. containing NaPF6 and NaClO4 and comparison with thiotoluene-protected porphyrazines in CH2Cl2 containing Bu4NPF6)

IT 3109-63-5, Tetrabutylammonium hexafluorophosphate 7601-89-0
21324-39-0, Sodium hexafluorophosphate
(cyclic voltammetry of surface-bound porphyrazines on gold in solns. containing NaPF6 and NaClO4 and comparison with thiotoluene-protected porphyrazines in CH2Cl2 containing Bu4NPF6)

IT 827039-27-0 827039-28-1
(electrochem. reduction in CH2Cl2 and comparison with SAM on gold)

IT 827039-35-0 827039-36-1
(electrochem. reductive formation in CH2Cl2 and comparison with SAM on gold)

IT 827039-33-8P 827039-34-9P
(preparation and cyclic voltammetry in CH2Cl2 containing Bu4NPF6)

IT 6066-82-6
(preparation and cyclic voltammetry in CH2Cl2 containing Bu4NPF6)

IT 325787-38-0P
(preparation and hydrolysis of)

IT 827039-29-2P
(preparation and hydrolysis of)

IT 756754-59-3P
(preparation and reaction in protection of porphyrazines)

IT 325787-41-5P 827039-30-5P
(preparation and reaction with disulfide amine protecting group)

IT 325787-35-7
(reaction with dicyanobis(methylthio)ethylene)

IT 7373-02-6, Bis(methylthio)maleonitrile 201140-20-7
(reaction with dimethyldicyanodithiadodecenedioate)

IT 106-45-6, 4-Methylbenzenethiol
(reaction with mercaptoethylamine)

IT 60-23-1, 2-Mercaptoethylamine
(reaction with methylbenzenethiol)

OSC.G 27 THERE ARE 27 CAPLUS RECORDS THAT CITE THIS RECORD (28 CITINGS)

UPOS.G Date last citing reference entered STN: 25 Aug 2011

OS.G CAPLUS 2011:1031150; 2011:571642; 2011:385134; 2011:184348; 2010:445151;
2010:206863; 2010:160848; 2010:159883; 2009:1284663; 2009:999850;
2009:507059; 2009:178043; 2008:507772; 2008:498288; 2007:895423;
2007:887729; 2007:354282; 2007:271978; 2007:127838; 2007:108524;

2007:84523; 2006:1250230; 2006:1159888; 2006:860382; 2006:777896;
2006:165851; 2005:417678

RE.CNT 49 THERE ARE 49 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Alivisatos, A; Science 1996, V271, P933 HCA
- (2) Basabe-Desmonts, L; J Am Chem Soc 2004, V126, P7293 HCA
- (3) Baum, S; J Org Chem 2003, V68, P1665 HCA
- (4) Burtman, V; Angew Chem, Int Ed 1999, V38, P2041 HCA
- (5) Campbell, D; J Am Chem Soc 1996, V118, P10211 HCA
- (6) Chen, C; Introduction to scanning tunneling microscopy 1993
- (7) Clausen, C; J Org Chem 2000, V65, P7363 HCA
- (8) Cui, Y; Science 2001, V293, P1289 HCA
- (9) Demers, L; Angew Chem, Int Ed 2001, V40, P3071 HCA
- (10) Ehrlich, L; Inorg Chem 2000, V39, P3963 HCA
- (11) Eichhorn, D; J Chem Soc, Chem Commun 1995, V16, P1703
- (12) Fendler, J; Chem Mater 2001, V13, P3196 HCA
- (13) Forsyth, T; J Org Chem 1998, V63, P331 HCA
- (14) Fuierer, R; Adv Mater 2002, V14, P154 HCA
- (15) Ginger, D; Angew Chem, Int Ed 2004, V43, P30
- (16) Gryko, D; J Org Chem 2000, V65, P7345 HCA
- (17) He, H; J Am Chem Soc 2001, V123, P7730 HCA
- (18) He, Y; J Am Chem Soc 2002, V124, P11964 HCA
- (19) Holdcroft, S; Adv Mater 2001, V13, P1753 HCA
- (20) Hong, S; Langmuir 1999, V15, P7897 HCA
- (21) Hong, S; Science 1999, V286, P523 CAPLUS
- (22) Hong, S; Science 2000, V288, P1808 CAPLUS
- (23) Hutchison, J; Langmuir 1993, V9, P3277 HCA
- (24) Hutchison, J; Langmuir 1997, V13, P2143 HCA
- (25) Jin, R; Science 2001, V294, P1901 HCA
- (26) Kuzmenko, I; Chem Rev 2001, V101, P1659 HCA
- (27) Lee, S; J Org Chem 2001, V66, P461 HCA
- (28) Lei, S; Surf Interface Anal 2002, V34, P767 HCA
- (29) Liu, Z; Science 2003, V302, P1543 HCA
- (30) Loiacono, M; J Phys Chem B 1998, V102, P1679 HCA
- (31) Martin, C; Anal Chem 1998, V70, P322A HCA
- (32) Michel, S; Prog Inorg Chem 2001, V50, P473 HCA
- (33) Montalban, A; J Org Chem 2000, V65, P2472 HCA
- (34) Ohshiro, T; Anal Chem 2001, V73, P878 HCA
- (35) Piner, R; Science 1999, V283, P661 HCA
- (36) Postlethwaite, T; Langmuir 1995, V11, P4109 HCA
- (37) Ratner, M; Nanotechnology: a gentle introduction to the next big idea 2003
- (38) Rowe, G; Langmuir 1991, V7, P2307 HCA
- (39) Rozhok, S; J Phys Chem B 2003, V107, P751 HCA
- (40) Schramm, C; Inorg Chem 1980, V19, P383 HCA
- (41) Ulman, A; Chem Rev 1996, V96, P1533 HCA
- (42) Walter, E; ChemPhysChem 2003, V4, P131 HCA
- (43) Weinberger, D; Adv Mater 2000, V12, P1600 HCA
- (44) Yamada, H; J Am Chem Soc 2003, V125, P9129 HCA
- (45) Yerushalmi, R; J Am Chem Soc 2004, V126, P2700 HCA
- (46) Zak, J; Langmuir 1993, V9, P2772 HCA
- (47) Zapien, D; J Electroanal Chem 1992, V330, P469 HCA
- (48) Zhang, H; Nano Lett 2003, V3, P43 HCA
- (49) Zhang, Z; Langmuir 2000, V16, P537 HCA

L31 ANSWER 20 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 142:80483 HCA Full-text

ED Entered STN: 20 Jan 2005

TI A thermal stability study of alkane and aromatic
thiolate self-assembled monolayers on copper
surfaces

AU Carbonell, L.; Whelan, C. M.; Kinsella, M.; Maex, K.
CS IMEC vzw, Louvain, B-3001, Belg.
SO Superlattices and Microstructures (2004), 36(1-3), 149-160
CODEN: SUMIEK; ISSN: 0749-6036
PB Elsevier B.V.
DT Journal
LA English
CC 66-3 (Surface Chemistry and Colloids)
AB The thermal stability of 1-decanethiol (C10) and benzenethiol (BT) self-assembled monolayers (SAMs) on metallic and oxidized Cu surfaces was investigated by thermal desorption spectrometry. High quality C10 and BT SAMs exhibit low thermal stabilities on clean Cu surfaces with a maximum in decomposition occurring between 100-150°. The decomposition of SAMs follows different mechanisms. For the alkanethiol, a direct interaction between the alkyl group of the thiolate and the metallic Cu surface is the dominant pathway for the C-S bond scission. The head group desorbs as oxidized sulfur and this is followed by the desorption of the alkyl fragments of the chain adsorbed on the clean copper surface. In the case of benzenethiol, a simultaneous desorption of the head group as oxidized S and the benzene group occurs. SAM formation on the oxidized Cu surface results in complete removal and/or reduction of the CuO layer. Higher SAM surface coverages on the resulting Cu/Cu2O surface result from the enhanced surface roughness of the substrate. The decomposition mechanisms and thermal stabilities of the C10 and BT SAMs are dependent on the oxidation state of the underlying substrate and the chemical nature of the chain.
ST decanethiol benzenethiol adsorption disson copper surface thermal stability
IT Dissociative chemisorption
Self-assembled monolayers
Surface roughness
Thermal stability
(thermal stability 1-decanethiol and benzenethiol self-assembled monolayers on Cu surfaces)
IT 108-98-5, Benzenethiol, properties 143-10-2, 1-Decanethiol
(thermal stability 1-decanethiol and benzenethiol self-assembled monolayers on Cu surfaces)
IT 71-43-2, Benzene, formation (nonpreparative) 1317-39-1, Cuprous oxide, formation (nonpreparative) 7446-09-5, Sulfur dioxide, formation (nonpreparative)
(thermal stability 1-decanethiol and benzenethiol self-assembled monolayers on Cu surfaces)
IT 7440-50-8, Copper, properties
(thermal stability 1-decanethiol and benzenethiol self-assembled monolayers on Cu surfaces)
OSC.G 17 THERE ARE 17 CAPLUS RECORDS THAT CITE THIS RECORD (17 CITINGS)
UPOS.G Date last citing reference entered STN: 05 Aug 2011
OS.G CAPLUS 2011:769503; 2011:54032; 2010:1455091; 2010:1312140;
2010:1321888; 2010:928006; 2010:660251; 2010:127098;
2009:1182569; 2009:1177171; 2008:1078918; 2008:602087;
2007:1287571; 2007:115209; 2007:108457; 2006:564752; 2006:64796
RE.CNT 20 THERE ARE 20 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE CITED REFERENCES
(1) Brongersma, S; J Mater Res 2002, V17(3), P582 HCA
(2) Carbonell, L; Microelec Eng 2002, V64, P63 HCA
(3) Ellis, T; Solid State Technol 2000, V43(4), P71 HCA
(4) Laffineur, F; Colloids Surf A 2002, V817, P817

- (5) Lai, Y; J Phys Chem B 2002, V106, P1722 HCA
- (6) Lai, Y; J Phys Chem B 2002, V106, P5438 HCA
- (7) Laibinis, P; J Am Chem Soc 1992, V114, P1990 HCA
- (8) Laibinis, P; J Am Chem Soc 1992, V114, P9022 HCA
- (9) Li, H; J Electrochem Soc 2001, V148, PG344 HCA
- (10) Li, J; J Appl Phys 1990, V70(5), P2820
- (11) Schreiber, F; Prog Surf Sci 2000, V65, P151 HCA
- (12) Shen, W; Surf Sci 1993, V298, P143 HCA
- (13) Sung, M; Bull Korean Chem Soc 2001, V22(7), P748 HCA
- (14) Sung, M; Bull Korean Chem Soc 2003, V24(5), P610 HCA
- (15) Sung, M; J Phys Chem B 2000, V104, P2273 HCA
- (16) van Olmen, J; Proceedings of the IEEE 2003 International Interconnect Conference 2003, P171 HCA
- (17) Vereecke, G; IEEE Trans Semicond Manuf 2000, V13, P315
- (18) Whelan, C; J Electrochem Soc 2004, V151, PB33 HCA
- (19) Whelan, C; J Electron Mater in press
- (20) Whelan, C; Microelectron Eng 2003, V70, P551 HCA

L31 ANSWER 21 OF 60 HCA COPYRIGHT 2011 ACS on STN
AN 142:11989 HCA Full-text
ED Entered STN: 23 Dec 2004
TI Thermal stability of octadecyltrichlorosilane self-assembled on
a polycrystalline aluminium surface
AU Khatri, Om Prakash; Biswas, S. K.
CS Department of Mechanical Engineering, Indian Institute of Science,
Bangalore, 560 012, India
SO Surface Science (2004), 572(2-3), 228-238
CODEN: SUSCAS; ISSN: 0039-6028
PB Elsevier B.V.
DT Journal
LA English
CC 66-3 (Surface Chemistry and Colloids)
Section cross-reference(s): 56
AB In search for a good boundary lubricant additive for aluminum substrates we
investigate the mol. disorder retained in a monolayer self-assembled on an Al
surface subjected to thermal cycling. Our target mol. is
octadecyltrichlorosilane (C18H37SiCl3, OTS) but we also study octadecanoic
acid (C17H35COOH) to explore the effect of changing the mol. head group. The
2 mols. have the same alkyl back bone, same terminal group but different head
groups; -SiCl3 and -COOH resp., both however adhere to the Al substrate
through O atoms by chemisorption bonding. We conduct the study using grazing
angle Fourier transform IR spectroscopy. OTS which is able to polymerize into
a 2D network when self-assembled on the Al surface is able to retain partial
mol. order when subjected to thermal cycles. In contrast a self-assembled
monolayer (SAM) of the octadecanoic acid, which does not polymerize on the Al
surface, become totally disordered when heat treated.
ST octadecyltrichlorosilane adsorption self assembly aluminum surface
thermal stability
IT Diffusion
(surface; thermal stability of
octadecyltrichlorosilane self-assembled on polycryst. Al
surface)
IT Lubrication
Self-assembled monolayers
Thermal cycling
Thermal stability
(thermal stability of octadecyltrichlorosilane self
-assembled on polycryst. Al surface)
IT 57-11-4, Octadecanoic acid, properties 112-04-9,
Octadecyltrichlorosilane

(thermal stability of octadecyltrichlorosilane self-assembled on polycryst. Al surface)

IT 7429-90-5, Aluminum, properties
(thermal stability of octadecyltrichlorosilane self-assembled on polycryst. Al surface)

OSC.G 13 THERE ARE 13 CAPLUS RECORDS THAT CITE THIS RECORD (13 CITINGS)

UPOS.G Date last citing reference entered STN: 14 Jul 2011

OS.G CAPLUS 2011:709225; 2010:600199; 2009:280359; 2008:1381680;
2008:1173483; 2008:200560; 2007:1167995; 2007:1138559;
2007:50475; 2006:1023280; 2005:1318016; 2005:1256999;
2005:1215582

RE.CNT 35 THERE ARE 35 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

(1) Allara, D; Biosensors Bioelectron 1995, V10, P771 HCA
(2) Allara, D; Langmuir 1985, V1, P45 HCA
(3) Allara, D; Langmuir 1995, V11, P2357 HCA
(4) Angst, D; Langmuir 1991, V7, P2236 HCA
(5) Arnold, R; Langmuir 2001, V17, P4980 HCA
(6) Barrena, E; Phys Rev Lett 1999, V82, P2880 HCA
(7) Bensebaa, F; Langmuir 1998, V14, P2361 HCA
(8) Bhushan, B; Nature 1995, V374, P607 HCA
(9) Debe, M; J Appl Phys 1984, V55, P3354 HCA
(10) Devaprakasam, D; Langmuir 2004, V20, P1329 HCA
(11) Granier, M; Langmuir 2003, V19, P2691 HCA
(12) Houssiau, L; Appl Surf Sci 2001, V175-176, P351 HCA
(13) Kessel, C; Langmuir 1991, V7, P532 HCA
(14) Kojio, K; Langmuir 1998, V14, P971 HCA
(15) Kojio, K; Langmuir 2000, V16, P9314 HCA
(16) Kurth, D; Langmuir 1995, V11, P3061 HCA
(17) Lee, I; Thin Solid Film 2000, V379, P94 HCA
(18) Lio, A; J Phys Chem B 1997, V101, P3800 HCA
(19) Macphail, R; J Phys Chem 1984, V88, P334 HCA
(20) Nakano, M; Jpn J Appl Phys 2003, V42, P4734 HCA
(21) Oberg, K; Thin Solid Films 2001, V397, P102 HCA
(22) Parikh, A; J Am Chem Soc 1997, V119, P3135 HCA
(23) Parikh, A; J Phys Chem 1994, V98, P7577 HCA
(24) Parikh, A; J Phys Chem 1995, V99, P9996 HCA
(25) Snyder, R; J Phys Chem 1982, V86, P5145 HCA
(26) Srinivasan, G; Langmuir 2004, V20, P1746 HCA
(27) Stevens, M; Langmuir 1999, V15, P2773 HCA
(28) Sung, I; Wear 2003, V255, P808 HCA
(29) Synder, R; J Chem Phys 1967, V47, P1316
(30) Synder, R; Spectrochim Acta, Part A 1963, V19, P117
(31) Thompson, W; Langmuir 1995, V11, P1720 HCA
(32) Wang, R; J Phys Chem B 2001, V105, P173 HCA
(33) Wang, R; Langmuir 2000, V16, P5008 HCA
(34) Wang, R; Langmuir 2000, V16, P6298 HCA
(35) Wasserman, S; Langmuir 1989, V5, P1074 HCA

L31 ANSWER 22 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 141:256245 HCA Full-text

ED Entered STN: 07 Oct 2004

TI Solid-supported biomimetic membranes with tailored lipopolymer tethers

AU Foertig, Anton; Jordan, Rainer; Graf, Karlheinz; Schiavon, Giovanni;
Purrucker, Oliver; Tanaka, Motomu

CS Lehrstuhl fuer Makromolekulare Stoffe, TU Muenchen, Garching, 85747,
Germany

SO Macromolecular Symposia (2004), 210(Reactive Polymers 2003),
329-338
CODEN: MSYMEC; ISSN: 1022-1360

PB Wiley-VCH Verlag GmbH & Co. KGaA

DT Journal

LA English

CC 6-6 (General Biochemistry)

Section cross-reference(s): 35, 66

- AB Stable lipid membranes with controlled substrate-membrane spacing can be prepared using well-defined lipopolymers as a tether. Based on the living cationic ring-opening polymerization of 2-methyl- or 2-ethyl-2-oxazoline, lipopolymers can be synthesized bearing a lipid head group as well as a silanol reactive coupling end group. Using a "grafting onto" procedure these polymers can form dense, brush like monolayers, whose layered structures can be obtained by x-ray reflectivity measurements. By transfer of a pre-organized monolayer that is followed by vesicle fusion, stable polymer supported lipid membranes can be prepared. The substrate-membrane spacing can be controlled via the d.p., while the lateral diffusion of lipids within the membrane depends on the d. of polymer tethers. Preliminary expts. implied that the membrane with long (N = 40) polymer tethers could reside trans-membrane receptors homogeneously, suggesting a large potential of this strategy.
- ST solid supported biomimetic membrane lipopolymer tether; alkyl oxazoline lipopolymer surface tethered biomimetic membrane
- IT Membrane, biological
(bilayer, solid-supported; preparation of solid-supported biomimetic membranes using lipopolymer tethers grafted onto silicon surface)
- IT Receptors
(incorporation into solid-supported membranes; preparation of solid-supported biomimetic membranes using lipopolymer tethers grafted onto silicon surface)
- IT Self-assembled monolayers
(lipopolymer; preparation of solid-supported biomimetic membranes using lipopolymer tethers grafted onto silicon surface)
- IT Alcohols, preparation
(long-chain, polymer conjugates; preparation of solid-supported biomimetic membranes using lipopolymer tethers grafted onto silicon surface)
- IT Proteins
(membrane, incorporation into solid-supported membranes; preparation of solid-supported biomimetic membranes using lipopolymer tethers grafted onto silicon surface)
- IT Diglycerides
(polymer conjugates; preparation of solid-supported biomimetic membranes using lipopolymer tethers grafted onto silicon surface)
- IT Immobilization, molecular or cellular
(preparation of solid-supported biomimetic membranes using lipopolymer tethers grafted onto silicon surface)
- IT 6753-56-6DP, 1-Stearoyl-2-oleoyl-phosphatidylcholine, surface immobilized
(bilayer membrane; preparation of solid-supported biomimetic membranes using lipopolymer tethers grafted onto silicon surface)
- IT 754991-05-4DP, immobilized on silicon surface 754991-07-6DP, immobilized on silicon surface 754991-08-7DP, immobilized on silicon surface 754991-10-1DP, immobilized on silicon surface 754991-11-2DP, immobilized on silicon surface
(preparation of solid-supported biomimetic membranes using lipopolymer tethers grafted onto silicon surface)
- IT 7440-21-3DP, Silicon, conjugate with lipopolymer
(surface; preparation of solid-supported biomimetic membranes using lipopolymer tethers grafted onto silicon surface)

OSC.G 4 THERE ARE 4 CAPLUS RECORDS THAT CITE THIS RECORD (4 CITINGS)
UPOS.G Date last citing reference entered STN: 11 Apr 2011
OS.G CAPLUS 2011:291019; 2007:1348413; 2007:343443; 2006:175154
RE.CNT 17 THERE ARE 17 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Bendavid, A; J Org Chem 2001, V66, P3709 HCA
- (2) Eguchi, T; J Org Chem 1997, V62, P1924 HCA
- (3) Fortig, A; Polymer Preprints 2003, V44, P850 HCA
- (4) Hauling, L; Macromol Chem Macromol Symp 1991, V46, P145
- (5) Johnson, S; Biophys J 1991, V59, P289 HCA
- (6) Jordan, R; Chem Commun 1996, V9, P1025
- (7) Jordan, R; J Am Chem Soc 1998, V120, P243 HCA
- (8) Jordan, R; Macromolecules 2001, V34, P1606 HCA
- (9) Jordan, R; Macromolecules 2001, V34, P8858 HCA
- (10) Kobayashi, S; Macromolecules 1987, V20, P1729 HCA
- (11) Merkel, R; J Phys (France) 1989, V50, P1535 HCA
- (12) Naumann, C; Biomacromolecules 2002, V3, P27 HCA
- (13) Purrucker, O; ChemPhysChem, in print 2004
- (14) Rehfeldt, F; Langmuir 2002, V18, P4908 HCA
- (15) Sackmann, E; Science 1996, V271, P43 HCA
- (16) Schiller, S; Angew Chem Int Ed 2003, V42, P208 HCA
- (17) Wagner, M; Biophys J 2000, V79, P1400 HCA

L31 ANSWER 23 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 140:277640 HCA Full-text

ED Entered STN: 15 Apr 2004

TI Electrochemical studies of thiol self-assembled
monolayers at a heated gold-wire microelectrode

AU Wang, Jun; Gruendler, Peter

CS Department of Chemistry, Rostock University, Rostock, 18051, Germany

SO Electroanalysis (2003), 15(22), 1756-1761

CODEN: ELANEU; ISSN: 1040-0397

PB Wiley-VCH Verlag GmbH & Co. KGaA

DT Journal

LA English

CC 72-2 (Electrochemistry)

Section cross-reference(s): 66

AB Mercaptoundecanoic acid (MUA) and glutathione (GSH) self-assembled monolayers were prepared on Au-wire microelectrode. Cyclic voltammetry was used to study the influence of temperature on electrochem. behaviors of Fe(CN)₆^{3-/4-} and Ru(NH₃)₆^{3+/2+} at these SAMs modified electrodes in aqueous solution. Temperature shows great influence on electron transfer (ET) and mass transport (MT) for the two SAMs modified electrodes and the influence of temperature depends on the charge properties of the redox couples and terminal groups of SAMs and the structure of the monolayer on Au surface. The temperature can greatly increase MT rate of Fe(CN)₆^{3-/4-} at both MUA and GSH modified electrodes. However, the increased MT rate does not have any effect on the CV's for Fe(CN)₆^{3-/4-} /MUA system. For Ru(NH₃)₆^{3+/2+}, temperature can greatly improve the electrochem. reaction in both MUA and GSH modified electrodes, which is ascribed to temperature-induced diffusion and convection and the electrostatic interaction between Ru(NH₃)₆^{3+/2+} and neg. charged carboxyl groups on the electrode surface.

ST electrochem reaction thiol self assembled
monolayer; heated gold wire microelectrode

mercaptoundecanoic acid glutathione SAM; cyanoferrate ruthenium
amine complex electron transfer

IT Redox reaction

(electrochem.; thiol self-assembled
monolayers at heated gold-wire microelectrode and
cyclic voltammetry of redox couples on)

IT Cyclic voltammetry
Diffusion
Electron transfer
Mass transfer
Self-assembled monolayers
(thiol self-assembled monolayers at
heated gold-wire microelectrode and cyclic
voltammetry of redox couples on)

IT 13408-62-3, Ferricyanide 13408-63-4, Ferrocyanide 18943-33-4,
Hexaammine ruthenium(3+) 19052-44-9, Hexaammine ruthenium(2+)
(thiol self-assembled monolayers at
heated gold-wire microelectrode and cyclic
voltammetry of redox couples on)

IT 7440-57-5, Gold, uses
(thiol self-assembled monolayers at
heated gold-wire microelectrode and cyclic
voltammetry of redox couples on)

IT 70-18-8, Glutathione, uses 192082-40-9, Mercaptoundecanoic acid
(thiol self-assembled monolayers at
heated gold-wire microelectrode and cyclic
voltammetry of redox couples on)

OSC.G 7 THERE ARE 7 CAPLUS RECORDS THAT CITE THIS RECORD (7 CITINGS)

UPOS.G Date last citing reference entered STN: 05 Nov 2010

OS.G CAPLUS 2010:1346658; 2010:1259730; 2010:685522; 2009:926736;
2007:118248; 2006:625618; 2005:36725

RE.CNT 37 THERE ARE 37 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Bain, C; J Am Chem Soc 1989, V111, P7155 HCA
- (2) Bain, C; J Am Chem Soc 1989, V111, P7164 HCA
- (3) Beckman, A; J Phys Chem B 2000, V104, P764
- (4) Bensebaa, F; Langmuir 1998, V14, P2361 HCA
- (5) Bhatia, R; Langmuir 1997, V13, P765 HCA
- (6) Cailapakul, O; Langmuir 1995, V11, P1329
- (7) CalistriYeh, M; Langmuir 1996, V12, P2747 HCA
- (8) Camillone, N; J Chem Phys 1991, V94, P8493 HCA
- (9) Cavalleri, O; Thin Solid Films 1996, V285, P392
- (10) Chidsey, C; Science 1991, V251, P919 HCA
- (11) Delamarch, E; Langmuir 1994, V10, P4103
- (12) Diao, P; J Electroanal Chem 2000, V480, P59 HCA
- (13) Dunaway, D; Langmuir 1994, V10, P398
- (14) Finklea, H; Israel J Chem 1997, V37, P179 HCA
- (15) Finklea, H; Langmuir 1987, V3, P409 HCA
- (16) Gao, W; Langmuir 1997, V13, P115 HCA
- (17) Grundler, P; Analyst 1996, V121, P1805
- (18) Grundler, P; Electroanalysis 2000, V11, P223
- (19) Grundler, P; Electrochim Acta 1998, V43, P3451 HCA
- (20) Jasinski, M; Electrochem Commun 1999, V1, P26 HCA
- (21) Krysinski, P; J Electroanal Chem 1997, V42, P61
- (22) Poireer, G; Chem Rev 1997, V97, P1117
- (23) Rubinstein, I; Nature 1988, V332, P426 HCA
- (24) Strong, L; Langumir 1998, V4, P546
- (25) Tadesse, Z; J Electroanal Chem 1996, V404, P243
- (26) Tadesse, Z; J Electroanal Chem 1996, V415, P85
- (27) Ulman, A; Adv Matter 1991, V3, P298 HCA
- (28) Ulman, A; Chev Rev 1996, V96, P1553
- (29) Venkataramanan, M; Anal Chem 2000, V72, P5852 HCA
- (30) Wang, J; Anal Chem 2000, V72, P3752 HCA
- (31) Wang, J; Anal Chim Acta 1999, V369, P33
- (32) Wang, J; Anal Sci 2000, V16, P457 HCA
- (33) Wang, J; Chem J Chinese U 2000, V21, P1552 HCA

- (34) Wang, J; Electroanalysis 2000, V12, P763 HCA
(35) Wang, J; J Electroanal Chem 2000, V484, P88 HCA
(36) Wang, J; Talanta 2000, V50, P1205 HCA
(37) Yamada, R; Langmuir 1998, V114, P855
- L31 ANSWER 24 OF 60 HCA COPYRIGHT 2011 ACS on STN
AN 140:242523 HCA Full-text
ED Entered STN: 01 Apr 2004
TI Corrosion inhibition by self-assembled
monolayers for enhanced wire bonding on Cu surfaces
AU Whelan, Caroline M.; Kinsella, Michael; Carbonell, Laureen; Ho, Hong Meng;
Maex, Karen
CS IMEC, Louvain, B-3001, Belg.
SO Microelectronic Engineering (2003), 70(2-4), 551-557
CODEN: MIENEF; ISSN: 0167-9317
PB Elsevier Science B.V.
DT Journal
LA English
CC 72-2 (Electrochemistry)
Section cross-reference(s): 23, 25, 66
AB Corrosion inhibition by thiol-derived self-assembled monolayers (SAMs) on Cu
surfaces has been characterized using contact angle measurements, XPS,
voltammetry, and thermal desorption spectroscopy. Factors influencing SAM
formation were investigated to develop an optimized wafer level process. XPS
confirms the formation of thiolate species bonded to a mixed metallic Cu and
cuprous oxide surface. Stability studies as a function of temperature and
electrochem. potential demonstrate promising passivation properties. The
feasibility of exploiting SAMs in microelectronics applications was
demonstrated by the enhancement of Cu wire bonding onto Cu bond pads.
ST thiols self assembled monolayers copper
wires bonding corrosion inhibition
IT Corrosion
Self-assembled monolayers
Wires
(corrosion inhibition by self-assembled
monolayers for enhanced wire bonding on Cu surfaces)
IT Thiols, uses
(corrosion inhibition by self-assembled
monolayers for enhanced wire bonding on Cu surfaces)
IT Interconnections, electric
(corrosion inhibition by self-assembled
monolayers for enhanced wire bonding on Cu surfaces
in fabrication of)
IT Corrosion inhibitors
(corrosion inhibition by thiols self-assembled
monolayers for copper surfaces)
IT Cyclic voltammetry
(of copper in aqueous NaOH solution in presence of decanethiol and
benzenethiol)
IT X-ray photoelectron spectra
(of copper surface before and after immersion in solution of
decanethiol and benzenethiol in methanol)
IT Desorption
(thermal; of thiols self-assembled
monolayers from copper surface)
IT 67-56-1, Methanol, uses
(XPS spectra of copper surface before and after immersion in
solution of decanethiol and benzenethiol in methanol)
IT 7440-50-8, Copper, miscellaneous
(corrosion inhibition by self-assembled

monolayers for enhanced wire bonding on Cu surfaces)
IT 108-98-5, Benzenethiol, uses 143-10-2, 1-Decanethiol
(corrosion inhibition by self-assembled
monolayers for enhanced wire bonding on Cu surfaces)
OSC.G 49 THERE ARE 49 CAPLUS RECORDS THAT CITE THIS RECORD (49 CITINGS)
UPOS.G Date last citing reference entered STN: 02 Aug 2011
OS.G CAPLUS 2011:886552; 2011:352994; 2011:306968; 2011:135164; 2010:924907;
2010:980973; 2010:865619; 2010:616775; 2010:516341; 2010:508757;
2010:260070; 2010:193077; 2010:127751; 2010:127098; 2010:191372;
2009:1516194; 2009:1502621; 2009:1058902; 2009:1065841;
2009:1065777; 2009:810971; 2009:724852; 2009:280351;
2008:1078918; 2008:1021595; 2008:925519; 2008:29882; 2008:19957;
2007:1200266; 2007:1078491; 2007:1039476; 2007:860743;
2007:70611; 2007:70610; 2006:1265964; 2006:1017083; 2006:1011373;
2006:595135; 2006:267512; 2006:58952; 2005:1152417; 2005:592478;
2005:379948; 2005:282027; 2005:184342; 2005:166792; 2004:946228;
2004:793239; 2004:298649
RE.CNT 14 THERE ARE 14 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE CITED REFERENCES
(1) Anon; <http://public.itrs.net/>
(2) Anon; <http://www.kns.com/resources/library/lib-wirebonding.asp>
(3) Banda, P; Proceedings of the 4th Electronic Packaging Technology Conference
2002
(4) Feng, Y; J Electrochem Soc 1997, V144, P55 HCA
(5) Ho, H; Proceedings of the European Microelectronics Packaging and
Interconnection Symposium 2002
(6) Laffineur, F; Colloids Surf A 2002, V198-200, P817 HCA
(7) Laibinis, P; J Am Chem Soc 1991, V113, P7152 HCA
(8) Laibinis, P; J Am Chem Soc 1992, V114, P1990 HCA
(9) Laibinis, P; J Am Chem Soc 1992, V114, P9022 HCA
(10) Mekhalif, Z; J Electron Spectrosc Relat Phenom 2001, V121, P149 HCA
(11) Ron, H; J Phys Chem B 1998, V102, P9861 HCA
(12) Schreiber, F; Prog Surf Sci 2000, V65, P151 HCA
(13) Sung, M; Bull Korean Chem Soc 2001, V22, P748 HCA
(14) Whelan, C; In preparation

L31 ANSWER 25 OF 60 HCA COPYRIGHT 2011 ACS on STN
AN 140:241672 HCA [Full-text](#)
ED Entered STN: 01 Apr 2004
TI Thermal Stability of Perfluoroalkyl Silane Self-Assembled on a
Polycrystalline Aluminum Surface
AU Devaprakasam, D.; Sampath, S.; Biswas, S. K.
CS Department of Mechanical Engineering and Department of Inorganic and
Physical Chemistry, Indian Institute of Science, Bangalore, 560012, India
SO Langmuir (2004), 20(4), 1329-1334
CODEN: LANGD5; ISSN: 0743-7463
PB American Chemical Society
DT Journal
LA English
CC 66-4 (Surface Chemistry and Colloids)
Section cross-reference(s): 56
AB Thermal stability behavior of 1H,1H,2H,2H-perfluorooctyl trichlorosilane self-
assembled on Al substrates is characterized using a grazing-angle FTIR
spectrometer, Fourier transform-Raman spectroscopy, and contact angle
measurements. The self-assembled monolayer (SAM) is heated quasi-statically
from room temperature to >633 K with a heating rate of 1 K/s. Variations in
peak frequencies, integrated areas of intensities of sym. and antisym. CF2
stretches, and the relative tilt angle of the SAM are reported. The
conformational order in the SAM is not disrupted because of thermal cycling
when the peak temperature is <423 K. When the peak temperature is 423-603 K,

the cycling results in only a partial retention of the original order. When the peak temperature is >603 K, the process is completely irreversible. Surface-enhanced Raman spectroscopy and contact angle measurements support these observations. The authors confirm these trends for a longer chain (1H,1H,2H,2H-perfluorodecyl trichlorosilane) mol. of the same family using the same techniques. The possible reasons for the changes in light of the tilting-untilting and uncoiling-coiling of the helical silane monolayer are discussed.

ST thermal stability perfluoroalkyl silane self
assembled monolayer aluminum surface

IT SERS (Raman scattering)
(measured to study thermal stability of perfluoroalkyl silane
self-assembled on polycryst. aluminum surface)

IT IR spectra
(mid-IR; measured to study thermal stability of
perfluoroalkyl silane self-assembled on polycryst. aluminum
surface)

IT Lubricants
Self-assembled monolayers
(thermal stability of perfluoroalkyl silane self-
assembled on polycryst. aluminum surface)

IT 7429-90-5, Aluminum, properties 78560-44-8, 1H,1H,2H,2H-Perfluorodecyl
trichlorosilane 78560-45-9
(thermal stability of perfluoroalkyl silane self-assembled on
polycryst. aluminum surface)

OSC.G 24 THERE ARE 24 CAPLUS RECORDS THAT CITE THIS RECORD (24 CITINGS)

UPOS.G Date last citing reference entered STN: 09 Aug 2011

OS.G CAPLUS 2011:805411; 2011:91409; 2010:1554855; 2010:1383175; 2010:671402;
2010:310455; 2010:282118; 2009:1605318; 2009:1212793;
2009:1177045; 2008:1173483; 2008:680303; 2007:482239;
2006:932741; 2006:354848; 2005:1318016; 2005:1256999;
2005:1215582; 2005:1156001; 2005:1120391; 2005:648095;
2005:226323; 2005:27026; 2004:940259

RE.CNT 28 THERE ARE 28 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Arnold, R; Langmuir 2001, V17, P4980 HCA
- (2) Barrena, E; J Chem Phys 2001, V114, P4210 HCA
- (3) Bensebaa, F; J Vac Sci Technol, A 1995, V13, P1331 HCA
- (4) Bensebaa, F; Langmuir 1998, V14, P2361 HCA
- (5) Blaudez, D; Langmuir 2002, V18, P9152
- (6) Bunker, B; Langmuir 2000, V16, P7742 HCA
- (7) Bunn, C; Nature 1954, V18, P549
- (8) Chernyshov, I; J Phys Chem B 2001, V105, P810
- (9) Cho, H; J Phys Chem 1992, V96, P5290 HCA
- (10) Debe, M; J Appl Phys 1984, V55, P3354 HCA
- (11) Delemarche, E; Langmuir 1994, V10, P2869
- (12) Genzer, J; Langmuir 2000, V16, P1993 HCA
- (13) Genzer, J; Langmuir 2002, V18, P9307 HCA
- (14) Genzer, J; Macromolecules 2000, V33, P1882 HCA
- (15) Hsu, S; Macromolecules 1990, V23, P4565 HCA
- (16) Laibainis, E; J Am Chem Soc 1991, V113, P7152
- (17) Lenk, T; Langmuir 1994, V10, P4610 HCA
- (18) Naselli, C; J Chem Phys 1985, V82, P2136 HCA
- (19) Naselli, C; J Chem Phys 1989, V90, P3855 HCA
- (20) Nuzzo, G; J Chem Phys 1992, V93, P767
- (21) Parikh, N; J Chem Phys 1992, V96, P927
- (22) Peacock, C; J Chem Soc A 1972, V40, P2943
- (23) Schneider, J; Macromolecules 1989, V22, P3475 HCA
- (24) Sprik, M; J Phys Chem B 1997, V101, P2745 HCA
- (25) Sprik, M; Mol Phys 1999, V97, P355 HCA

- (26) Ulman, A; An Introduction to Ultrathin Films:from Langmuir-Blodgett to Self-Assembly 1991
(27) Wallace, R; J Vac Sci Technol, A 1995, V13, P1345 HCA
(28) Yoshizawa, H; J Phys Chem 1993, V97, P4128 HCA

L31 ANSWER 26 OF 60 HCA COPYRIGHT 2011 ACS on STN
AN 140:208082 HCA Full-text
ED Entered STN: 18 Mar 2004
TI Direct gold and copper wires bonding on copper
AU Ho, Hong Meng; Lam, Wai; Stoukatch, Serguei; Ratchev, Petar; Vath, Charles J.; Beyne, Eric
CS IMEC, Louvain, B-3001, Belg.
SO Microelectronics Reliability (2003), 43(6), 913-923
CODEN: MCRLAS; ISSN: 0026-2714
PB Elsevier Science Ltd.
DT Journal
LA English
CC 76-2 (Electric Phenomena)
Section cross-reference(s): 48, 56, 66
AB The key to bonding to Cu die is to ensure bond pad cleanliness and min. oxidation during wire bonding process. This was achieved by applying a organic coating layer to protect the Cu bond pad from oxidation. During the wire bonding process, the organic coating layer is removed and a metal to metal weld is formed. This organic layer is a self-assembled monolayer. Both Au and Cu wires were wire-bonded successfully to the Cu die even without prior plasma cleaning. The ball diameter for both wires are 60 µm on a 100 µm fine pitch bond pad. The effectiveness of the protection of the organic coating layer starts from the wafer dicing process up to the wire bonding process and is able to protect the bond pad for an extended period after the 1st round of wire bond process. Oxidization of Cu bond pad at different packaging processing stages, dicing and die attach curing, were explored. The ball shear strength for both Au and Cu ball bonds achieved are 5 and 6 g/mil² resp. When subjected to high temperature storage test at 150°, the ball bonds formed by both Au and Cu wire bond on the organic coated Cu bondpad are thermally stable in ball shear strength up to a period of 1440 h. The encapsulated daisy chain test vehicle with both Au and Cu wires bonding have passed 1000 cycles of thermal cycling test (-65 to 150°). Orientation imaging microscopy technique is able to detect early levels of oxidation on the Cu bond pad. This is extremely important in characterization of the bondability of the Cu bond pad surface.
ST gold copper wire welding self assembly protection layer
IT Oxidation
(copper; direct gold and copper wires bonding on copper dies and copper oxidation)
IT Dies
Electric contacts
Welding of metals
Wires
(direct gold and copper wires bonding on copper dies)
IT Oxidation kinetics
(direct gold and copper wires bonding on copper dies and copper oxidation)
IT Passivation
(direct gold and copper wires bonding on copper dies with SAM thiol passivation)
IT Thiols, processes
(direct gold and copper wires bonding on copper dies with SAM thiol passivation)
IT Self-assembly
(for direct gold and copper wires bonding on copper dies)
IT Shear strength

Thermal cycling
Thermal stability
(of direct gold and copper wires bonding on copper dies)

IT Self-assembled monolayers
(protective coating; for direct gold and copper wires bonding on copper dies)

IT 7440-57-5, Gold, properties
(direct gold and copper wires bonding on copper dies)

IT 7440-50-8, Copper, properties
(direct gold and copper wires bonding on copper dies and copper oxidation)

OSC.G 10 THERE ARE 10 CAPLUS RECORDS THAT CITE THIS RECORD (10 CITINGS)

UPOS.G Date last citing reference entered STN: 04 Feb 2010

OS.G CAPLUS 2009:1516194; 2009:1182569; 2009:436350; 2008:1175988;
2008:1083235; 2008:682694; 2008:437133; 2008:288446; 2007:477616;
2006:1220880

RE.CNT 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

(1) Carbonell, L; Microelectron Engng 2002, V64(1), P63
(2) Eda, H; Special Report, Nikkei Electronics Asia 2000, P44
(3) Eills, T; <http://www.kns.com/resources/library/lib-copper.asppage>
(4) Haneda, P; J Electrochem Soc 1998, V145(6), P1856
(5) Harman, G; Proc 34th International Symposium on Microelectronics, IMAPS 2001 2001
(6) Harman, G; Wire bonding in microelectronics materials, processes, reliability and yield. 2nd ed 1997
(7) Lim, L; http://www.smallprecisiontools.com/Cu_wb.html
(8) Notzli, J; http://www.smallprecisiontools.com/Cu_wire_ufpb.html
(9) Ratchev, P; ISTFA2003 (29th ISTFA), in press
(10) Ratchev, P; Proc 28th International Symposium for Testing and Failure Analysis, ISTFA 2002 2002, P61 HCA
(11) Schwartz, A; Electron backscatter diffraction in materials science 2000
(12) Whelan, C; European Workshop on Materials for Advanced Metallization, MAM2003, in press

L31 ANSWER 27 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 140:9573 HCA Full-text

ED Entered STN: 25 Dec 2003

TI Molecular Recognition at Model Organic Interfaces: Electrochemical Discrimination Using Self-Assembled Monolayers (SAMs) Modified via the Fusion of Phospholipid Vesicles

AU Twardowski, Mariusz; Nuzzo, Ralph G.

CS Department of Chemistry and the Frederick Seitz Materials Research Laboratory, University of Illinois at Urbana-Champaign, Urbana, IL, 61801, USA

SO Langmuir (2003), 19(23), 9781-9791
CODEN: LANGD5; ISSN: 0743-7463

PB American Chemical Society

DT Journal

LA English

CC 72-2 (Electrochemistry)
Section cross-reference(s): 29, 66

AB Supported lipid layers were formed via the fusion of large unilamellar vesicles of 1,2-dimyristoyl-sn-glycero-3-phosphocholine (DMPC) to mixed self-assembled monolayers (SAMs) on gold comprised of ferrocene-functionalized hexadecanethiol chains (FcCO2C16SH) diluted in either hexadecanethiol (C16SH) or 1-hydroxyhexadecanethiol (HOC16SH). For the former case, the DMPC adsorbs predominantly as a single layer to form a hybrid bilayer membrane (HBM). The structures obtained in this way were characterized by methods that include electrochem. measurements, ellipsometry, and surface plasmon resonance (SPR).

Cyclic voltammetry (CV) reveals that the electrochem. of the ferrocene groups present in the SAM is strongly perturbed by the adlayer structure. The electrochem. behaviors of the ferrocene groups incorporated into a mixed SAM prepared using the more polar hydroxyl terminated thiol are quite different. The adsorption of DMPC via vesicle fusion in this case leads to the adsorption of bilayer assemblies of the lipid on top of the SAM. The coverages of the DMPC suggested by the SPR data lie between the values expected for fusion processes depositing either one or two bilayers of the lipid on top of the SAM. The electrochem. properties of the ferrocene moieties present in this structure were found to be largely unperturbed following the DMPC adsorption. Subsequent studies revealed that the adsorbed DMPC strongly influences the interactions of the tethered ferrocene groups with secondary aqueous mol. redox probes present in the electrolyte solution; permselective properties are seen in this adlayer structure. The varying degrees of electrochem. rectification seen in CV surveys demonstrated that probes such as $K_4Fe(CN)_6$, $C_5H_5Fe(C_5H_4CH_2N(CH_3)_3)PF_6$, and $Ru(NH_3)_6Cl_3$ appear to penetrate the DMPC layer while species such as $C_5H_5Fe[C_5H_4CH_2N+H(CH_3)_2]$, $C_5H_5Fe(C_5H_4CH_2OH)$, and $C_5H_5Fe(C_5H_4COO^-)$ do not. We believe that mol. scale defect structures present in the adsorbed DMPC layers confer the mol. discrimination properties seen. A qual. structural model is proposed.

- ST mol recognition electrochem discrimination self assembled monolayers thiols phospholipids
- IT Molecular recognition
 - Self-assembled monolayers
 - (electrochem. discrimination using self-assembled monolayers modified via fusion of phospholipid vesicles)
- IT Phospholipids, uses
 - (electrochem. discrimination using self-assembled monolayers modified via fusion of phospholipid vesicles)
- IT Simulation and Modeling
 - (mol. recognition at model organic interfaces of 1,2-dimyristoyl-sn-glycero-3-phosphocholine (DMPC) to mixed self-assembled monolayers (SAMs) on gold comprised of ferrocene-functionalized hexadecanethiol chains)
- IT Interface
 - (mol. recognition at model organic interfaces: electrochem. discrimination using self-assembled monolayers modified via fusion of phospholipid vesicles)
- IT Thickness
 - (of film comprising phospholipid on gold electrode modified with self-assembled monolayer of ferrocene-functionalized hexadecanethiol chains)
- IT Cyclic voltammetry
 - (of gold electrode modified with self-assembled monolayer with and without phospholipid)
- IT Adsorption
 - (of phospholipid on gold electrode modified with self-assembled monolayer of ferrocene-functionalized hexadecanethiol chains)
- IT Electron transfer
 - (through film comprising phospholipid on gold electrode modified with self-assembled monolayer of ferrocene-functionalized hexadecanethiol chains)
- IT 7440-57-5, Gold, uses
 - (cyclic voltammetry of gold electrode modified with self-assembled monolayer with and without phospholipid)

IT 18194-24-6, 1,2-Dimyristoyl-sn-glycero-3-phosphocholine
(electrochem. discrimination using self-assembled monolayers modified via fusion of phospholipid vesicles)

IT 102-54-5, Ferrocene 2917-26-2, Hexadecanethiol 114896-32-1
(mol. recognition at model organic interfaces of 1,2-dimyristoyl-sn-glycero-3-phosphocholine (DMPC) to mixed self-assembled monolayers (SAMs) on gold comprised of ferrocene-functionalized hexadecanethiol chains)

OSC.G 27 THERE ARE 27 CAPLUS RECORDS THAT CITE THIS RECORD (28 CITINGS)

UPOS.G Date last citing reference entered STN: 04 Jul 2011

OS.G CAPLUS 2011:810578; 2011:39561; 2010:1262456; 2010:1136314;
2009:1021400; 2009:481280; 2009:721849; 2009:567634; 2009:507056;
2009:137017; 2008:1281795; 2008:1135331; 2008:835600;
2008:680829; 2008:275977; 2008:145495; 2007:393439; 2007:216825;
2006:1143380; 2006:104703; 2005:327745; 2005:262209; 2005:184342;
2004:920784; 2004:574701; 2004:207389; 2003:937414

RE.CNT 128 THERE ARE 128 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Allara, D; Langmuir 1985, V1, P45 HCA
- (2) Alleman, K; J Phys Chem 1996, V100, P17050 HCA
- (3) Andreu, R; J Phys Chem B 1997, V101, P2884 HCA
- (4) Bain, C; J Am Chem Soc 1989, V111, P321 HCA
- (5) Bain, C; J Am Chem Soc 1989, V111, P7155 HCA
- (6) Bard, A; Electrochemical Methods: Fundamentals and Applications, 2nd ed 2001
- (7) Becka, A; J Phys Chem 1992, V96, P2657 HCA
- (8) Becka, A; J Phys Chem 1993, V97, P6233 HCA
- (9) Bracke, M; Prog Colloid Polym Sci 1988, V76, P251 HCA
- (10) Brevnov, D; Langmuir 2000, V16, P5973 HCA
- (11) Brockman, J; J Am Chem Soc 1999, V121, P8044 HCA
- (12) Caffrey, M; Biochemistry 1984, V23, P323 HCA
- (13) Camillone, N; J Chem Phys 1993, V98, P3503 HCA
- (14) Cardona, C; Chem Soc Rev 2000, V29, P37 HCA
- (15) Chailapakul, O; Langmuir 1993, V9, P884 HCA
- (16) Chailapakul, O; Langmuir 1995, V11, P1329 HCA
- (17) Chechik, V; Adv Mater 2000, V12, P1161 HCA
- (18) Chidsey, C; J Am Chem Soc 1990, V112, P4301 HCA
- (19) Chidsey, C; Langmuir 1990, V6, P682 HCA
- (20) Chidsey, C; Science 1991, V251, P919 HCA
- (21) Collard, D; Langmuir 1991, V7, P1192 HCA
- (22) Creager, S; Anal Chim Acta 1991, V246, P233 HCA
- (23) Creager, S; J Am Chem Soc 1999, V121, P1059 HCA
- (24) Creager, S; J Electroanal Chem 1994, V370, P203 HCA
- (25) Creager, S; J Electroanal Chem 1997, V420, P291 HCA
- (26) Creager, S; Langmuir 1992, V8, P854 HCA
- (27) Creager, S; Langmuir 1993, V9, P2330 HCA
- (28) Davies, J; Surface Plasmon Resonance-Theory and Experimental Considerations 1996
- (29) Diao, P; Bioelectrochem Bioenerg 1999, V48, P469 HCA
- (30) Ding, L; J Electroanal Chem 1996, V416, P105 HCA
- (31) Dubois, L; Annu Rev Phys Chem 1992, V43, P437 HCA
- (32) Dubois, L; J Am Chem Soc 1990, V112, P570 HCA
- (33) Dudek, S; J Am Chem Soc 2001, V123, P8033 HCA
- (34) Faull, J; Langmuir 2001, V17, P1470 HCA
- (35) Fawcett, W; J Electroanal Chem 1994, V378, P117 HCA
- (36) Finklea, H; Electroanal Chem 1996, V19, P109 HCA
- (37) Fulton, D; J Org Chem 2002, V67, P7968 HCA
- (38) Gritsch, S; Langmuir 1998, V14, P3118 HCA
- (39) Groves, J; Science 1997, V275, P651 HCA
- (40) Ha, J; Langmuir 1998, V14, P5850 HCA

- (41) Han, W; Appl Phys Lett 1996, V69, P4111 HCA
- (42) Hauser, C; J Org Chem 1956, V21, P382 HCA
- (43) Hecht, S; Angew Chem, Int Ed 2001, V40, P74 HCA
- (44) Hillebrandt, H; Langmuir 1999, V15, P8451 HCA
- (45) Horswell, S; Faraday Discuss 2002, V121, P405 HCA
- (46) Huang, T; Langmuir 2002, V18, P7077 HCA
- (47) Janata, J; Principles of Chemical Sensors 1989
- (48) Janek, R; J Phys Chem B 1997, V101, P8550 HCA
- (49) Jenkins, A; J Am Chem Soc 1999, V121, P5274 HCA
- (50) Jenkins, A; Langmuir 2002, V18, P3176 HCA
- (51) Kaelble, D; Physical Chemistry of Adhesion 1971
- (52) Kaifer, A; Acc Chem Res 1999, V32, P62 HCA
- (53) Keller, C; Phys Rev Lett 2000, V84, P54443
- (54) Kloubek, J; Adv Colloid Interface Sci 1992, V38, P99 HCA
- (55) Kornberg, R; Biochemistry 1971, V10, P1111 MEDLINE
- (56) Lahiri, J; Langmuir 2000, V16, P7805 HCA
- (57) Laibinis, P; J Am Chem Soc 1991, V113, P7152 HCA
- (58) Laibinis, P; J Phys Chem 1992, V96, P5097 HCA
- (59) Laibinis, P; J Phys Chem 1995, V99, P7663 HCA
- (60) Laibinis, P; The Synthesis of Organothiols and Their Assembly into Monolayers on Gold 1998, V24, P2
- (61) Lang, H; Langmuir 1994, V10, P197 HCA
- (62) Lang, H; Thin Solid Films 1992, V210-211, P818
- (63) Lavrik, N; Langmuir 2000, V16, P1842 HCA
- (64) Lindsay, J; J Org Chem 1957, V22, P355 HCA
- (65) Lingler, S; Langmuir 1997, V13, P7085 HCA
- (66) Lipkowski, J; Langmuir 1991, V7, P1867
- (67) Lipowsky, R; Mol Cryst Liq:Cryst 1991, V202, P17 HCA
- (68) Maget-Dana, R; Biochim Biophys Acta 1999, V1462, P109 HCA
- (69) Mammen, M; Angew Chem, Int Ed Engl 1998, V37, P2755 HCA
- (70) Meuse, C; Langmuir 1998, V14, P1604 HCA
- (71) Miller, C; J Phys Chem 1991, V95, P5225 HCA
- (72) Miller, C; J Phys Chem 1991, V95, P877 HCA
- (73) Motesharei, K; J Am Chem Soc 1998, V120, P7328 HCA
- (74) Muller, P; Nature 1968, V217, P713
- (75) Murray, R; Molecular Design of Electrode Surfaces 1992, V22 HCA
- (76) Nagle, J; Biochim Biophys Acta 1978, V513, P236 HCA
- (77) Naumann, R; Angew Chem, Int Ed Engl 1995, V34, P2056 HCA
- (78) Nuzzo, R; J Am Chem Soc 1983, V105, P4481 HCA
- (79) Nuzzo, R; J Am Chem Soc 1987, V109, P2358 HCA
- (80) Offord, D; J Am Chem Soc 1998, V120, P4478 HCA
- (81) Ogier, S; Langmuir 2000, V16, P5696 HCA
- (82) Ostuni, E; Colloids Surf, B 1999, V15, P3 HCA
- (83) Patolsky, F; Nat Biotechnol 2001, V19, P253 HCA
- (84) Payne, J; Curr Org Chem 2002, V6, P1221 HCA
- (85) Pierrat, O; Langmuir 1997, V13, P4112 HCA
- (86) Plant, A; Anal Biochem 1995, V226, P342 HCA
- (87) Plant, A; Langmuir 1993, V9, P2764 HCA
- (88) Plant, A; Langmuir 1999, V15, P5128 HCA
- (89) Porter, M; J Am Chem Soc 1987, V109, P3559 HCA
- (90) Radler, J; Langmuir 1995, V11, P4539
- (91) Raguse, B; Langmuir 1998, V14, P648 HCA
- (92) Reviakine, I; Langmuir 2000, V16, P1806 HCA
- (93) Richardson, J; Electrochim Acta 1995, V40, P1331 HCA
- (94) Rojas, M; J Am Chem Soc 1995, V117, P336 HCA
- (95) Rowe, G; Langmuir 1991, V7, P2307 HCA
- (96) Sachs, S; J Am Chem Soc 1997, V119, P10563 HCA
- (97) Sackmann, E; Science 1996, V271, P43 HCA
- (98) Schreiber, F; Prog Surf Sci 2000, V65, P151 HCA
- (99) Seifert, U; Phys Rev A 1990, V42, P4768 HCA

- (100) Seifert, U; Phys Rev A 1991, V43, P6803 HCA
(101) Sikes, H; Science 2001, V291, P1519 HCA
(102) Silin, V; J Am Chem Soc 2002, V124, P14676 HCA
(103) Smalley, J; J Phys Chem 1995, V99, P13141 HCA
(104) Smith, C; Anal Chem 1992, V64, P12753
(105) Smutzer, G; Biochim Biophys Acta 1985, V984, P274
(106) Steinem, C; Biochim Biophys Acta 1996, V1279, P169 HCA
(107) Steinem, C; Bioelectrochem Bioenerg 1997, V42, P213
(108) Stelze, M; J Phys Chem 1993, V97, P2974
(109) Sumner, J; J Phys Chem B 2001, V105, P8739 HCA
(110) Swalen, J; Langmuir 1987, V3, P932 HCA
(111) Tender, L; Anal Chem 1994, V66, P3173 HCA
(112) Terrettaz, S; J Phys Chem 1995, V99, P11216 HCA
(113) Troughton, E; Langmuir 1988, V4, P365 HCA
(114) Twardowski, M; Langmuir 2002, V18, P5529 HCA
(115) Ulman, A; Chem Rev 1996, V96, P1533 HCA
(116) Uosaki, K; J Am Chem Soc 1997, V119, P8367 HCA
(117) Uosaki, K; New Challenges in Organic Electrochemistry 1998, P99 HCA
(118) van Velzen, T; J Am Chem Soc 1995, V117, P6853
(119) Westh, P; J Phys Chem B 2000, V104, P11334 HCA
(120) Wiegand, G; J Phys Chem B 2002, V106, P4245 HCA
(121) Williams, L; Langmuir 1997, V13, P751 HCA
(122) Williams, L; Supramol Sci 1997, V4, P513 HCA
(123) Willner, I; J Am Chem Soc 1996, V118, P4717
(124) Xie, A; Unpublished results
(125) Zak, J; Langmuir 1993, V9, P2772 HCA
(126) Zhao, M; Angew Chem, Int Ed Engl 1997, V36, P2596 HCA
(127) Zhdanov, V; J Chem Phys 2000, V112, P900 HCA
(128) Zhdanov, V; Langmuir 2001, V17, P3518 HCA

L31 ANSWER 28 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 139:266211 HCA Full-text

ED Entered STN: 16 Oct 2003

TI New Insights for Self-Assembled Monolayers

of Organothiols on Au(111) Revealed by Scanning Tunneling Microscopy

AU Yang, Guohua; Liu, Gang-Yu

CS Department of Chemistry, University of California, Davis, CA, 95616, USA

SO Journal of Physical Chemistry B (2003), 107(34), 8746-8759

CODEN: JPCBFK; ISSN: 1520-6106

PB American Chemical Society

DT Journal

LA English

CC 66-3 (Surface Chemistry and Colloids)

Section cross-reference(s): 75, 76

AB In the past decade, scanning tunneling microscopy (STM) has revealed new information regarding self-assembled monolayers (SAMs) of organothiols on Au(111) at the mol. level. The periodicity, defects, morphol., and various phases during the self-assembly process have been visualized with unprecedented detail. Using STM under ultrahigh vacuum, new insights regarding SAMs have been revealed from the perspective of potential applications in mol. devices. This article focuses on a mol.-level understanding of the formation of adatom and vacancy islands and reveals how the structure is impacted by introducing aromatic termini. The thermal stability and thermally induced structural evolution of SAMs are monitored in situ. The behavior of alkanethiol mols. under local elec. field and tunneling current are studied with mol. resolution. Mol.-level insight regarding neg. differential resistance of SAMs is also discussed.

ST thiol self assembled monolayer gold
surface structure STM

IT Desorption

(current-induced; self-assembled monolayers
of organothiols on Au(111) studied by scanning tunneling microscopy)

IT Chemical chains
Crystal vacancies
Electric current-potential relationship
Electric field effects
Melting point
Negative resistance
Self-assembled monolayers
Surface structure
Thermal stability
Threshold potential
Tunneling current
(self-assembled monolayers of
organothiols on Au(111) studied by scanning tunneling microscopy)

IT Thiols, properties
(self-assembled monolayers of
organothiols on Au(111) studied by scanning tunneling microscopy)

IT 7440-57-5, Gold, processes
(self-assembled monolayers of
organothiols on Au(111) studied by scanning tunneling microscopy)

IT 100-53-8, Phenylmethanethiol 108-98-5, Benzenethiol, properties
111-31-9, 1-Hexanethiol 111-88-6, 1-Octanethiol 112-55-0,
1-Dodecanethiol 143-10-2, 1-Decanethiol 4410-99-5, 2-Phenylethanethiol
21345-09-5, 4-Chloro-4'-mercaptobiphenyl 24734-68-7,
3-Phenylpropanethiol 174844-47-4
(self-assembled monolayers of
organothiols on Au(111) studied by scanning tunneling microscopy)

OSC.G 161 THERE ARE 161 CAPLUS RECORDS THAT CITE THIS RECORD (162 CITINGS)

UPOS.G Date last citing reference entered STN: 10 Aug 2011

OS.G CAPLUS 2011:984017; 2011:955213; 2011:896596; 2011:787273; 2011:759197;
2011:710722; 2011:613995; 2011:563771; 2011:392725; 2011:306203;
2011:61194; 2011:190950; 2011:29344; 2010:1457837; 2010:1322014;
2010:1421094; 2010:1354408; 2010:1349598; 2010:1195245;
2010:1144232; 2010:1040935; 2010:893357; 2010:845937;
2010:668385; 2010:599271; 2010:676845; 2010:501757; 2010:501746;
2010:516341; 2010:629517; 2010:509734; 2010:473361; 2010:307958;
2010:196201; 2010:4136; 2010:152372; 2010:29731; 2009:1243968;
2010:11197; 2009:1520949; 2009:1346762; 2009:1229258;
2009:898385; 2009:782798; 2009:1019710; 2009:966469; 2009:568034;
2009:879303; 2009:666484; 2009:241711

RE.CNT 161 THERE ARE 161 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

(1) Akpati, H; Surf Sci 1997, V372, P9 HCA
(2) Akpati, H; Surf Sci 1998, V401, P47 HCA
(3) Alivisatos, A; Adv Mater 1998, V10, P1297
(4) Amro, N; Langmuir 2000, V16, P3006 HCA
(5) Andres, R; Science 1996, V272, P1323 HCA
(6) Anselmetti, D; Europhys Lett 1994, V27, P365 HCA
(7) Ashurst, W; Sens Actuators, A 2001, V91, P239
(8) Avouris, P; Appl Surf Sci 1992, V60-61, P426 HCA
(9) Avouris, P; Surf Sci 1996, V363, P368 HCA
(10) Bishop, A; Curr Opin Colloid Interface Sci 1996, V1, P127 HCA
(11) Brousseau, L; J Am Chem Soc 1998, V120, P7645 HCA
(12) Bumm, L; J Phys Chem B 1999, V103, P8122 HCA
(13) Bumm, L; Science 1996, V271, P1705 HCA
(14) Camillone, N; J Chem Phys 1993, V98, P3503 HCA
(15) Camillone, N; J Chem Phys 1994, V101, P11031
(16) Campbell, I; Appl Phys Lett 1997, V71, P3528 HCA
(17) Campbell, I; Phys Rev B 1996, V54, P14321

- (18) Carpick, R; Chem Rev 1997, V97, P1163 HCA
- (19) Cavalleri, O; Surf Sci 1995, V340, PL960 HCA
- (20) Chambliss, D; J Vac Sci Technol B 1991, V9, P933 HCA
- (21) Chang, S; J Am Chem Soc 1994, V116, P6792 HCA
- (22) Chen, J; Science 1999, V286, P1550 HCA
- (23) Chiang, S; Chem Rev 1997, V97, P1083 HCA
- (24) Chidsey, C; Science 1991, V251, P919 HCA
- (25) Collier, C; Science 1999, V285, P391 HCA
- (26) Crooks, R; Acc Chem Res 1998, V31, P219 HCA
- (27) Cui, X; Nanotechnology 2002, V13, P5 HCA
- (28) de Boer, M; MRS Bull 2001, V26, P302 HCA
- (29) Delamarche, E; Adv Mater 1996, V8, P719 HCA
- (30) Delamarche, E; Langmuir 1994, V10, P2869 HCA
- (31) Delamarche, E; Langmuir 1994, V10, P4103 HCA
- (32) Delamarche, E; Thin Solid Films 1996, V273, P54 HCA
- (33) Deng, L; J Am Chem Soc 1996, V118, P5136 HCA
- (34) Dhirani, A; J Am Chem Soc 1996, V118, P3319 HCA
- (35) Dhirani, A; J Chem Phys 1997, V106, P5249 HCA
- (36) Dhirani, A; Langmuir 1995, V11, P2609 HCA
- (37) Donhauser, Z; Science 2001, V292, P2303 HCA
- (38) Driver, S; Langmuir 2000, V16, P6693 HCA
- (39) Duan, L; J Phys Chem B 2001, V105, P9812 HCA
- (40) Duan, L; Langmuir 2001, V17, P2986 HCA
- (41) Dubois, L; Annu Rev Phys Chem 1992, V43, P437 HCA
- (42) Durig, U; Phys Rev B 1993, V48, P1711
- (43) Edinger, K; Langmuir 1993, V9, P4 HCA
- (44) Fan, F; J Am Chem Soc 2002, V124, P5550 HCA
- (45) Fendler, J; Chem Mater 2001, V13, P3196 HCA
- (46) Fenter, P; J Chem Phys 1997, V106, P1600 HCA
- (47) Fenter, P; Phys Rev Lett 1993, V70, P2447 HCA
- (48) Fenter, P; Science 1994, V266, P1216 HCA
- (49) Fitts, W; Langmuir 2002, V18, P1561 HCA
- (50) Fitts, W; Langmuir 2002, V18, P2096 HCA
- (51) Flink, S; Adv Mater 2000, V12, P1315 HCA
- (52) Gimzewski, J; Phys Rev B 1987, V36, P1284
- (53) Graupe, M; Mater Res Bull 1999, V34, P447 HCA
- (54) Haag, R; J Am Chem Soc 1999, V121, P7895 HCA
- (55) Hara, M; Thin Solid Films 1996, V273, P66 HCA
- (56) Haussling, L; Angew Chem-Int Ed Engl 1991, V30, P569
- (57) Heister, K; J Phys Chem B 2001, V105, P6888 HCA
- (58) Ho, W; Acc Chem Res 1998, V31, P567 HCA
- (59) Hong, S; Science 1999, V286, P523 CAPLUS
- (60) Hong, S; Superlattices Microstruct 2000, V28, P289 HCA
- (61) Hsung, R; Organometallics 1995, V14, P4808 HCA
- (62) Hsung, R; Tetrahedron Lett 1995, V36, P4525 HCA
- (63) Ishida, T; J Phys Chem B 2000, V104, P11680 HCA
- (64) Ishida, T; J Phys Chem B 2002, V106, P5886 HCA
- (65) Jin, Q; Surf Sci 1999, V425, P101 HCA
- (66) Joachim, C; Nature 2000, V408, P541 HCA
- (67) Jung, H; Langmuir 1999, V15, P1147 HCA
- (68) Kang, J; Langmuir 1996, V12, P2813 HCA
- (69) Kang, J; Langmuir 2001, V17, P95 HCA
- (70) Kergueris, C; Phys Rev B 1999, V59, P12505 HCA
- (71) Kiely, J; Tribol Lett 1999, V7, P103 HCA
- (72) Kim, Y; Langmuir 1992, V8, P1096 HCA
- (73) Komvopoulos, K; J Tribol 1997, V119, P391 HCA
- (74) Komvopoulos, K; Wear 1996, V200, P305 HCA
- (75) Kondoh, H; J Chem Phys 1999, V111, P1175 HCA
- (76) Kondoh, H; J Phys Chem B 1998, V102, P2310 HCA
- (77) Kuk, Y; J Microsc (Oxford) 1988, V152, P449 HCA

- (78) Kuk, Y; Phys Rev B 1989, V39, P11168 HCA
- (79) Laibinis, P; J Am Chem Soc 1991, V113, P7152 HCA
- (80) Laibinis, P; J Am Chem Soc 1992, V114, P9022 HCA
- (81) Lavrich, D; J Phys Chem B 1998, V102, P3456 HCA
- (82) Lee, S; Langmuir 2001, V17, P7364 HCA
- (83) Leung, T; Langmuir 2000, V16, P549 HCA
- (84) Leung, T; Surf Sci 2000, V458, P34 HCA
- (85) Lin, P; Langmuir 1999, V15, P6825 HCA
- (86) Liu, G; Acc Chem Res 2000, V33, P457 HCA
- (87) Liu, G; Proc Natl Acad Sci U S A 2002, V99, P5165 HCA
- (88) Lorente, N; Faraday Discuss 2000, P277 HCA
- (89) Lyo, I; Science 1991, V253, P173 HCA
- (90) Maboudian, R; Sens Actuators A 2000, V82, P219
- (91) Maboudian, R; Tribol Lett 2002, V12, P95
- (92) McDermott, C; J Phys Chem 1995, V99, P13257 HCA
- (93) Metzger, R; Acc Chem Res 1999, V32, P950 HCA
- (94) Mrksich, M; Proc Natl Acad Sci U S A 1996, V93, P10775 HCA
- (95) Noy, A; J Am Chem Soc 1995, V117, P7943 HCA
- (96) Nuzzo, R; J Am Chem Soc 1990, V112, P558 HCA
- (97) Nuzzo, R; J Chem Phys 1990, V93, P767 HCA
- (98) Olesen, L; Appl Phys A: Mater Sci Process 1998, V66, P5157 HCA
- (99) Olesen, L; Phys Rev Lett 1996, V76, P1485 HCA
- (100) Pease, A; Acc Chem Res 2001, V34, P433 HCA
- (101) Piner, R; Science 1999, V283, P661 HCA
- (102) Poirier, G; Chem Rev 1997, V97, P1117 HCA
- (103) Poirier, G; J Phys Chem 1995, V99, P10966 HCA
- (104) Poirier, G; J Vac Sci Technol B 1996, V14, P1453 HCA
- (105) Poirier, G; Langmuir 1994, V10, P2853 HCA
- (106) Poirier, G; Langmuir 1994, V10, P3383 HCA
- (107) Poirier, G; Langmuir 1997, V13, P2019 HCA
- (108) Poirier, G; Langmuir 2001, V17, P1176 HCA
- (109) Poirier, G; Science 1996, V272, P1145 HCA
- (110) Prime, K; J Am Chem Soc 1993, V115, P10714 HCA
- (111) Prime, K; Science 1991, V252, P1164 HCA
- (112) Qian, Y; Langmuir 2003, V19, P6056 HCA
- (113) Rampi, M; Appl Phys Lett 1998, V72, P1781 HCA
- (114) Reed, M; Proc IEEE 1999, V87, P652 HCA
- (115) Reed, M; Science 1997, V278, P252 HCA
- (116) Rezaei, M; J Chem Phys 1999, V110, P4891 HCA
- (117) Rong, H; Langmuir 2001, V17, P1582 HCA
- (118) Sabatani, E; Langmuir 1993, V9, P2974 HCA
- (119) Sachs, S; J Am Chem Soc 1997, V119, P10563 HCA
- (120) Salmeron, M; Tribol Lett 2001, V10, P69 HCA
- (121) Sandy, A; Phys Rev B 1991, V43, P4667 HCA
- (122) Schreiber, F; Prog Surf Sci 2000, V65, P151 HCA
- (123) Sellers, H; J Am Chem Soc 1993, V115, P9389 HCA
- (124) Sette, F; Phys Rev Lett 1988, V61, P1384 HCA
- (125) Shon, Y; J Am Chem Soc 2000, V122, P7556 HCA
- (126) Sikes, H; Science 2001, V291, P1519 HCA
- (127) Smalley, J; J Phys Chem 1995, V99, P13141 HCA
- (128) Staub, R; Langmuir 1998, V14, P6693 HCA
- (129) Stipe, B; Phys Rev Lett 1997, V78, P4410 HCA
- (130) Tao, Y; J Am Chem Soc 1993, V115, P9547 HCA
- (131) Tao, Y; Langmuir 1997, V13, P4018 HCA
- (132) Tian, W; J Chem Phys 1998, V109, P2874 HCA
- (133) Tour, J; Acc Chem Res 2000, V33, P791 HCA
- (134) Tour, J; Chem-Eur J 2001, V7, P5118 HCA
- (135) Tour, J; J Am Chem Soc 1995, V117, P9529 HCA
- (136) Tour, J; Molecular Electronics: Science and Technology 1998, P197 HCA
- (137) Trevor, D; Phys Rev Lett 1989, V62, P929 HCA

- (138) Truong, K; J Phys Chem 1996, V100, P19917 HCA
(139) Ulman, A; Acc Chem Res 2001, V34, P855 HCA
(140) Ulman, A; Chem Rev 1996, V96, P1533 HCA
(141) Vilan, A; Nature 2000, V404, P166 HCA
(142) Vilan, A; Trends Biotechnol 2002, V20, P22 HCA
(143) Wadu-Mesthrige, K; Biophys J 2001, V80, P1891 HCA
(144) Wadu-Mesthrige, K; Scanning 2000, V22, P380 HCA
(145) Walczak, M; J Am Chem Soc 1991, V113, P2370 HCA
(146) Wetterer, S; J Phys Chem B 1998, V102, P9266 HCA
(147) Whelan, C; Surf Sci 2000, V454, P67
(148) Whitesides, G; Langmuir 1990, V6, P87 HCA
(149) Willner, I; Angew Chem-Int Ed 2000, V39, P1180
(150) Wold, D; J Am Chem Soc 2001, V123, P5549 HCA
(151) Wold, D; J Phys Chem B 2002, V106, P2813 HCA
(152) Woll, C; Phys Rev B 1989, V39, P7988 HCA
(153) Xia, Y; Annu Rev Mater Sci 1998, V28, P153 HCA
(154) Xia, Y; Chem Rev 1999, V99, P1823 HCA
(155) Xiao, X; Langmuir 1996, V12, P235 HCA
(156) Xu, S; Langmuir 1997, V13, P127 HCA
(157) Xue, Y; Phys Rev B 1999, V59, PR7852 HCA
(158) Yang, G; J Phys Chem B 2000, V104, P9059 HCA
(159) Zehner, R; Langmuir 1997, V13, P2973 HCA
(160) Zehner, R; Langmuir 1999, V15, P1121 HCA
(161) Zhu, X; Annu Rev Phys Chem 2002, V53, P221 HCA

L31 ANSWER 29 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 139:186298 HCA Full-text

ED Entered STN: 11 Sep 2003

TI Friction and Molecular Order of Alkanethiol Self-
Assembled Monolayers on Au(111) at Elevated Temperatures
Measured by Atomic Force Microscopy

AU Yang, Xinju; Perry, Scott S.

CS Department of Chemistry, University of Houston, Houston, TX, 77204-5003,
USA

SO Langmuir (2003), 19(15), 6135-6139

CODEN: LANGD5; ISSN: 0743-7463

PB American Chemical Society

DT Journal

LA English

CC 66-3 (Surface Chemistry and Colloids)

AB The influence of temperature on the frictional properties and mol. structure of hexadecanethiol self-assembled monolayers (SAMs) adsorbed on gold has been measured by atomic force microscopy (AFM) in a vacuum environment. The frictional response of hexadecane thiol films decreases significantly when the as-deposited SAM film is heated from room temperature to 330 K, with a corresponding increase in surface order. The changes observed during the first heat treatment are irreversible, with the room-temperature frictional response lowered by approx. a factor of 4. However, subsequent heating cycles produce a reversible change in interfacial friction for temps. up to 350 K, with interfacial friction increasing with increasing temperature. Further heating the SAM film above 370 K produces a significant and irreversible increase in friction. At 400 K, the lattice-resolved structure of the Au(111) surface is observed, indicating the instability and initial stages of desorption of the alkanethiol film at this temperature. Following surface anneals to 500 K, only small three-dimensional islands of residual thiol are observed in large-scale topog. images and the frictional properties largely reflect those of bare gold. The reversible increase in the frictional properties of the hexadecanethiol film with increasing temperature is ascribed to a decrease in the mol. order and the effective d. of the film. Above the temperature threshold for film damage, the irreversible increase in frictional

response is ascribed to energy being dissipated through ploughing and displacement of the film.

ST friction mol orientation hexadecanethiol SAM gold temp AFM

IT Friction

Molecular orientation

Self-assembled monolayers

Surface structure

(friction and mol. order of hexadecanethiol SAM on Au at elevated temperature)

IT Temperature

(high; friction and mol. order of hexadecanethiol SAM on Au at elevated temperature)

IT 2917-26-2D, Hexadecanethiol, gold bound 7440-57-5D, Gold, thiolated

(friction and mol. order of hexadecanethiol SAM on Au at elevated temperature)

OSC.G 36 THERE ARE 36 CAPLUS RECORDS THAT CITE THIS RECORD (36 CITINGS)

UPOS.G Date last citing reference entered STN: 15 Aug 2011

OS.G CAPLUS 2011:951378; 2011:896596; 2011:844864; 2011:480569; 2011:392743;
2010:1511483; 2010:372440; 2009:1361850; 2009:573719;
2009:721858; 2009:554441; 2008:1442050; 2008:1091791;
2008:318312; 2008:26902; 2007:1078320; 2007:1065316; 2007:973343;
2007:785260; 2007:570560; 2007:546095; 2007:523897; 2007:199905;
2006:1359428; 2006:1042556; 2006:1017897; 2006:287764;
2005:1318016; 2005:1256999; 2005:1215582; 2005:1181095;
2005:954532; 2005:642214; 2005:262209; 2004:673612; 2004:194068

RE.CNT 21 THERE ARE 21 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Bensebaa, F; Langmuir 1998, V14, P2361 HCA
- (2) Briscoe, B; Proc R Soc London, Ser A 1982, V380, P389 HCA
- (3) Bucher, J; Langmuir 1994, V10, P979 HCA
- (4) Camillone, N; J Chem Phys 1994, V101, P11031
- (5) Delamarche, E; Langmuir 1994, V10, P2869 HCA
- (6) Fenter, P; Phys Rev Lett 1993, V70, P2447 HCA
- (7) Glosli, J; Phys Rev Lett 1993, V70, P1960 HCA
- (8) Hautman, J; J Phys Chem 1990, V93(10), P7483 HCA
- (9) Hayashi, K; Japn J Appl Phys Part 1 2001, V40, P4344 HCA
- (10) Kim, H; Langmuir 1997, V13, P7192 HCA
- (11) Lee, S; Langmuir 2000, V16, P2220 HCA
- (12) Lio, A; Langmuir 1996, V12, P235
- (13) Liu, G; Langmuir 1994, V10, P367 HCA
- (14) Motomatsu, M; Thin Solid Films 1996, V281-282, P548 HCA
- (15) Nuzzo, R; J Chem Phys 1990, V93, P767 HCA
- (16) Ohzono, T; Phys Rev B 2000, V62, P17055 HCA
- (17) Overney, R; Nature 1992, V359, P133 HCA
- (18) Poirier, G; Chem Rev 1997, V97, P1117 HCA
- (19) Schreiber, F; Prog Surf Sci 2000, V65, P151 HCA
- (20) Xiao, X; Z Surf Sci 2001, V472, P41 HCA
- (21) Yoshizawa, H; J Phys Chem 1993, V97, P4128 HCA

L31 ANSWER 30 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 139:106885 HCA Full-text

ED Entered STN: 07 Aug 2003

TI Self-Assembled Monolayers of

ω -(3-Thienyl)alkanethiols on Gold

AU Ahn, Heejoon; Kim, Myunghwan; Sandman, Daniel J.; Whitten, James E.

CS Department of Chemistry and Center for Advanced Materials, University of Massachusetts Lowell, Lowell, MA, 01854-5047, USA

SO Langmuir (2003), 19(13), 5303-5310

CODEN: LANGD5; ISSN: 0743-7463

PB American Chemical Society

DT Journal

LA English

CC 66-3 (Surface Chemistry and Colloids)

Section cross-reference(s): 78

AB Thiophene-containing alkanethiols, Th-(CH₂)_n-SH (Th = 3-thiophene) with n = 2, 6, and 12, have been synthesized and self-assembled onto gold-coated Si(111) wafers. The properties of the monolayers have been compared with those of methyl-terminated self-assembled monolayers (SAMs) having the same number of methylene units. X-ray and UV photoelectron spectroscopies (XPS and UPS) demonstrate formation of surface thiolate bonds and assembly with the thiophene rings at the periphery of the monolayers. Dynamic contact angle measurements using water and hexadecane probe liqs. are consistent with this conclusion and, particularly in the case of 12-(3-thienyl)dodecanethiol, indicate a densely packed, well-ordered monolayer. Ellipsometry measurements yield thickness values of 6.7, 10.7, and 17.9 Å for n = 2, 6, and 12, resp. Assuming the alkyl chains are in a fully extended all-trans conformation, these data indicate tilt angles of 42, 41, and 35°, resp. Quartz crystal microbalance measurements demonstrate that the thienyl-terminated alkanethiol monolayers have similar packing densities compared to methyl-terminated SAMs of similar lengths. Thermal stability measurements using XPS and UPS show that the thienyl-terminated SAMs are stable to at least 100 °C but desorb/decompose on heating to 150 °C.

ST surface structure self assembled
monolayer thienyl alkanethiol gold

IT Self-assembled monolayers

Surface structure

Thickness

(surface structure and thickness of SAMs of thienyl
alkanethiols on gold)

IT 7440-57-5D, Gold, thiolated 65062-26-2D, 3-Thiopheneethanethiol, gold
bound 558471-92-4D, 3-Thiophenehexanethiol, gold bound 558471-93-5D,
3-Thiophenedodecanethiol, gold bound

(surface structure and thickness of SAMs of thienyl
alkanethiols on gold)

IT 107-03-9D, 1-Propanethiol, gold bound 1639-09-4D, 1-Heptanethiol, gold
bound 19484-26-5D, 1-Tridecanethiol, gold bound

(to study surface structure and thickness of SAMs
of thienyl alkanethiols on gold)

OSC.G 20 THERE ARE 20 CAPLUS RECORDS THAT CITE THIS RECORD (20 CITINGS)

UPOS.G Date last citing reference entered STN: 03 Aug 2011

OS.G CAPLUS 2008:907342; 2011:564516; 2010:1547096; 2010:1143442;
2004:480499; 2009:1204406; 2009:950080; 2009:662236;
2008:1517258; 2008:752419; 2008:22234; 2007:1051443; 2007:725314;
2006:954919; 2006:904359; 2006:501331; 2005:1228365; 2004:603148;
2004:144244; 2003:792127

RE.CNT 59 THERE ARE 59 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Adamson, A; Physical Chemistry of Surfaces, 6th ed 1997, P23
- (2) Ahn, H; J Phys Chem B 2002, V106, P11404 HCA
- (3) Appelhans, D; Colloids Surf, A 2000, V161, P203 HCA
- (4) Ashley, J; J Chem Soc 1958, P3303
- (5) Bain, C; J Am Chem Soc 1989, V111, P321 HCA
- (6) Bain, C; Langmuir 1989, V5, P723 HCA
- (7) Bauerle, P; Angew Chem Int Ed Engl 1990, V29, P419
- (8) Bigelow, W; J Colloid Sci 1946, V1, P513 HCA
- (9) Briggs, D; Surface Analysis of Polymers by XPS and Static SIMS 1998, P34
- (10) Castner, D; Langmuir 1996, V12, P5083 HCA
- (11) Dannetun, P; J Chem Phys 1993, V99, P664 HCA
- (12) Dishner, M; Langmuir 1996, V12, P6176 HCA
- (13) Donhauser, Z; Science 2001, V292, P2303 HCA

- (14) Evans, S; Langmuir 1991, V7, P2700 HCA
- (15) Fahlman, M; Synth Met 1995, V75, P223 HCA
- (16) Feldman, L; Fundamentals of Surface and Thin Film Analysis 1986, P126
- (17) Ferguson, G; Macromolecules 1993, V26, P5870 HCA
- (18) Green, J; J Phys Chem 1995, V99, P10960
- (19) Heister, K; J Phys Chem B 2001, V105, P4058 HCA
- (20) Hernandez, J; J Phys Chem B 2001, V105, P8339 HCA
- (21) Hong, X; Macromolecules 1999, V32, P4232 HCA
- (22) Ito, E; Langmuir 2001, V17, P4282 HCA
- (23) Jennings, G; Langmuir 1998, V14, P6130 HCA
- (24) Kang, J; Langmuir 2001, V17, P95 HCA
- (25) Karpovich, D; Langmuir 1994, V10, P3315 HCA
- (26) Kuwabata, S; Langmuir 1999, V15, P6807 HCA
- (27) Laibinis, P; J Am Chem Soc 1991, V113, P7152 HCA
- (28) Laibinis, P; J Am Chem Soc 1992, V114, P1990 HCA
- (29) Laibinis, P; Self-Assembled Monolayers of Thiols 1998, P4
- (30) Land, T; Surf Sci 1992, V268, P179 HCA
- (31) Lee, S; Langmuir 2001, V17, P7364 HCA
- (32) Lehn, J; Supramolecular Chemistry 1995, P139
- (33) Li, J; J Chem Phys 1995, V102, P5012 HCA
- (34) McCarley, R; Langmuir 1993, V9, P2775 HCA
- (35) Nakamura, T; Langmuir 1996, V12, P5977 HCA
- (36) Noh, J; J Phys Chem B 2002, V106, P7139 HCA
- (37) Nuzzo, R; J Am Chem Soc 1983, V105, P4481 HCA
- (38) Okawa, H; Jpn J Appl Phys 2000, V39, P252 HCA
- (39) Poirier, G; Langmuir 1994, V10, P3383 HCA
- (40) Porter, M; J Am Chem Soc 1987, V109, P3559 HCA
- (41) Prime, K; J Am Chem Soc 1993, V115, P10714 HCA
- (42) Qiao, M; Surf Sci 2000, V460, P67 HCA
- (43) Raza, H; Surf Sci 1997, V390, P256 HCA
- (44) Salaneck, W; Synth Met 1983, V5, P125 HCA
- (45) Salaneck, W; Synth Met 1987, V21, P57 HCA
- (46) Sauerbrey, G; Z Phys (Munich) 1959, V155, P206 HCA
- (47) Sayre, C; Langmuir 1995, V11, P302 HCA
- (48) Simon, R; J Am Chem Soc 1982, V104, P2031 HCA
- (49) Skofield, J; J Electron Spectrosc 1976, V8, P129
- (50) Sullivan, J; Langmuir 2000, V16, P9797 HCA
- (51) Troughton, E; Langmuir 1988, V4, P365 HCA
- (52) Ulman, A; An Introduction to Ultrathin Organic Films:From
Langmuir-Blodgett to Self-Assembly 1991, P101
- (53) Ulman, A; An Introduction to Ultrathin Organic Films:From
Langmuir-Blodgett to Self-Assembly 1991, P279
- (54) Ulman, A; Langmuir 1989, V5, P1418 HCA
- (55) Wagner, C; Handbook of X-ray Photoelectron Spectroscopy 1979
- (56) Whitesides, G; Sci Am 2001, V285, P39
- (57) Whitten, J; Surf Sci 1996, V347, P280 HCA
- (58) Willicut, R; J Am Chem Soc 1994, V116, P10823 HCA
- (59) Willicut, R; Langmuir 1995, V11, P296 HCA

L31 ANSWER 31 OF 60 HCA COPYRIGHT 2011 ACS on STN
AN 138:391201 HCA Full-text
ED Entered STN: 12 Jun 2003
TI Supramolecular chiral films
AU Ernst, Karl-Heinz; Fasel, Roman; Kuster, Y.
CS Swiss Federal Labs. for Materials Testing and Research, Duebendorf,
CH-8600, Switz.
SO Proceedings of SPIE-The International Society for Optical Engineering (
2002), 4806(Complex Mediums III: Beyond Linear Isotropic
Dielectrics), 248-257
CODEN: PSISDG; ISSN: 0277-786X

PB SPIE-The International Society for Optical Engineering

DT Journal

LA English

CC 66-3 (Surface Chemistry and Colloids)

AB The self-assembly of racemic and enantiopure heptahelicene, a helically shaped polyarom. hydrocarbon (C₃₀H₁₈), on single-crystal surfaces was studied at temps. between 150 K and 1000 K by means of surface sensitive methods like scanning tunneling microscopy (STM), temperature programmed desorption (TPD), LEED, time-of-flight secondary mass spectrometry (ToF-SIMS), XPS and diffraction (XPD), and Auger electron spectroscopy (AES). On Ni(111), Ni(100) and Cu(111), the mol. remains intact up to 450 K. Above that temperature it decomps. in several steps into carbon and hydrogen, the latter desorbing subsequently as H₂. The adsorption of racemic heptahelicene on Cu(111) leads to a two-dimensional enantiomeric separation into at least 20 nm wide homochiral domains. In the first monolayer, the adsorbate-substrate complex has a geometry in which the mol. is oriented with three terminal rings parallel to the surface. After adsorption of enantiopure heptahelicene onto the stepped Cu(332) surface, an azimuthal alignment of the mol. spirals is observed, creating a single-phase orientational order. X-ray absorption studies (NEXAFS) using synchrotron radiation show for the mol. in the saturated monolayer on Ni(100) a tilted geometry.

ST heptahelicene self assembly copper nickel mol orientation enantiomer sepn

IT Phase separation

(enantiomeric; self-assembly of racemic and enantiopure heptahelicene)

IT Adsorption

Chirality

Molecular orientation

Orientational order

Self-assembled monolayers

Self-assembly

Thermal decomposition

(self-assembly of racemic and enantiopure heptahelicene)

IT Enantiomers

(separation; self-assembly of racemic and enantiopure heptahelicene)

IT Desorption

(thermal, of hydrogen; self-assembly of racemic and enantiopure heptahelicene)

IT 16914-68-4, Heptahelicene 20508-10-5, (P)-Heptahelicene 40122-35-8, (M)-Heptahelicene

(self-assembly of racemic and enantiopure heptahelicene)

IT 7440-44-0, Carbon, formation (nonpreparative)

(self-assembly of racemic and enantiopure heptahelicene)

IT 1333-74-0, Hydrogen, processes

(self-assembly of racemic and enantiopure heptahelicene)

IT 7440-02-0, Nickel, processes 7440-50-8, Copper, processes

(substrate; self-assembly of racemic and enantiopure heptahelicene)

RE.CNT 38 THERE ARE 38 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

(1) Avnir, D; J Am Chem Soc 1989, V111, P2001 HCA

(2) Bader, M; Phys Rev Lett 1986, V56, P1921 HCA

(3) Behrens, U; Chem Eur J 1996, V1, P98

(4) Beljonne, D; J Chem Phys 1998, V108, P1301 HCA

(5) Belkin, M; Phys Rev Lett 2000, V85, P4474 HCA

(6) Beurskens, P; Cryst Struct Comm 1976, P241 HCA

(7) Bonello, J; Surf Science 2002, V498, P212 HCA

(8) Byers, J; Phys Rev B 1994, V49, P14643 HCA

(9) Chen, Q; Phys Chem Comm 1999, P9

(10) Christmann, K; J Chem Phys 1974, V60, P4528 HCA

- (11) Ernst, K; J Am Chem Soc 2001, V123, P493 HCA
(12) Ernst, K; Nanotechnology 1999, V10, P355
(13) Ertl, G; Low Energy Electrons and Surface Chemistry 1985, P233
(14) Eschenbroich, C; Z Naturforsch 1983, V38b, P1357
(15) Fadley, C; Synchrotron Radiation Research: Advances in Surface Science 1989
(16) Flammang-Barbieux, M; Tetrahedron Letters 1967, P743 HCA
(17) Fujimura, Y; Angew Chem Int Ed 2000, V39, P4586 HCA
(18) Greuter, F; Solid State Commun 1984, V48, P37
(19) Hecht, L; Chem Phys Lett 1994, V225, P525 HCA
(20) Holtkamp, D; Appl Surface Sci 1984, V17, P296 HCA
(21) Johnson, A; J Phys Chem 1985, V89, P4071 HCA
(22) Kuehnle, A; Nature 2002, V415, P891
(23) Lorenzo, M; Nature 2000, V404, P376 HCA
(24) Martin, R; Tetrahedron 1974, V30, P374
(25) Masao Oda, H; Adv Mater 2000, V12, P362
(26) Moulder, J; Handbook of X ray Photoelectron Spectroscopy
(27) Netzer, F; Critical Reviews in Solid State and Materials Sciences 1992, V17, P397 HCA
(28) Netzer, F; Langmuir 1991, V7, P2544 HCA
(29) Pirkle, W; J Am Chem Soc 1987, V109, P7189 HCA
(30) Schunak, M; Angew Chem Int Ed 2001, V40, P2623
(31) Schwab, G; Kolloid-Zeitschrift 1934, V68, P157 HCA
(32) Sholl, D; Langmuir 1998, V14, P862 HCA
(33) Sudhakar, A; Tetrahedron Letters 1986, V27, P2231 HCA
(34) Vaida, M; J Am Chem Soc 1989, V111, P1029 HCA
(35) Verbiest, T; J Am Chem Soc 1994, V116, P9203 HCA
(36) Verbiest, T; Science 1998, V282, P913 HCA
(37) Xi, M; J Chem Phys 1994, V101, P9122 HCA
(38) Yannulis, P; Surf Science 1987, V189/190, P519
- L31 ANSWER 32 OF 60 HCA COPYRIGHT 2011 ACS on STN
AN 138:300081 HCA Full-text
ED Entered STN: 08 May 2003
TI Studies on the patterning of polyimide LB film and its application for bioelectronic device
AU Oh, Se Young; Park, Joon Kyu; Chung, Chan Moon; Choi, Jeong Woo
CS Dept. of Chem. Eng., Sogang Univ., Seoul, 121-742, S. Korea
SO Polymer (Korea) (2002), 26(5), 634-643
CODEN: POLLDG; ISSN: 0379-153X
PB Polymer Society of Korea
DT Journal
LA Korean
CC 9-16 (Biochemical Methods)
Section cross-reference(s): 38, 74
AB Ultrathin film of polyamic acid having benzene and sulfonyloxyimide moieties was prepared using the Langmuir-Blodgett (LB) technique, and then photosensitive polyimide LB film was obtained by the thermal treatment of precursor polyamic acid multilayers at 200°C for 1 h. The polyamic acid was synthesized by condensation polymerization under THF and pyridine cosolvent. All monomers and polymers were identified through elemental anal., FT-IR and 1H-NMR spectroscopic measurements. The microarray patterning of photosensitive polyimide LB film on a gold substrate was generated with a deep UV lithog. technique. The well-characterized monolayer of cytochrome c was immobilized on the microarray patterns using two different self-assembly processes. Phys. and electrochem. properties of the self-assembled cytochrome c monolayer were investigated based on cyclic voltammetry and atomic force microscopy (AFM). Also, its application in bioelectronic device was examined
ST polyimide LB film bioelectronic device

- IT Photolithography
(UV; studies on patterning of polyimide LB film and its application for bioelectronic device)
- IT Semiconductor devices
(bioelec.; studies on patterning of polyimide LB film and its application for bioelectronic device)
- IT Polysulfones, properties
(polyamic acid-polyimide-; studies on patterning of polyimide LB film and its application for bioelectronic device)
- IT Polyimides, properties
(polyamic acid-polysulfone-; studies on patterning of polyimide LB film and its application for bioelectronic device)
- IT Polyamic acids
(polyimide-polysulfone-; studies on patterning of polyimide LB film and its application for bioelectronic device)
- IT Langmuir-Blodgett films
(studies on patterning of polyimide LB film and its application for bioelectronic device)
- IT Polyimides, processes
(studies on patterning of polyimide LB film and its application for bioelectronic device)
- IT 9007-43-6, Cytochrome c, processes
(immobilization in; studies on patterning of polyimide LB film and its application for bioelectronic device)
- IT 405109-29-7P
(studies on patterning of polyimide LB film and its application for bioelectronic device)
- IT 89-32-7, 1,2,4,5-Benzenetetracarboxylic dianhydride 1655-45-4, 2,6-Naphthalenedisulfonic acid disodium salt 7803-49-8, Hydroxyamine, reactions
(studies on patterning of polyimide LB film and its application for bioelectronic device)
- IT 13827-62-8P, 2,6-Naphthalenedisulfonyl chloride 405109-28-6P
(studies on patterning of polyimide LB film and its application for bioelectronic device)

L31 ANSWER 33 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 138:238428 HCA Full-text

ED Entered STN: 10 Apr 2003

TI Shattering of peptide ions on self-assembled monolayer surfaces

AU Laskin, Julia; Bailey, Thomas H.; Futrell, Jean H.

CS William R. Wiley Environmental Molecular Sciences Laboratory, Pacific Northwest National Laboratory, Richland, WA, 99352, USA

SO Journal of the American Chemical Society (2003), 125(6), 1625-1632

CODEN: JACSAT; ISSN: 0002-7863

PB American Chemical Society

DT Journal

LA English

CC 34-3 (Amino Acids, Peptides, and Proteins)

Section cross-reference(s): 22, 66, 69

AB Time- and collision energy-resolved surface-induced dissociation (SID) of des-Arg1- and des-Arg9-bradykinin on a fluorinated self-assembled monolayer (SAM) surface was studied by use of a novel Fourier transform ion cyclotron resonance mass spectrometer (FT-ICR MS) specially equipped to perform SID expts. Time-resolved fragmentation efficiency curves (TFECs) were modeled by an RRKM-based approach developed in our laboratory that utilizes a very flexible anal. expression for the internal energy deposition function capable of reproducing both single- and multiple-collision activation in the gas phase

and excitation by collisions with a ~~surface~~. Both exptl. observations and modeling establish a very sharp transition in the dynamics of ion-~~surface~~ interaction: the shattering transition. The exptl. signature for this transition is the appearance of prompt (time-independent) fragmentation, which becomes dominant at high collision energies. Shattering opens a variety of dissociation pathways that are not accessible to slow collisional and ~~thermal~~ ion activation. This results in much better sequence coverage for the singly protonated peptides than dissociation patterns obtained with any of the slow activation methods. Modeling demonstrated that, for short reaction delays, dissociation of these peptides is solely determined by shattering. Internal energies required for shattering transition are approx. the same for des-Arg1 and des-Arg9-bradykinin, resulting in the overlap of fragmentation efficiency curves obtained at short reaction delays. At longer delay times, parent ions depletion is mainly determined by a slow decay rate and fragmentation efficiency curves for des-Arg1 and des-Arg9-bradykinin diverge. Dissociation thresholds of 1.17 and 1.09 eV and activation entropies of -22.2 and -23.3 cal/(mol K) were obtained for des-Arg1 and des-Arg9-bradykinin from RRKM modeling of time-resolved data. Dissociation parameters for des-Arg1-bradykinin are in good agreement with parameters derived from ~~thermal~~ expts. However, there is a significant ~~discrepancy~~ between the ~~thermal~~ data and dissociation parameters for des-Arg9-bradykinin obtained in this study. The difference is attributed to the differences in conformations that undergo ~~thermal~~ activation and activation by ion-~~surface~~ collisions prior to dissociation

- ST shattering peptide ion ~~self assembled~~
monolayer surface FTICR MS; ~~surface induced~~
dissoecn protonated bradykinin fragmentation kinetics simulation modeling;
collisional energy transfer peptide ion ~~surface~~ excitation
activation entropy
- IT Activation entropy
(activation entropies for des-Arg1 and des-Arg9-bradykinin from RRKM
modeling of time-resolved data)
- IT Energy level excitation
(collisional; excitation by collisions of peptide ions with
~~surface~~ by modeling using internal energy deposition function)
- IT Internal energy
(excitation by collisions of peptide ions with ~~surface~~ by
modeling using internal energy deposition function)
- IT Ionic collisions
Surface collisions
(ion-~~surface~~; time- and collision energy-resolved
~~surface-induced~~ dissociation on ~~self-assembled~~
monolayer surface and fragmentation of protonated
peptides by FTICR MS and modeling)
- IT Peptides, reactions
(protonated; ~~surface-induced~~ dissociation on ~~self-~~
~~assembled monolayer surface~~ and
fragmentation of protonated des-Arg1- and des-Arg9-bradykinin by FTICR
MS and modeling)
- IT Collisional energy transfer
(shattering transition in dynamics of peptide ion-~~surface~~
interaction at high collision energies)
- IT Dissociation kinetics
(~~surface-induced~~ dissociation kinetics and fragmentation of
protonated des-Arg1- and des-Arg9-bradykinin by FTICR MS and modeling)
- IT ~~Self-assembled monolayers~~
(~~surface-induced~~ dissociation on fluorinated ~~self-~~
~~assembled monolayer surface~~ and
fragmentation of protonated des-Arg1- and des-Arg9-bradykinin by FTICR
MS and modeling)

IT Fragmentation reaction
Ionic collisions
Simulation and Modeling
Surface
(surface-induced dissociation on self-assembled monolayer surface and fragmentation of protonated des-Arg1- and des-Arg9-bradykinin by FTICR MS and modeling)

IT Fragmentation reaction kinetics
(surface-induced dissociation on self-assembled monolayer surface and kinetics of fragmentation of protonated peptides by FTICR MS and modeling)

IT Collision-induced dissociation
(time- and collision energy-resolved surface-induced dissociation on self-assembled monolayer surface and fragmentation of protonated peptides by FTICR MS and modeling)

IT Dissociation
(time- and collision energy-resolved surface-induced dissociation; surface-induced dissociation on self-assembled monolayer surface and fragmentation of protonated des-Arg1- and des-Arg9-bradykinin by FTICR MS and modeling)

IT 330204-12-1 330575-15-0
(surface-induced dissociation on self-assembled monolayer surface and fragmentation of protonated des-Arg1- and des-Arg9-bradykinin by FTICR MS and modeling)

OSC.G 49 THERE ARE 49 CAPLUS RECORDS THAT CITE THIS RECORD (50 CITINGS)

UPOS.G Date last citing reference entered STN: 16 Mar 2011

OS.G CAPLUS 2011:273478; 2011:11933; 2010:1451316; 2010:1361482;
2008:1085612; 2010:791390; 2010:375893; 2004:562849;
2009:1368329; 2009:1094540; 2009:861219; 2009:816873;
2009:600699; 2009:603316; 2009:603314; 2009:166662; 2009:74177;
2008:906678; 2008:238765; 2007:1105214; 2007:891791; 2007:891787;
2007:891786; 2007:891782; 2007:891777; 2007:840541; 2007:802626;
2007:802616; 2007:802593; 2007:264295; 2006:398456; 2006:375752;
2006:179146; 2006:37342; 2005:1288170; 2005:505507; 2005:237497;
2005:221346; 2005:168820; 2004:922463; 2004:786656; 2004:629733;
2004:401165; 2004:302562; 2004:302548; 2003:978486; 2003:959851;
2003:946281; 2003:581726

RE.CNT 35 THERE ARE 35 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Beck, R; Chem Phys Lett 1996, V257, P557 HCA
- (2) Bosio, S; Int J Mass Spectrom 1998, V174, P1 HCA
- (3) Campbell, E; Chem Phys Lett 1996, V253, P261 HCA
- (4) Cooks, R; Acc Chem Res 1994, V27, P316 HCA
- (5) Cristen, W; Int J Mass Spectrom Ion Processes 1998, V174, P35
- (6) Dongre, A; J Am Chem Soc 1996, V118, P8365 HCA
- (7) Dongre, A; J Mass Spectrom 1996, V31, P339 HCA
- (8) Dunbar, R; Science 1998, V279, P197
- (9) Grill, V; Rev Sci Instrum 2001, V72, P3149 HCA
- (10) Hendell, E; Phys Rev Lett 1995, V75, P2670 HCA
- (11) Kaiser, B; Phys Rev Lett 1999, V83, P2918 HCA
- (12) Laskin, J; Anal Chem 2002, V74, P3255 HCA
- (13) Laskin, J; Int J Mass Spectrom 2000, V195/196, P285 HCA
- (14) Laskin, J; J Am Chem Soc 2000, V122, P9703 HCA
- (15) Laskin, J; J Chem Phys 2002, V116, P4302 HCA
- (16) Laskin, J; J Phys Chem A 2000, V104, P5484 HCA
- (17) Laskin, J; J Phys Chem A 2002, V106, P9832 HCA
- (18) Laskin, J; J Phys Chem B 2001, V105, P1895 HCA
- (19) McCormack, A; Anal Chem 1993, V65, P2859 HCA

- (20) Meroueh, O; J Am Chem Soc 2002, V1241, P1524
(21) Meroueh, O; J Phys Chem A 2002, V106, P9983
(22) Mohammed, S; J Mass Spectrom 2001, V36, P1260 HCA
(23) Price, W; J Phys Chem A 1997, V101, P8844 HCA
(24) Raz, T; J Chem Phys 1995, V103, P5394 HCA
(25) Raz, T; J Chem Phys 1996, V105, P8097 HCA
(26) Schnier, P; J Am Chem Soc 1996, V118, P7178 HCA
(27) Schultz, D; J Chem Phys 1998, V109, P10976 HCA
(28) Schultz, D; J Mass Spectrom 1999, V34, P217 HCA
(29) Senko, M; Rapid Commun Mass Spectrom 1996, V10, P1839 HCA
(30) Shaffer, S; Rapid Commun Mass Spectrom 1997, V11, P1813 HCA
(31) Stone, E; Anal Chem 2001, V73, P2233 HCA
(32) Thorne, G; J Am Soc Mass Spectrom 1990, V1, P249 HCA
(33) Tsapraillis, G; J Am Chem Soc 1999, V121, P5142 HCA
(34) Vachet, R; J Am Chem Soc 1996, V118, P6252 HCA
(35) Zhong, W; Ph D Thesis, Virginia Commonwealth University 1999

L31 ANSWER 34 OF 60 HCA COPYRIGHT 2011 ACS on STN
AN 138:210766 HCA Full-text
ED Entered STN: 27 Mar 2003
TI Attachment of Alkyltrichlorosilanes to the Terminal 3,5-Dihydroxyphenyl
Moiety of a Self-assembled Thiol Monolayer
on Gold
AU Gothelf, Kurt V.; Larsen, Allan G.
CS Center for Catalysis, Department of Chemistry, University of Aarhus,
Aarhus C, DK-8000, Den.
SO Journal of Colloid and Interface Science (2002), 255(2), 356-362
CODEN: JCISA5; ISSN: 0021-9797
PB Elsevier Science
DT Journal
LA English
CC 66-4 (Surface Chemistry and Colloids)
AB The synthesis of 5-(6-mercaptohexyloxy)-1,3-dihydroxybenzene and the formation
of a self-assembled monolayer on polycryst. Au using this compound are
described. Methyltrichlorosilane and (tridecafluoro-1,1,2,2-
tetrahydrooctyl)trichlorosilane were attached to the 3,5-dihydroxyphenyl
terminus of the monolayer. The modified surfaces were studied by contact
angle measurement, XPS, and cyclic voltammetry. High contact angles of 119°-
128° were observed for the
semifluoroalkylsilyl-functionalized monolayer. These high contact angles were
maintained after subjecting the surfaces to, e.g., boiling in H2O or heating in
air to 300°. Characterization of the silane-modified monolayers by XPS
indicated more than one layer of silane present at the top of the monolayer.
The thickness was reduced after boiling the cross-linked monolayers in H2O,
however, maintaining high contact angles. Cyclic voltammetry studies revealed
that the semifluoroalkylsilyl-functionalized surface showed a higher blocking
capability and a higher electrochem. stability than the parent monolayer.
ST alkyltrichlorosilane attachment dihydroxyphenyl terminated thiol
self assembled monolayer gold
IT Self-assembled monolayers
(attachment of alkyltrichlorosilanes to terminal dihydroxyphenyl moiety
of self-assembled thiol monolayer on
gold)
IT Cyclic voltammetry
(cyclic voltammograms; of self-assembled
thiol monolayer on gold with alkyltrichlorosilanes attached
to terminal dihydroxyphenyl moiety of thiol)
IT Surface area
(mol.; of self-assembled thiol monolayer
on gold with alkyltrichlorosilanes attached to terminal dihydroxyphenyl

moiety of thiol derived from reductive desorption)

IT Contact angle
X-ray photoelectron spectra
(of self-assembled thiol monolayer on
gold with alkyltrichlorosilanes attached to terminal dihydroxyphenyl
moiety of thiol)

IT 75-79-6, Methyltrichlorosilane 78560-45-9,
(Tridecafluoro-1,1,2,2-tetrahydrooctyl)trichlorosilane
(attachment of alkyltrichlorosilanes to terminal dihydroxyphenyl moiety
of self-assembled thiol monolayer on
gold)

IT 500362-73-2P 500362-74-3P
(intermediate; synthesis of mercaptohexyloxy dihydroxybenzene)

IT 7440-57-5D, Gold, complexes with dihydroxyphenyl derivs. of thiols
500362-72-1D, gold-bound
(on surface; attachment of alkyltrichlorosilanes to terminal
dihydroxyphenyl moiety of self-assembled thiol
monolayer on gold)

IT 140-89-6, Potassium O-ethyl dithiocarbonate 629-09-4, 1,6-Diiodohexane
116345-96-1
(synthesis of mercaptohexyloxy dihydroxybenzene)

IT 500362-72-1P
(synthesis of mercaptohexyloxy dihydroxybenzene)

OSC.G 3 THERE ARE 3 CAPLUS RECORDS THAT CITE THIS RECORD (3 CITINGS)

UPOS.G Date last citing reference entered STN: 17 Sep 2010

OS.G CAPLUS 2010:1118876; 2007:689238; 2005:419852

RE.CNT 34 THERE ARE 34 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Batschelder, D; J Am Chem Soc 1994, V116, P1050
- (2) Beulen, M; Langmuir 1998, V14, P7463 HCA
- (3) Buining, P; Langmuir 1997, V13, P3921 HCA
- (4) Cai, M; Langmuir 1999, V15, P1215 HCA
- (5) Chechik, V; Adv Mater 2000, V12, P1161 HCA
- (6) Clegg, R; J Am Chem Soc 1998, V129, P2486
- (7) Delamarche, E; Langmuir 1994, V10, P4103 HCA
- (8) Finklea, H; Electroanal Chem 1996, V19, P109 HCA
- (9) Flink, S; Adv Mater 2000, V12, P1315 HCA
- (10) Ford, J; Langmuir 1996, V12, P1944 HCA
- (11) Fukushima, H; J Phys Chem B 2000, V104, P7417 HCA
- (12) Geyer, W; Appl Phys Lett 1999, V75, P2402
- (13) Hanada, R; J Electrochem Soc 1998, V145, P1856
- (14) Hanada, R; J Electrochem Soc 1998, V145, P2786
- (15) Hickman, J; J Am Chem Soc 1991, V113, P1128 HCA
- (16) Itoh, M; J Electrochem Soc 1995, V142, P3696 HCA
- (17) Kawamoto, H; Synth Commun 1996, V26, P531 HCA
- (18) Kim, T; J Am Chem Soc 1997, V119, P189 HCA
- (19) Kim, T; Langmuir 1996, V12, P6065 HCA
- (20) Liz-Marzan, L; Langmuir 1996, V12, P4329 HCA
- (21) Menzler, S; Tetrahedron Lett 1998, V39, P7619 HCA
- (22) Mori, K; J Org Chem 1969, V34, P4170 HCA
- (23) Mowery, M; Langmuir 1998, V14, P5594 HCA
- (24) Pedersen, S; Acta Chem Scand Ser A 1986, V40, P607
- (25) Poirier, G; Langmuir 1999, V15, P1167 HCA
- (26) Schlenoff, J; J Am Chem Soc 1995, V117, P12528 HCA
- (27) Taylor, C; Langmuir 2002, V18, P120 HCA
- (28) Thompson, W; Langmuir 1997, V13, P2291 HCA
- (29) Ulman, A; An Introduction to Ultrathin Organic Films--From
Langmuir-Blodgett to Self-Assembly 1991
- (30) Ulman, A; Chem Rev 1996, V96, P1533 HCA
- (31) Wang, J; J Am Chem Soc 1998, V120, P5852 HCA

- (32) Widrig, C; J Electroanal Chem 1991, V310, P335 HCA
 (33) Woods, R; Electroanalytical Chemistry 1976, V9, P1 HCA
 (34) Zhao, B; Langmuir 1999, V15, P6861

L31 ANSWER 35 OF 60 HCA COPYRIGHT 2011 ACS on STN
 AN 138:129998 HCA Full-text
 ED Entered STN: 20 Feb 2003
 TI Microfabricated recessed ~~disk~~ microelectrodes: characterization
 in static and convective solutions
 IN Fritsch, Ingrid; Henry, Charles Sherman; Bowen, Benjamin P.; Vandaveer,
 Walter; Bratcher, Nicole
 PA USA
 SO U.S. Pat. Appl. Publ., 69 pp., Cont.-in-part of U.S. Ser. No. 946,259.
 CODEN: USXXCO
 DT Patent
 LA English
 CC 76-14 (Electric Phenomena)
 Section cross-reference(s): 34, ~~66~~, 72, 80

FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 20030015422	A1	20030123	US 2002-104756	20020322 <--
	US 7169272	B2	20070130		
PRAI	US 1997-42100P	P	19970430	<--	
	US 1998-75955P	P	19980223	<--	
	US 1998-71356	B2	19980430	<--	
	US 1999-255950	B2	19990223	<--	
	US 2001-775937	A2	20010202	<--	
	US 2001-946259	A2	20010904	<--	

CLASS

PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
US 20030015422	INCL	204403010; 438001000
	IPCI	G01N0027-327 [I,A]; C12N0011-00 [I,A]
	IPCR	G01N0027-30 [I,A]; G01N0027-327 [I,A]; C12N0011-00 [I,A]
	NCL	204/403.010; 438/001.000; 204/403.070; 435/174.000
	ECLA	B82Y030/00; G01N027/30; L82T201:01

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT

AB The present invention relates to microfabricated recessed ~~disk~~ microelectrodes. More specifically, this invention relates to microcavities containing microelectrodes and being separated from surrounding media by a lipid bilayer that is anchored to the rim of the microcavity. The invention also relates to microcavities having a hole in the bottom in order to relieve osmotic pressure. The invention also relates to arrays of such microcavities. Construction and characterization of microfabricated recessed ~~disk~~ microelectrodes (RDMs) of 14 and 55 μ m diameter are reported. Hybrid blamers were constructed by ~~fusion~~ of vesicles of dimyristoylphosphatidyl choline (DMPC), which forms the top layer, with EtOH-rinsed ~~SAMs~~ of hexadecanethiol on Au, which form the bottom layer. Gramicidin A was included in the modifying solns. to incorporate it into hybrid blamers.

ST ~~disk~~ microelectrode characterization static convective soln

IT Membrane, biological
 (bilayer; characterization in static and convective solns. of microfabricated recessed ~~disk~~ microelectrodes)

IT Cyclic voltammetry
 Electrochemical cells
 Etching
 Photolithography
 Self-assembled monolayers

(characterization in static and convective solns. of microfabricated recessed ~~disk~~ microelectrodes)

IT Lipids, analysis
(characterization in static and convective solns. of microfabricated recessed ~~disk~~ microelectrodes)

IT Microelectrodes
(~~disk~~; characterization in static and convective solns. of microfabricated recessed ~~disk~~ microelectrodes)

IT Oxidation
(~~thermal~~; characterization in static and convective solns. of microfabricated recessed ~~disk~~ microelectrodes)

IT 7440-47-3, Chromium, uses
(adhesion layer; characterization in static and convective solns. of microfabricated recessed ~~disk~~ microelectrodes)

IT 7757-79-1, Potassium nitrate, analysis 10377-60-3, Magnesium nitrate
(characterization in static and convective solns. of microfabricated recessed ~~disk~~ microelectrodes)

IT 18943-33-4
(characterization in static and convective solns. of microfabricated recessed ~~disk~~ microelectrodes)

IT 2917-26-2, Hexadecanethiol 18656-38-7, Dimyristoylphosphatidyl choline
(characterization in static and convective solns. of microfabricated recessed ~~disk~~ microelectrodes)

IT 7440-21-3, Silicon, uses 7631-86-9, Silica, uses
(characterization in static and convective solns. of microfabricated recessed ~~disk~~ microelectrodes)

IT 7440-57-5, Gold, uses 11029-61-1, Gramicidin A
(characterization in static and convective solns. of microfabricated recessed ~~disk~~ microelectrodes)

OSC.G 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD (1 CITINGS)

UPOS.G Date last citing reference entered STN: 16 Feb 2009

OS.G CAPLUS 2005:281447

RE.CNT 46 THERE ARE 46 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Anon; WO 9012314 A1 1990 CAPLUS
- (2) Anon; WO 9425862 A1 1994 HCA
- (3) Anon; Stock Product Catalog 1997
- (4) Anon; The Animatics SmartMotor
- (5) Arakawa; US 5313150 A 1994
- (6) Arends; US 4779031 A 1988
- (7) Beilin; US 5544017 A 1996
- (8) Bond; J. Electroanal. Chem. 1988, V249, P15
- (9) Burgers, K; The Use of Multichip Module Technology for Power Electronics Miniaturization and Packaging 1997, P35
- (10) Clark; Analytical Chemistry 1997, V69(2), P259 HCA
- (11) Cognetti; US 5629574 A 1997
- (12) Eichelberger; US 5452182 A 1995
- (13) Farago; US 4972470 A 1990
- (14) Farnworth; US 5634267 A 1997
- (15) Fillion; US 5532512 A 1996
- (16) Gerrie; US 4961806 A 1990
- (17) Gitler; US 5204239 A 1993 HCA
- (18) Ha; Electrochemical Society Proceedings V96-9, P197 HCA
- (19) Henne Stahl; J. Am. Chem. Soc. 2000, V122, P8085
- (20) Hoenlein; US 5365405 A 1994 CAPLUS
- (21) Ito; US 4891242 A 1990 CAPLUS
- (22) Ito; US 5488542 A 1996
- (23) Kaplan; IEEE Spectrum 1998, P73 MEDLINE
- (24) Komurasaki; US 5619108 A 1997
- (25) Kornfeld; US 5495394 A 1996

- (26) Lang; US 5756355 A 1998 HCA
- (27) Matsuzaki; US 5604383 A 1997 HCA
- (28) McLaughlin; US 5616888 A 1997 CAPLUS
- (29) Miyahara; US 5629559 A 1997
- (30) Moriizumi; US 5608192 A 1997 HCA
- (31) Morrison; US 5608617 A 1997
- (32) Neugebauer; US 5384691 A 1995
- (33) Niwa; J. Electroanal. Chem. 1989, V267, P291 HCA
- (34) Ogura; US 5159427 A 1992
- (35) Osborn; Langmuir 1995, V11(1), P8 HCA
- (36) Plant; Langmuir 1993, V9, P2764 HCA
- (37) Saito; US 5355301 A 1994
- (38) Sakurai; US 5253156 A 1993
- (39) Sakurai; US 5412558 A 1995
- (40) Schaper; US 5410107 A 1995 CAPLUS
- (41) Shokrgozar; US 5434745 A 1995 CAPLUS
- (42) Sorimachi; US 5432675 A 1995
- (43) Staffiere; US 5053920 A 1991
- (44) Tomich; US 5516890 A 1996 HCA
- (45) Urban; English language translation of (WO9012314 A1)
- (46) Wieloch; US 5641944 A 1997 CAPLUS

L31 ANSWER 36 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 138:128908 HCA Full-text

ED Entered STN: 20 Feb 2003

TI ~~Not~~ microcontact printing for patterning ITO surfaces.

Methodology, morphology, microstructure, and OLED charge injection barrier imaging

AU Koide, Yoshihiro; Such, Matthew W.; Basu, Rajiv; Evmenenko, Guennadi; Cui, Ji; Dutta, Pulak; Hersam, Mark C.; Marks, Tobin J.

CS Department of Chemistry Department of Materials Science and Engineering
Department of Physics and Astronomy and the Materials Research Center,
Northwestern University, Evanston, IL, 60208-3113, USA

SO Langmuir (2003), 19(1), 86-93
CODEN: LANGD5; ISSN: 0743-7463

PB American Chemical Society

DT Journal

LA English

CC 74-5 (Radiation Chemistry, Photochemistry, and Photographic and Other
Reprographic Processes)

AB A soft lithog. microcontact printing (μ CP) procedure is successfully applied for the first time to form densely packed organosilane ~~self-assembled~~ monolayers (SAMS) on the surface of ITO (Sn-doped In₂O₃) coated glass via a thermally activated deposition process. ~~Not~~ microcontact printing (μ CP) enables localized transfer with 1.0-40 μ m feature sizes of dense docosyltrichlorosilane (CH₃(CH₂)₂₀CH₂SiCl₃ = DTS) monolayer patterns onto ITO, which reacts sluggishly under conventional μ CP conditions. X-ray reflectivity measurements yield a thickness of 12.1 ± 0.1 Å and a ~~surface~~ roughness of 2.8 ± 0.1 Å for μ CP printed DTS films, which is well within the range for ~~self-assembled monolayer~~ formation, while the weak reflected intensity from conventionally prepared DTS films indicates a poorly organized monolayer structure. Noncontact mode AFM studies reveal that μ CP creates uniform SAMS over a wide area with excellent line edge resolution, while the original patterns are poorly transferred by conventional μ CP, presumably due to the slow Si-O bond formation. Cyclic voltammetry of 1,1'-ferrocenedimethanol solns. using μ CP-derived, DTS SAM coated ITO working electrodes evidences good barrier properties, consistent with dense films. The DTS SAM patterns can be imaged by fabricating organic light-emitting diode (OLED) heterostructures on the patterned ITO. The DTS SAM role as a hole injection

- blocking layer enables patterned luminescence from the hot contact printed ITO surfaces.
- ST hot microcontact printing lithog ITO surface
OLED; electroluminescent display ITO fabrication hot
microcontact printing lithog
- IT Silicone rubber, uses
(di-Me, Sylgard 184, stamp; microstructure and morphol. of self-
assembled monolayers of organosilane patterns
deposited by hot microcontact printing on ITO for organic
light-emitting diode fabrication)
- IT Electroluminescent devices
(displays, OLED; microstructure and morphol. of self-
assembled monolayers of organosilane patterns
deposited by hot microcontact printing on ITO for organic
light-emitting diode fabrication)
- IT Electric insulators
(docosyltrichlorosilane SAM coated on ITO surface
by hot microcontact printing as mol. resist/insulator)
- IT Luminescent screens
(electroluminescent, OLED; microstructure and morphol. of self-
assembled monolayers of organosilane patterns
deposited by hot microcontact printing on ITO for organic
light-emitting diode fabrication)
- IT Lithography
(microcontact; microstructure and morphol. of self-
assembled monolayers of organosilane patterns
deposited by hot microcontact printing on ITO for organic
light-emitting diode fabrication)
- IT Luminescence, electroluminescence
Microstructure
Self-assembled monolayers
(microstructure and morphol. of self-assembled
monolayers of organosilane patterns deposited by hot
microcontact printing on ITO for organic light-emitting diode fabrication)
- IT X-ray
(reflectivity; microstructure and morphol. of self-
assembled monolayers of organosilane patterns
deposited by hot microcontact printing on ITO for organic
light-emitting diode fabrication)
- IT 6938-66-5, 1-Bromodocosane
(Grignard reaction with tetrachlorosilane)
- IT 50926-11-9, Indium tin oxide
(anode; microstructure and morphol. of self-assembled
monolayers of organosilane patterns deposited by hot
microcontact printing on ITO for organic light-emitting diode fabrication)
- IT 7429-90-5, Aluminum, uses
(cathode; microstructure and morphol. of self-
assembled monolayers of organosilane patterns
deposited by hot microcontact printing on ITO for organic
light-emitting diode fabrication)
- IT 1291-48-1, 1,1'-Ferrocenedimethanol
(cyclic voltammetry of ferrocenedimethanol solns. using
hot microcontact printing derived docosyltrichlorosilane
SAM on ITO electrode)
- IT 2085-33-8, Tris(8-hydroxyquinolate)aluminum
(electron transport/emission layer; microstructure and morphol. of
self-assembled monolayers of organosilane
patterns deposited by hot microcontact printing on ITO for
organic light-emitting diode fabrication)
- IT 65181-78-4, N,N'-Diphenyl-N,N'-bis(3-methylphenyl)-[1,1'-biphenyl]-4,4'-

diamine

(hole transport layer; microstructure and morphol. of self-assembled monolayers of organosilane patterns deposited by hot microcontact printing on ITO for organic light-emitting diode fabrication)

IT 7325-84-0P, Docosyltrichlorosilane

(microstructure and morphol. of self-assembled monolayers of organosilane patterns deposited by hot microcontact printing on ITO for organic light-emitting diode fabrication)

OSC.G 40 THERE ARE 40 CAPLUS RECORDS THAT CITE THIS RECORD (40 CITINGS)

UPOS.G Date last citing reference entered STN: 27 Jul 2011

OS.G CAPLUS 2011:867147; 2011:34792; 2010:964331; 2010:455128; 2009:1278094; 2009:1299367; 2009:1093108; 2009:1075534; 2009:1158407; 2009:597463; 2009:231586; 2008:1350940; 2008:575407; 2007:1119005; 2007:898845; 2007:556844; 2006:400805; 2005:1319376; 2005:1319367; 2005:1043728; 2005:1037243; 2005:1004217; 2005:658612; 2005:550535; 2005:503156; 2005:262209; 2005:180149; 2005:6763; 2004:1016622; 2004:889050; 2004:782302; 2004:687099; 2004:637786; 2004:424956; 2004:65523; 2003:996310; 2003:970661; 2003:662921; 2003:623246; 2003:406986

RE.CNT 54 THERE ARE 54 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Aziz, H; Appl Phys Lett 1998, V72, P2642 HCA
- (2) Aziz, H; Science 1999, V283, P1900 HCA
- (3) Barrelet, C; Langmuir 2001, V17, P3460 HCA
- (4) Biebuyck, H; IBM J Res Dev 1997, V41, P159 HCA
- (5) Boulas, C; Phys Rev Lett 1996, V76, P4797 HCA
- (6) Burrows, P; Appl Phys Lett 2000, V76, P2493 HCA
- (7) Chen, C; Coord Chem Rev 1998, V171, P161 HCA
- (8) Chidsey, C; Science 1991, V251, P919 HCA
- (9) Cui, J; Langmuir 2001, V17, P2051 HCA
- (10) Czanderna, A; Ion Spectroscopies for Surface Analysis 1991
- (11) Deegan, R; Nature 1997, V389, P827 CAPLUS
- (12) Delamarche, E; J Phys Chem B 1998, V102, P3324 HCA
- (13) Delamarche, E; J Phys Chem B 1998, V102, P3324 HCA
- (14) Evmenenko, G; J Chem Phys 2001, V115, P6722 HCA
- (15) Fendler, J; Chem Mater 2001, V13, P3196 HCA
- (16) Fontaine, P; Appl Phys Lett 1993, V62(18), P2256 HCA
- (17) Gamota, D; Proc IMAPS Advanced Technology Workshop 2002
- (18) Ganzorig, C; Appl Phys Lett 2001, V79, P272 HCA
- (19) Gu, Y; J Phys Chem 1996, V100, P9573 HCA
- (20) Hill, I; Appl Phys Lett 1998, V73, P662 HCA
- (21) Hillebrandt, H; J Phys Chem B 2001, V105, P4270 HCA
- (22) Ishii, H; Adv Mater 1999, V11, P605 HCA
- (23) Jeon, N; Langmuir 1997, V13, P3382 HCA
- (24) Kumar, A; Acc Chem Res 1995, V28, P219 HCA
- (25) Kumar, A; Appl Phys Lett 1993, V63, P2002 HCA
- (26) Larsen, N; J Am Chem Soc 1997, V119, P3017 HCA
- (27) Le, G; Thin Solid Films 2000, V363, P42
- (28) Lee, H; Appl Phys Lett 1998, V72, P1998
- (29) Malinsky, J; Adv Mater 1999, V11, P227 HCA
- (30) Malinsky, J; Chem Mater 2002, V14, P3054 HCA
- (31) Meller, C; J Phys Chem 1991, V95, P877
- (32) Michel, B; IBM J Res Dev 2001, V45, P697 HCA
- (33) Mirkin, C; MRS Bull 2001, V26, P506 HCA
- (34) Mitschke, U; J Mater Chem 2000, V10, P1471 HCA
- (35) Nuesche, F; Appl Phys Lett 1999, V75, P1799
- (36) Richter, A; Langmuir 1998, V14, P5980 HCA
- (37) Rosenberg, H; J Org Chem 1960, V25, P243 HCA
- (38) Scher, M; Adv Funct Mater 2001, V11, P116

- (39) Smalley, J; J Phys Chem 1995, V99, P13141 HCA
- (40) Smith, P; Langmuir 1998, V14, P5946 HCA
- (41) Tang, C; Appl Phys Lett 1987, V51, P913 HCA
- (42) Tang, C; J Appl Phys 1989, V65, P3610 HCA
- (43) Tate, J; Langmuir 2000, V16, P6054 HCA
- (44) van der Boom, M; Adv Funct Mater 2001, V11, P393 HCA
- (45) van der Boom, M; Chem Mater 2001, V13, P15 HCA
- (46) van der Boom, M; Langmuir 2002, V18, P3704 HCA
- (47) Vuillaume, D; Appl Phys Lett 1996, V69(11), P1646 HCA
- (48) Vuillaume, D; Phys Rev B 1998, V58, P16491 HCA
- (49) Whitesides, G; Science 2002, V295, P2418 HCA
- (50) Xia, Y; Angew Chem, Int Ed 1998, V37, P550 HCA
- (51) Xia, Y; Chem Rev 1999, V99, P1823 HCA
- (52) Xia, Y; J Electrochem Soc 1996, V143, P1070 HCA
- (53) Xia, Y; Microelectron Eng 1996, V32, P255 HCA
- (54) Zhang, X; Macromolecules 2000, V33, P2069 HCA

L31 ANSWER 37 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 138:72971 HCA Full-text

ED Entered STN: 30 Jan 2003

TI Azinium-(π -Bridge)-Pyrrole NLO-Phores: Influence of Heterocycle
Acceptors on Chromophoric and Self-Assembled Thin-Film Properties

AU Facchetti, Antonio; Abbotto, Alessandro; Beverina, Luca; van der Boom,
Milko E.; Dutta, Pulak; Evmenenko, Guennadi; Marks, Tobin J.; Pagani,
Giorgio A.

CS Department of Material Science, University of Milano-Bicocca, Milan,
20125, Italy

SO Chemistry of Materials (2002), 14(12), 4996-5005
CODEN: CMATEX; ISSN: 0897-4756

PB American Chemical Society

DT Journal

LA English

CC 22-13 (Physical Organic Chemistry)

Section cross-reference(s): 66, 72, 73

OS CASREACT 138:72971

AB Novel heterocycle-based azine/azinium-(π -bridge)-pyrrole systems, [(1-pyrid-4-yl)-2-(N-methylpyrrol-2-yl)]ethene (1), 5-[(N-methylpyrrol-2-yl)azolquinoline (2), 5-[(N-methylpyrrol-2-yl)azo]isoquinoline (3), and the corresponding N-methotriflates were synthesized and characterized. Chromophore precursors react with iodobenzyl-functionalized surfaces affording polar-ordered σ -bonded thin films, resp. All systems were studied by optical (UV-visible, photoluminescence) spectroscopies, electrochem. (CV), and thermal (TGA, DSC) techniques. Self-assembled chromophore monolayers on glass, quartz, and silicon substrates have been characterized by a full complement of physicochem. techniques: optical spectroscopy, aqueous advancing contact angle measurements, specular x-ray reflectivity, atomic force microscopy, and angle-dependent polarized second harmonic generation. Film second harmonic generation responses $\chi(2)$ vary more than 1 order of magnitude ranging from 1.3 and 1.6, to 34 ± 10^{-8} esu for 9-, 8-, and 7-based monolayers, resp. This study demonstrates the following: (i) SA monolayers can be prepared using various types of azine-containing precursors; (ii) chromophore and SA film properties are influenced predominantly by the nature of the π -deficient azinium acceptor; (iii) unsubstituted, π -excessive pyrrol-2-yl rings can act as primary donor groups in push-pull conjugated systems.

ST heterocycle acceptor chromophore self assembled film NLO property spectra

IT Quantum transition

(HOMO-LUMO; influence of heterocycle acceptors on chromophoric and
self-assembled thin-film properties)

IT Chromophores

(azinium- π -bridge-pyrrole push-pull chromophores; influence of heterocycle acceptors on chromophoric and self-assembled thin-film properties)

IT Atomic force microscopy
 Contact angle
 Cyclic voltammetry
 Differential scanning calorimetry
 Fluorescence
 Luminescence
 Nonlinear optical properties
 Optical absorption
 Optical hyperpolarizability
 Oxidation potential
 Redox reaction
 Reduction potential
 Second-harmonic generation
 Self-assembled monolayers
 Solvatochromism
 Thermogravimetric analysis
 UV and visible spectra
 X-ray diffraction
 (influence of heterocycle acceptors on chromophoric and self-assembled thin-film properties)

IT Films
 (self-assembled; influence of heterocycle acceptors on chromophoric and self-assembled thin-film properties)

IT 194220-89-8P
 (attempted preparation; influence of heterocycle acceptors on chromophoric and self-assembled thin-film properties)

IT 197080-20-9
 (influence of heterocycle acceptors on chromophoric and self-assembled thin-film properties)

IT 477586-17-7DP, modified silicon-grafted 479675-71-3DP, modified silicon-grafted 479675-72-4DP, modified silicon-grafted
 (influence of heterocycle acceptors on chromophoric and self-assembled thin-film properties)

IT 439281-02-4P 439281-03-5P 439281-05-7P 439281-07-9P
 (influence of heterocycle acceptors on chromophoric and self-assembled thin-film properties)

IT 45999-96-0P, 5-Isoquinolinediazonium 433736-34-6P, 5-Quinolinediazonium
 (intermediate; influence of heterocycle acceptors on chromophoric and self-assembled thin-film properties)

IT 333-27-7, Methyl triflate
 (reagent; influence of heterocycle acceptors on chromophoric and self-assembled thin-film properties)

IT 370070-17-0D, modified silicon-grafted
 (silicon modification agent; influence of heterocycle acceptors on chromophoric and self-assembled thin-film properties)

IT 96-54-8, N-Methylpyrrole 611-34-7, 5-Aminoquinoline 1125-60-6, 5-Aminoisoquinoline
 (starting material; influence of heterocycle acceptors on chromophoric and self-assembled thin-film properties)

OSC.G 48 THERE ARE 48 CAPLUS RECORDS THAT CITE THIS RECORD (50 CITINGS)

UPOS.G Date last citing reference entered STN: 24 Aug 2011

OS.G CAPLUS 2011:1051046; 2011:744782; 2011:717014; 2011:514192; 2011:136951; 2010:1549623; 2010:1121959; 2010:197875; 2009:1573674; 2009:1220770; 2009:972184; 2009:353850; 2009:524587; 2009:125760; 2008:1254119; 2008:1156958; 2008:1135585; 2008:1017336; 2008:976526; 2008:927987; 2008:764685; 2008:606167; 2008:493461; 2008:321900; 2008:232004; 2007:1380340; 2007:1313909;

2007:1068869; 2007:923793; 2007:419211; 2007:123415;
2006:1221404; 2006:1042562; 2006:958917; 2006:695057;
2006:693101; 2006:404695; 2006:328184; 2005:502191; 2004:861379;
2004:815311; 2004:454814; 2004:293554; 2003:1001219; 2003:880229;
2003:686939; 2003:211310; 2003:114409

RE.CNT 111 THERE ARE 111 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Abbotto, A; Adv Mater 2000, V12, P1963 HCA
- (2) Abbotto, A; Gazz Chim Ital 1997, V127, P165 HCA
- (3) Abbotto, A; J Org Chem 1997, V62, P5755 HCA
- (4) Abbotto, A; Mater Res Soc Symp Proc 1998, V488, P815
- (5) Abbotto, A; Org Lett 2002, V4, P1495 HCA
- (6) Abbotto, A; Presented at the 5th National Meeting on Supramolecular Chemistry 2001
- (7) Abbotto, A; Synth Met 2001, V121, P1755 HCA
- (8) Albert, A; J Chem Soc 1943, P458 HCA
- (9) Albert, I; J Am Chem Soc 1997, V119, P6575 HCA
- (10) Albota, M; Science 1998, V281, P1653 HCA
- (11) Alheim, M; Science 1996, V271, P335
- (12) Allara, D; J Am Chem Soc 1991, V113, P1852 HCA
- (13) Ashley, P; Opt Soc Am Technol Dig Ser 1997, V14, P196
- (14) Atkins, P; Physical Chemistry 1994
- (15) Bakiamoh, S; Langmuir 2001, V17, P3438 HCA
- (16) Bard, A; Electrochemical Methods-Fundamentals and Applications 1984
- (17) Bosshard, C; Organic Nonlinear Optical Materials 1995
- (18) Bradamante, S; J Phys Org Chem 1997, V10, P514 HCA
- (19) Bublitz, G; J Am Chem Soc 1997, V119, P2311 HCA
- (20) Buscher, C; J Am Chem Soc 1996, V118, P2950 HCA
- (21) Chou, S; Tetrahedron Lett 1999, V40, P2157 HCA
- (22) Cohen, R; Chem Phys Lett 1997, V279, P270 HCA
- (23) Dalton, L; J Mater Chem 1999, V9, P1905 HCA
- (24) Dalton, L; J Mater Chem 1999, V9, P1905 HCA
- (25) Davis, W; J Am Chem Soc 2001, V123, P7877 HCA
- (26) Davis, W; Nature 1998, V396, P60 HCA
- (27) Doron-Mor, H; Nature 2000, V406, P382
- (28) Enami, Y; Appl Phys Lett 2000, V76, P1086 HCA
- (29) Evmenenko, G; J Chem Phys 2001, V115, P6722 HCA
- (30) Facchetti, A; Langmuir 2001, V17, P5939 HCA
- (31) Facchetti, A; Polym Prepr 2002, V43, P1292 HCA
- (32) Flory, W; J Am Chem Soc 2000, V122, P7976 HCA
- (33) Freeman, T; Langmuir 1995, V11, P4411 HCA
- (34) Hamai, S; J Phys Chem 1983, V87, P83 HCA
- (35) Hanken, D; Anal Chem 1997, V69, P240 HCA
- (36) He, G; Opt Commun 1997, V140, P49 HCA
- (37) Huang, W; Langmuir 1999, V15, P6510 HCA
- (38) Huang, W; Langmuir 1999, V15, P6510 HCA
- (39) Hung, W; Langmuir 1999, V15, P6510
- (40) Johal, M; Langmuir 1999, V15, P1275 HCA
- (41) Kajzar, F; Organic Thin Films for Waveguiding Nonlinear Optics 1996
- (42) Kakkar, A; Langmuir 1993, V9, P388 HCA
- (43) Kakkar, A; Thin Solid Films 1994, V242, P142 HCA
- (44) Katritzky, A; Handbook of Heterocyclic Chemistry 1983
- (45) Katz, H; J Am Chem Soc 1994, V116, P6636 HCA
- (46) Katz, H; J Am Chem Soc 1994, V116, P6636 HCA
- (47) Lacroix, P; Eur J Inorg Chem 2001, P339 HCA
- (48) Lee, H; J Am Chem Soc 1988, V110, P618 HCA
- (49) Lemaitre, N; Chem Mater 2001, V13, P1420 HCA
- (50) Li, D; J Am Chem Soc 1990, V112, P7389 HCA
- (51) Li, D; J Am Chem Soc 1990, V112, P7389 HCA
- (52) Li, D; J Am Chem Soc 1993, V115, P6975 HCA

- (53) Li, D; J Am Chem Soc 1993, V115, P6975 HCA
- (54) Lin, W; J Am Chem Soc 1996, V118, P8034 HCA
- (55) Lin, W; J Am Chem Soc 1997, V119, P2205 HCA
- (56) Lundquist, P; Appl Phys Lett 1994, V64, P2194 HCA
- (57) Lundquist, P; Appl Phys Lett 1997, V70, P1941 HCA
- (58) Ma, H; J Am Chem Soc 2001, V123, P987
- (59) March, J; Advanced Organic Chemistry 1985
- (60) Marder, S; US 6267913 2001 HCA
- (61) Marder, S; Nature 1997, V388, P845 HCA
- (62) Marder, S; Science 1993, V261, P186 HCA
- (63) Marks, T; Angew Chem, Int Ed Engl 1995, V34, P155 HCA
- (64) Moaz, R; Langmuir 1987, V3, P1034
- (65) Moaz, R; Thin Films 1995, V4, P41
- (66) Mobius, D; New Developments in Construction and Function of Organic Thin Films 1996
- (67) Moon, J; Langmuir 1996, V12, P4621 HCA
- (68) Morgan, T; J Chem Soc 1932, P2227
- (69) Neff, G; Chem Mater 2000, V12, P2363 HCA
- (70) Oudar, J; J Chem Phys 1977, V66, P2664 HCA
- (71) Pagani, G; Polym Prepr 2001, V42, P567 HCA
- (72) Penner, T; Nature 1994, V367, P49 HCA
- (73) Perker, E; J Am Chem Soc 1947, V69, P63
- (74) Prasad, P; Introduction to Nonlinear Optical Effects in Molecules and Polymers 1991
- (75) Ratner, M; Molecular Electronics 1997
- (76) Reinhardt, B; Chem Mater 1998, V10, P1863 HCA
- (77) Reik, E; Chemistry 2001, V7, P4395 HCA
- (78) Ricceri, R; Colloids Surf, A 1999, V150, P289 HCA
- (79) Ricceri, R; Langmuir 1997, V13, P3434 HCA
- (80) Ricceri, R; Langmuir 1997, V13, P4182 HCA
- (81) Ricceri, R; Langmuir 1997, V13, P5787 HCA
- (82) Ricceri, R; Langmuir 1999, V15, P2149 HCA
- (83) Ricceri, R; Thin Solid Films 1999, V340, P218 HCA
- (84) Robinson, B; Chem Phys 1999, V245, P35 HCA
- (85) Robinson, B; Chem Phys 1999, V245, P35 HCA
- (86) Roscoe, S; Langmuir 1996, V12, P5338 HCA
- (87) Schwartz, H; J Phys Chem B 2001, V105, P5914 HCA
- (88) Shen, Y; Principles of Nonlinear Optics 1984
- (89) Stewart, J; MOPAC 6.0, QCPE 1990, V455
- (90) Ulman, A; An Introduction to Ultrathin Organic Films: From Langmuir-Blodgett to Self-Assembly 1991
- (91) Ulman, A; Chem Rev 1996, V96, P1533 HCA
- (92) Ulman, A; Langmuir 1989, V5, P1418 HCA
- (93) Ulman, A; Organic Thin Films and Surfaces: Directions for the Nineties 1995
- (94) van Cott, K; Angew Chem, Int Ed Engl 2002, V17, P3226
- (95) van der Boom, M; Adv Funct Mater 2001, V11, P393 HCA
- (96) van der Boom, M; Angew Chem, Int Ed Engl 2002, V18, P3363
- (97) van der Boom, M; Chem Mater 2001, V13, P15 HCA
- (98) van der Boom, M; Langmuir 2002, V18, P3704 HCA
- (99) van der Boom, M; NSLS Activity Report; Science Highlights 1999, V2, P47
- (100) van der Boom, M; Polym Mater Sci Eng 2000, V83, P160 HCA
- (101) van der Boom, M; Polym Mater Sci Eng 2002, V87, P375 HCA
- (102) van der Veen, N; J Am Chem Soc 2000, V122, P6112 HCA
- (103) Ventelon, L; Chem Commun 1999, V20, P2055
- (104) Wasielewski, M; Chem, Rev 1992, V92, P435 HCA
- (105) Wasserman, S; Langmuir 1989, V5, P1074 HCA
- (106) Willets, A; J Chem Phys 1992, V97, P7590
- (107) Wurthner, F; ChemPhysChem 2002, V3, P17 HCA
- (108) Wurthner, F; J Am Chem Soc 2001, V123, P2810 MEDLINE
- (109) Yang, X; Angew Chem, Int Ed Engl 1996, V35, P538 HCA

(110) Yitzchaik, S; Acc Chem Res 1996, V29, P197 HCA

(111) Zhao, Y; Appl Phys Lett 2001, V79, P587 HCA

L31 ANSWER 38 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 138:56381 HCA Full-text

ED Entered STN: 23 Jan 2003

TI Patterned Conductive Polyaniline on Si(100) Surface via
Self-Assembly and Graft Polymerization

AU Li, Z. F.; Ruckenstein, E.

CS Department of Chemical Engineering, State University of New York at
Buffalo, Buffalo, NY, 14260, USA

SO Macromolecules (2002), 35(25), 9506-9512

CODEN: MAMOBX; ISSN: 0024-9297

PB American Chemical Society

DT Journal

LA English

CC 35-8 (Chemistry of Synthetic High Polymers)

Section cross-reference(s): 74, 76

AB A combination of surface graft polymerization of aniline and photopatterned self-assembly monolayer (SAM) was used to generate a well-defined pattern of conductive polyaniline on a Si(100) surface. A self-assembly of phenylsilane monolayer was first generated by reacting a hydroxylated silicon surface with phenyltrichlorosilane under a dry inert (N₂) atmosphere. The formed SAM layer has been photopatterned under an UV laser at 263 nm through a lithog. mask. The patterned SAM was reacted with triflic acid (HOTf) under a dry inert atmosphere to remove the benzene rings from the SAM layer. The OTf groups of the triflated SAM have been substituted with aniline under a dry inert atmosphere to generate an aniline-primed substrate which was further used for the graft polymerization of aniline to prepare a patterned conductive polyaniline (PANI) layer. The composition, microstructure, and morphol. of PANI grafted silicon surfaces were examined by XPS, atomic force microscopy (AFM), SEM, four probe conductivity, and contact angle measurements. The surface conductivity of grafted PANI free of patterning was 23 S/cm and through the patterned wires was 21 S/cm (for the surface fraction grafted), which are larger than the usual value of the homopolymer PANI films (.apprx.1 S/cm). Microscopy images revealed a compact grafted PANI and a high edge acuity of the pattern. The present method provides a new strategy for the generation of a pattern of conductive polymers via graft polymerization

ST conductive polymer polyaniline graft silicon surface pattern

IT Polyanilines

(graft on silicon surface; preparation of patterned conductive polyaniline on Si(100) surface via self-assembly and graft polymerization)

IT Polymerization

(graft; patterned conductive polyaniline on Si(100) surface via self-assembly and graft polymerization)

IT Photomasks (lithographic masks)

(in preparation of patterned conductive polyaniline on Si(100) surface via self-assembly and graft polymerization)

IT Contact angle

Polymer morphology

Surface composition

(of patterned conductive polyaniline on Si(100) surface via self-assembly and graft polymerization)

IT Conducting polymers

Self-assembly

(patterned conductive polyaniline on Si(100) surface via self-assembly and graft polymerization)

IT 98-13-5, Phenyltrichlorosilane 1493-13-6, Triflic acid

(in preparation of patterned conductive polyaniline on Si(100))

surface via self-assembly and graft polymerization)
IT 7440-21-3DP, Silicon, reaction product of surface graft polymerization
of polyaniline 25233-30-1DP, Polyaniline, graft on silicon
surface
(preparation of patterned conductive polyaniline on Si(100) surface
via self-assembly and graft polymerization)
OSC.G 32 THERE ARE 32 CAPLUS RECORDS THAT CITE THIS RECORD (32 CITINGS)
UPOS.G Date last citing reference entered STN: 09 Mar 2011
OS.G CAPLUS 2011:245501; 2009:1607676; 2009:1133780; 2008:1511209;
2008:306939; 2008:282165; 2008:54378; 2007:1231033; 2007:1220044;
2007:898560; 2007:844753; 2007:314407; 2007:16066; 2006:1001432;
2006:1001421; 2006:384488; 2006:373696; 2006:320144;
2005:1160090; 2005:479535; 2005:364949; 2005:244788; 2005:223482;
2005:209329; 2005:183388; 2004:1042857; 2004:500393; 2004:424956;
2004:45953; 2003:921987; 2003:666672; 2003:524308
RE.CNT 43 THERE ARE 43 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE CITED REFERENCES
(1) Baugman, R; Molecular Electronics 1991, P267
(2) Beh, W; Adv Mater 1999, V11, P1038 HCA
(3) Bjornholm, T; J Am Chem Soc 1998, V120, P7643 HCA
(4) Braun, D; Synth Met 1994, V65, P85
(5) Burroughes, J; Nature (London) 1988, V335, P137
(6) Burroughes, J; Nature (London) 1990, V347, P539 HCA
(7) Chang, S; Appl Phys Lett 1998, V73, P2561 HCA
(8) Chen, C; Biotechnol Prog 1998, V14, P356 HCA
(9) Chen, L; Appl Phys Lett 1993, V62, P2440 HCA
(10) Crooks, R; Acc Chem Res 1998, V31, P219 HCA
(11) Dodadabalapour, A; Science 1995, V268, P270
(12) Drury, C; Appl Phys Lett 1998, V73, P108 HCA
(13) Dulcey, C; Science 1991, V252, P551 HCA
(14) Garnier, F; Science 1994, V265, P1684 MEDLINE
(15) Gosh, P; Angew Chem, Int Ed 1999, V38, P1592
(16) Healy, B; Science 1995, V269, P1078
(17) Holdcroft, S; Adv Mater 2001, V13, P1753 HCA
(18) Hrkach, J; Polym Prepr (Am Chem Soc, Div Polym Chem) 1988, V29(2), P112
HCA
(19) Huang, Z; Langmuir 1997, V13, P6480 HCA
(20) Ingall, M; J Am Chem Soc 1999, V121, P3607 HCA
(21) Inganas, O; Adv Mater 1992, V4, P277
(22) Jeon, N; Appl Phys Lett 1999, V75, P4201 HCA
(23) Kranz, C; Adv Mater 1995, V7, P38 HCA
(24) Li, Z; J Colloid Interface Sci 2002, V251, P343 HCA
(25) Li, Z; Synth Met 2002, V129, P73 HCA
(26) Lonergan, M; Chem Mater 1996, V8, P2298 HCA
(27) Macdonald, S; Acc Chem Res 1994, V27, P151 HCA
(28) Matyjaszewski, K; Inorganic and Organometallic Polymers, ACS Symposium
Series No 360 1988, P78 HCA
(29) Matyjaszewski, K; J Organomet Chem 1988, V340, P7 HCA
(30) Mrksich, M; Trends Biotechnol 1995, V12, P228
(31) Murray, R; Introduction to the Chemistry of Molecularly Designed Electrode
Surfaces 1992
(32) Petrucci, M; J Chem Soc, Chem Commun 1995, P1577 HCA
(33) Plueddemann, E; Silane Coupling Agents 1991
(34) Ray, A; Synth Met 1989, V29, PE145
(35) Singhvi, R; Science 1994, V264, P696 HCA
(36) Smith, D; Chem Mater 1993, V5, P245 HCA
(37) Snauwaert, P; J Chem Phys 1990, V92, P2187 HCA
(38) Tripp, C; Langmuir 1991, V7, P923 HCA
(39) Trivedi, D; Handbook of Organic Conductive Molecules and Polymers 1997,
V2, P505

- (40) Ulman, A; J Mater Educ 1989, V11, P205 HCA
(41) van Velzen, T; J Am Chem Soc 1994, V116, P3597
(42) Wasserman, S; Langmuir 1989, V5, P1074 HCA
(43) Zamborini, F; Langmuir 1997, V13, P122 HCA
- L31 ANSWER 39 OF 60 HCA COPYRIGHT 2011 ACS on STN
AN 137:390816 HCA Full-text
ED Entered STN: 19 Dec 2002
TI Anode Interfacial Engineering Approaches to Enhancing Anode/Hole Transport Layer Interfacial Stability and Charge Injection Efficiency in Organic Light-Emitting Diodes
AU Cui, Ji; Huang, Qinglan; Veinot, Jonathan C. G.; Yan, He; Wang, Qingwu; Hutchison, Geoffrey R.; Richter, Andrew G.; Evmenenko, Guennadi; Dutta, Pulak; Marks, Tobin J.
CS Department of Chemistry and Materials Research Center and Department of Physics and Astronomy and the Materials Science Center, Northwestern University, Evanston, IL, 60208-3113, USA
SO Langmuir (2002), 18(25), 9958-9970
CODEN: LANGD5; ISSN: 0743-7463
PB American Chemical Society
DT Journal
LA English
CC 73-11 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)
Section cross-reference(s): 22, 66, 76
AB The integrity of anode/organic interfacial contact is shown to be crucial to the performance and stability of archetypical small mol. organic light-emitting diodes (OLEDs). In this contribution, vapor-deposited lipophilic, hole-transporting 1,4-bis(phenyl-m-tolylamino)biphenyl (TPD) and 1,4-bis(1-naphthylphenylamino)biphenyl (NPB) thin films are shown to undergo decohesion on ITO anode surfaces under mild heating. An effective approach to ameliorate such interfacial decohesion is introduction, via self-assembly or spin-coating, of covalently bound N(p-C6H4CH2CH2CH2SiCl3)3 (TAA)- and 4,4'-bis[(p-trichlorosilylpropylphenyl)phenylamino]biphenyl (TPD-Si2)-derived adhesion/injection layers at the anode/hole transport layer interface. The resulting angstrom-scale hole transport layers prevent decohesion of vapor-deposited hole transport layers and significantly enhance OLED hole injection fluence. OLEDs fabricated with these modified interfaces exhibit appreciably reduced turn-on voltages, considerably higher luminous intensities, and enhanced thermal robustness vs. bare ITO-based control devices. Spin-coated, cross-linked TPD-Si2 films, in particular, prove to be superior to conventional ITO functionalization interlayers, including copper phthalocyanine, in this regard. The present ITO-functionalized devices achieve maximum external forward quantum efficiencies as high as 1.2% and a luminous level of 15 000 cd/m2 in simple ITO/interlayer/HTL/Alq/Al heterostructures. We also show that Cu(Pc) interlayers actually suppress, rather than enhance, hole injection and template crystallization of vapor-deposited TPD and NPB at modest temps., resulting in poor OLED thermal stability.
ST anode interface modification hole transport injection thermal stability OLED; crosslinked triarylamine ITO hole transporting layer interfacial stability LED; electroluminescent device anode interface modification triarylamine
IT Self-assembled monolayers
(TAA, effect of monolayer number on device performance; anode interfacial engineering approaches to enhancing anode/hole transport layer interfacial stability and charge injection efficiency in organic light-emitting diodes)
IT Hole transport
(and injection; anode interfacial engineering approaches to enhancing

anode/hole transport layer interfacial stability and charge injection efficiency in organic light-emitting diodes)

- IT Anodes
 - Electric current-potential relationship
 - Electroluminescent devices
 - Solid-solid interface
 - (anode interfacial engineering approaches to enhancing anode/hole transport layer interfacial stability and charge injection efficiency in organic light-emitting diodes)
- IT Adhesion, physical
 - (improvement of; anode interfacial engineering approaches to enhancing anode/hole transport layer interfacial stability and charge injection efficiency in organic light-emitting diodes)
- IT Thermal stability
 - (of OLED; anode interfacial engineering approaches to enhancing anode/hole transport layer interfacial stability and charge injection efficiency in organic light-emitting diodes)
- IT X-ray reflectivity spectra
 - (of TAA and TPD-Si₂ films; anode interfacial engineering approaches to enhancing anode/hole transport layer interfacial stability and charge injection efficiency in organic light-emitting diodes)
- IT Cyclic voltammetry
 - Thermogravimetric analysis
 - (of TPD-Si₂ film; anode interfacial engineering approaches to enhancing anode/hole transport layer interfacial stability and charge injection efficiency in organic light-emitting diodes)
- IT UV and visible spectra
 - (of TPD-Si₂ self-assembly; anode interfacial engineering approaches to enhancing anode/hole transport layer interfacial stability and charge injection efficiency in organic light-emitting diodes)
- IT Crystallization
 - (of hole-transporting layers as function of temperature; anode interfacial engineering approaches to enhancing anode/hole transport layer interfacial stability and charge injection efficiency in organic light-emitting diodes)
- IT Surface structure
 - (of hole-transporting layers; anode interfacial engineering approaches to enhancing anode/hole transport layer interfacial stability and charge injection efficiency in organic light-emitting diodes)
- IT 2085-33-8, Alq₃
 - (anode interfacial engineering approaches to enhancing anode/hole transport layer interfacial stability and charge injection efficiency in organic light-emitting diodes)
- IT 106-37-6, 1,4-Dibromobenzene 106-95-6, Allyl bromide, reactions
 531-91-9, N,N'-Diphenylbenzidine 10025-78-2, Trichlorosilane (HSiCl₃)
 - (anode interfacial engineering approaches to enhancing anode/hole transport layer interfacial stability and charge injection efficiency in organic light-emitting diodes using TPD-Si₂ synthesized using)
- IT 249920-78-3P 344782-48-5P
 - (anode interfacial engineering approaches to enhancing anode/hole transport layer interfacial stability and charge injection efficiency in organic light-emitting diodes using TPD-Si₂ synthesized using)
- IT 446874-82-4P
 - (anode modification adhesion/injection interlayer; anode interfacial engineering approaches to enhancing anode/hole transport layer interfacial stability and charge injection efficiency in organic light-emitting diodes)
- IT 239083-35-3
 - (anode modification adhesion/injection interlayer; anode interfacial engineering approaches to enhancing anode/hole transport layer

interfacial stability and charge injection efficiency in organic light-emitting diodes)

- IT 50926-11-9, Indium tin oxide
(anode; anode interfacial engineering approaches to enhancing anode/hole transport layer interfacial stability and charge injection efficiency in organic light-emitting diodes)
- IT 7429-90-5, Aluminum, uses 7440-57-5, Gold, uses
(cathode; anode interfacial engineering approaches to enhancing anode/hole transport layer interfacial stability and charge injection efficiency in organic light-emitting diodes)
- IT 7789-24-4, Lithium fluoride, uses
(electron injecting layer; anode interfacial engineering approaches to enhancing anode/hole transport layer interfacial stability and charge injection efficiency in organic light-emitting diodes)
- IT 147-14-8, Copper phthalocyanine 65181-78-4, TPD 123847-85-8
(hole-transporting layer; anode interfacial engineering approaches to enhancing anode/hole transport layer interfacial stability and charge injection efficiency in organic light-emitting diodes)

OSC.G 59 THERE ARE 59 CAPLUS RECORDS THAT CITE THIS RECORD (61 CITINGS)

UPOS.G Date last citing reference entered STN: 10 Jan 2011

OS.G CAPLUS 2010:1634056; 2010:326197; 2010:213349; 2009:1398497;
2010:120264; 2009:1520924; 2009:1351157; 2009:1221023;
2009:1093102; 2009:877266; 2009:515078; 2009:452483; 2009:532872;
2009:443516; 2008:1260587; 2008:1234893; 2008:1143785;
2008:905100; 2008:823837; 2008:542668; 2008:143603; 2007:1119005;
2007:1052444; 2007:986745; 2007:945709; 2007:775216; 2007:551743;
2007:213641; 2007:199921; 2007:182696; 2007:134898; 2006:1219351;
2006:1055311; 2006:934355; 2006:797414; 2006:525205; 2006:478211;
2006:321580; 2006:300029; 2006:14508; 2005:1317612; 2005:1212083;
2005:876275; 2005:780997; 2005:684843; 2005:562262; 2005:490810;
2005:316662; 2005:244846; 2005:223478

RE.CNT 77 THERE ARE 77 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Adamson, A; Physical Chemistry of Surfaces, 6th ed 1997, P361
- (2) Appleyard, S; J Mater Chem 2000, V10, P169 HCA
- (3) Aziz, H; Science 1999, V283, P1900 HCA
- (4) Baldo, M; Nature 1998, V395, P6698
- (5) Baldo, M; Nature 2000, V403, P750 CAPLUS
- (6) Bliznyuk, V; Adv Mater 1999, V11, P1257 HCA
- (7) Borsenberger, P; J Chem Phys 1991, V95, P5327 HCA
- (8) Carter, S; Appl Phys Lett 1997, V70, P2067 HCA
- (9) Chen, C; Macromol Symp 1998, V125, P1 HCA
- (10) Chen, X; Chem Mater 2001, V13, P1341 HCA
- (11) Cheng, L; Anal Chim Acta 2000, V417, P133 HCA
- (12) Crone, B; J Appl Phys 1999, V86, P5767 HCA
- (13) de Gennes, P; Rev Mod Phys 1985, V57, P827 HCA
- (14) Deshpande, R; Appl Phys Lett 1999, V75, P888 HCA
- (15) Eichhorn, H; J Porphyrins Phthalocyanines 2000, V4, P88 HCA
- (16) Evmenenko, G; J Chem Phys 2001, V115, P6722 HCA
- (17) Fenter, P; Chem Phys Lett 1997, V277, P521 HCA
- (18) Forsythe, E; J Phys Chem B 2000, V104, P3948 HCA
- (19) Friend, R; Nature 1999, P397
- (20) Ganzorig, C; Mater Sci Eng 2001, VB85, P140 HCA
- (21) Goncalves-Conto, S; Adv Mater 1999, V11, P112 HCA
- (22) Halls, M; Phys Chem Chem Phys 2001, V3, P2131 HCA
- (23) Heil, H; J Appl Phys 2001, V89, P420 HCA
- (24) Hertel, D; J Chem Phys 1999, V110, P9214 HCA
- (25) Ho, P; Adv Mater 1998, V10, P769 HCA
- (26) Ho, P; Nature 2000, V404, P481 HCA
- (27) Huang, L; Appl Phys Lett 1997, V70, P152

- (28) Inzelt, G; *Electroanalytical Chemistry, A Series of Advances* 1994, V18, P90
- (29) Jabbour, G; *Appl Phys Lett* 1997, V71, P1762 HCA
- (30) Jabbour, G; *SPIE* 1997, V3148 HCA
- (31) Kacker, N; *Langmuir* 1997, V13, P6366 HCA
- (32) Kambili, A; *Phys Rev B* 2000, V63, P012201
- (33) Katz, H; *J Phys Chem* 2000, V104, P671 HCA
- (34) Kawabe, Y; *Appl Phys Lett* 1997, V71, P1290 HCA
- (35) Kim, S; *Appl Phys Lett* 2001, V78, P1445 HCA
- (36) Kraft, A; *Angew Chem, Int Ed* 1998, V37, P402
- (37) Lee, S; *Appl Phys Lett* 1998, V74, P670
- (38) Li, W; *Adv Mater* 1999, V11, P730 HCA
- (39) Li, W; *Mater Res Soc Symp Proc* 1998, V488, P385 HCA
- (40) Loannidis, A; *Appl Phys Lett* 1998, V72, P3038
- (41) Malik, A; *J Chem Phys* 1997, V107, P645 HCA
- (42) Malinsky, J; *Adv Mater* 1999, V11, P227 HCA
- (43) Malinsky, J; *Chem Mater* 2002, V14, P3054 HCA
- (44) Malinsky, J; *Chem Mater*, submitted for publication
- (45) Malinsky, J; *Dissertation, Northwestern University Library* 2000, Diss 378 NU 2000 M2251m
- (46) Malinsky, J; *SPIE Proc* 1998, V3281, P148 HCA
- (47) Mason, M; *J Appl Phys* 2001, V89, P2756 HCA
- (48) Mitschke, U; *J Mater Chem* 2000, V10, P1471 HCA
- (49) Mori, T; *Appl Phys Lett* 1998, V73, P2763 HCA
- (50) Murray, R; *Electroanalytical Chemistry, A Series of Advances* 1984, V13, P204
- (51) Nuesch, F; *Chem Phys Lett* 1998, V283, P194 HCA
- (52) Nuesch, F; *Chem Phys Lett* 1998, V288, P861 HCA
- (53) Nuesch, F; *J Appl Phys* 2000, V87, P7973 HCA
- (54) Ostrick, J; *J Appl Phys* 1997, V81, P6804 HCA
- (55) O'Brien, D; *Adv Mater* 1998, V10, P1108 HCA
- (56) Parker, I; *J Appl Phys* 1994, V75, P1656 HCA
- (57) Piromreun, P; *Appl Phys Lett* 2000, V77, P2403 HCA
- (58) Redecker, M; *Appl Phys Lett* 1999, V74, P1400 HCA
- (59) Roscoe, S; *Langmuir* 1996, V12, P4218 HCA
- (60) Schlaf, R; *J Appl Phys* 1998, V84, P6729 HCA
- (61) Shaheen, S; *J Appl Phys* 1998, V84, P2324 HCA
- (62) Shen, Y; *Adv Mater* 2001, V13, P1234 HCA
- (63) Shen, Y; *Phys Rev Lett* 2001, V86, P3867 HCA
- (64) Shi, J; *Appl Phys Lett* 1997, V70, P1665 HCA
- (65) Shirota, Y; *J Mater Chem* 1999, V10, P1
- (66) Slyke, S; *Appl Phys Lett* 1996, V69, P2160
- (67) Smith, P; *Langmuir* 1998, V14, P5946 HCA
- (68) Smolenyak, P; *Langmuir* 1997, V13, P6568 HCA
- (69) Tang, C; *J Appl Phys* 1989, V65, P3610 HCA
- (70) Wakimoto, T; *IEEE Trans Electron Devices* 1997, V44, P1245 HCA
- (71) Watanabe, M; *Appl Surf Sci* 1998, V130-132, P663 HCA
- (72) Yang, Y; *Appl Phys Lett* 1993, V64, P1245
- (73) Yang, Y; *J Appl Phys* 1995, V77, P694 HCA
- (74) Yase, K; *Thin Solid Films* 1996, V273, P218 HCA
- (75) Yu, W; *J Appl Phys* 2001, V89, P2343 HCA
- (76) Zhou, X; *Adv Mater* 2000, V12, P265 HCA
- (77) Zuppiroli, L; *Eur Phys J B* 1999, V11, P505 HCA

L31 ANSWER 40 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 137:389597 HCA Full-text

ED Entered STN: 19 Dec 2002

TI Effects of Metal Coating on Self-Assembled

Monolayers on Gold. 1. Copper on Dodecanethiol and Octadecanethiol

AU Colavita, Paula E.; Doescher, Michael S.; Molliet, Annabelle; Evans, Una;

Reddic, John; Zhou, Jing; Chen, Donna; Miney, Paul G.; Myrick, M. L.
CS Department of Chemistry and Biochemistry, University of South Carolina,
Columbia, SC, 29208, USA
SO Langmuir (2002), 18(22), 8503-8509
CODEN: LANGD5; ISSN: 0743-7463
PB American Chemical Society
DT Journal
LA English
CC 66-4 (Surface Chemistry and Colloids)
AB The authors report studies on the perturbations induced by the evaporation of Cu metal overlayers on dodecanethiol and octadecanethiol self-assembled monolayers (SAMs). Monolayers were characterized after deposition on a Au substrate from an ethanolic solution, after heat treatment alone, after acid treatment alone, after phys. evaporation of a submonolayer Cu layer alone, and after deposition of an optically thick Cu layer followed by stripping with a HNO3 solution. The monolayers were studied using cyclic voltammetry, grazing-angle IR spectroscopy and XPS. Cyclic voltammetry revealed that the Au electrodes are passivated by the formation of the monolayers. The degree of passivation does not decrease with exposure to <6 N HNO3 solns. or after Cu deposition and removal with HNO3. The IR studies indicate that the deposition of metal induced a reorganization, interpreted as increased disordering, of the monolayer, that is similar to heat treatment alone. XPS expts. showed no evidence of bond formation between C and Cu upon deposition of the Cu layer on the SAM.
ST metal coating thiol self assembled monolayer
gold; copper coating thiol self assembled
monolayer gold
IT Self-assembled monolayers
(effects of copper coating on self-assembled
monolayers of thiols on gold studied using cyclic
voltammetry, grazing-angle IR and XPS)
IT 7440-50-8, Copper, processes
(effects of copper coating on self-assembled
monolayers of thiols on gold studied using cyclic
voltammetry, grazing-angle IR and XPS)
IT 112-55-0D, 1-Dodecanethiol, gold-bound 2885-00-9D, 1-Octadecanethiol,
gold-bound 7440-57-5D, Gold, thiolated
(effects of copper coating on self-assembled
monolayers of thiols on gold studied using cyclic
voltammetry, grazing-angle IR and XPS)
OSC.G 17 THERE ARE 17 CAPLUS RECORDS THAT CITE THIS RECORD (17 CITINGS)
UPOS.G Date last citing reference entered STN: 06 Jun 2011
OS.G CAPLUS 2011:541390; 2010:1119770; 2009:1606587; 2008:662381;
2008:662334; 2008:429983; 2007:1321332; 2007:1233217;
2007:583672; 2006:1012203; 2006:169663; 2006:52779; 2005:1255156;
2005:964294; 2004:850339; 2004:398331; 2003:460926
RE.CNT 22 THERE ARE 22 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE CITED REFERENCES
(1) Bain, C; J Am Chem Soc 1989, V111, P321 HCA
(2) Bensebaa, F; J Vac Sci Technol A 1995, V13, P1331 HCA
(3) Bensebaa, F; Langmuir 1998, V14, P2361 HCA
(4) Bensebaa, F; Mikrochim Acta (Suppl 14) 1997, P621 HCA
(5) Bhatia, R; Langmuir 1997, V13, P765 HCA
(6) Bucher, J; Langmuir 1994, V10, P979 HCA
(7) Chailapakul, O; J Am Chem Soc 1993, V115, P12459 HCA
(8) Chen, J; Science 1999, V286, P1550 HCA
(9) Dake, L; Solid State Sci 2000, V2, P781 HCA
(10) Doescher, M; J Phys Chem B 2001, V105, P105 HCA
(11) Dubois, L; Annu Rev Phys Chem 1992, V43, P437 HCA
(12) Fenter, P; Phys Rev Lett 1993, V70, P2447 HCA

- (13) Herdt, G; J Vac Sci Technol A 1997, V15, P513 HCA
- (14) Jung, D; Crit Rev Solid State Mater Sci 1994, V19, P1 HCA
- (15) Jung, D; J Vac Sci Technol A 1996, V14, P1779 HCA
- (16) Naselli, C; J Chem Phys 1985, V82, P2136 HCA
- (17) Nuzzo, R; J Am Chem Soc 1990, V112, P558 HCA
- (18) Parikh, A; J Chem Phys 1992, V96, P927 HCA
- (19) Porter, M; J Am Chem Soc 1987, V109, P3559 HCA
- (20) Reddic, J; Surf Sci 2001, V494, PL767 HCA
- (21) Reed, M; Appl Phys Lett 2001, V78, P3735 HCA
- (22) Xiao, X; Surf Sci 2001, V472, P41 HCA

L31 ANSWER 41 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 137:115020 HCA Full-text

ED Entered STN: 15 Aug 2002

TI Chemically Mediated Grain Growth in Nanotextured Au, Au/Cu Thin Films:
Novel Substrates for the Formation of Self-
Assembled Monolayers

AU Twardowski, Mariusz; Nuzzo, Ralph G.

CS Department of Chemistry and the Frederick Seitz Materials Research
Laboratory, University of Illinois at Urbana-Champaign, Urbana, IL, 61801,
USA

SO Langmuir (2002), 18(14), 5529-5538

CODEN: LANGD5; ISSN: 0743-7463

PB American Chemical Society

DT Journal

LA English

CC 66-4 (Surface Chemistry and Colloids)

Section cross-reference(s): 75

AB The authors describe a solution-based procedure that affects the bulk recrystn. of Au and Au/Cu alloy thin films. Nanocryst. Au or Au/Cu films of 1800-2000 Å in thickness were deposited on glass substrates by DC-plasma-source sputtering. A 5 Å thick Ti layer was used to promote the adhesion of these films to the substrates. The films were sequentially treated with piranha solution (3:1 concentrated H₂SO₄/30% H₂O₂), followed by immersion in 3:1:16 HCl/HNO₃/H₂O. Atomic force microscopy (AFM) revealed that this treatment results in a coalescence of the fine-scale metal grains into larger, often irregular shaped domains. Com. acquired films grown by thermal evaporation behaved in a similar manner but displayed more extensive grain growth. XRD rocking angle measurements made of the Au(222) peak show a reduction in the fwhm of .apprx.50-80% in the treated Au films, indicating that the oxidative treatment induces a significant bulk recrystn. of the metal. The dynamics suggest that the recrystn. is related to the preferential dissoln. of Au and/or impurities present at grain boundaries. This dissoln. leads to their unpinning and subsequent merger into larger grains. This hypothesis was tested by cosputtering Cu with the Au to form a dilute Cu/Au thin film. AFM data confirmed that the inclusion of this diluent significantly enhances grain growth and decreases surface root-mean-square roughness. The bulk recrystn. effect diminishes, however, with either an increase in the adhesion layer thickness or Cu content above a finite limit. To test their surface qualities, treated Au films were used as substrates for the growth of self-assembled monolayers (SAMs) of hexadecanethiol. The resulting SAMs had exceptional barrier properties, being extremely impermeable to aqueous redox moieties as measured by cyclic voltammetry.

ST grain growth nanotextured gold copper film piranha treatment; nanotextured gold copper film self assembled monolayer
substrate

IT Grain growth

Recrystallization

Self-assembled monolayers

(chemical mediated grain growth in nanotextured Au, Au/Cu thin films to

use as substrates for formation of self-assembled monolayers)

- IT Surface roughness
(of chemical mediated Au and Au/Cu thin films)
- IT 7440-57-5, Gold, properties
(chemical mediated grain growth in nanotextured Au and Au/Cu thin films to use as substrates for formation of self-assembled monolayers)
- IT 11143-03-6 64800-38-0 108801-65-6, Copper 6, gold 94 (atomic)
443729-40-6
(chemical mediated grain growth in nanotextured Au, Au/Cu thin films to use as substrates for formation of self-assembled monolayers)
- IT 2917-26-2, 1-Hexadecanethiol
(chemical mediated grain growth in nanotextured Au, Au/Cu thin films to use as substrates for formation of self-assembled monolayers of)
- IT 8007-56-5, Aqua regia
(cleaning solution; effect of aqua regia treatment of supported Au thin films on their electrochem. barrier properties)
- IT 128705-31-7, Piranha
(cleaning solution; effect of piranha solution treatment of supported Au thin films on their grain size)
- IT 7440-32-6, Titanium, uses 7440-47-3, Chromium, uses
(used to promote adhesion of Au and Au/Cu thin films films on glass substrates)
- OSC.G 35 THERE ARE 35 CAPLUS RECORDS THAT CITE THIS RECORD (35 CITINGS)
- UPOS.G Date last citing reference entered STN: 11 Mar 2011
- OS.G CAPLUS 2011:141022; 2011:123507; 2010:977937; 2010:328210; 2009:1011927;
2009:880425; 2009:874458; 2009:515078; 2008:960535; 2008:890733;
2008:764681; 2008:741713; 2008:741391; 2008:741385; 2008:646191;
2008:596815; 2008:289405; 2008:81196; 2008:5812; 2007:1374885;
2007:891388; 2007:653327; 2006:691542; 2006:257639; 2005:1172383;
2005:262209; 2004:1067148; 2004:48288; 2004:45686; 2003:833014;
2003:789473; 2003:738672; 2003:338996; 2003:242789; 2002:820521
- RE.CNT 47 THERE ARE 47 CITED REFERENCES AVAILABLE FOR THIS RECORD
- RE CITED REFERENCES
- (1) Butt, H; J Phys Chem 1993, V97, P7316 HCA
 - (2) Chailapakul, O; Langmuir 1993, V9, P884 HCA
 - (3) Chidsey, C; Langmuir 1990, V6, P682 HCA
 - (4) Chidsey, C; Science 1991, V251, P919 HCA
 - (5) Conway, B; J Electrochem Soc 1978, V125, P257 HCA
 - (6) Creager, S; Langmuir 1992, V8, P854 HCA
 - (7) Dubois, L; Annu Rev Phys Chem 1992, V43, P437 HCA
 - (8) Fendler, J; Chem Mater 2001, V13, P3196 HCA
 - (9) Finklea, H; Electroanal Chem 1996, V19, P109 HCA
 - (10) Finklea, H; Langmuir 1990, V6, P371 HCA
 - (11) Folkers, J; Langmuir 1992, V8, P1330 HCA
 - (12) Frey, S; Isr J Chem 2000, V40, P81 HCA
 - (13) Golan, Y; Surf Sci 1992, V264, P312 HCA
 - (14) Guidelli, R; J Electroanal Chem 2001, V504, P1 HCA
 - (15) Guo, L; Langmuir 1994, V10, P4588 HCA
 - (16) Hickman, J; Langmuir 1992, V8, P357 HCA
 - (17) Hoogvliet, J; Anal Chem 2000, V72, P2016 HCA
 - (18) Hou, Z; Langmuir 1998, V14, P3287 HCA
 - (19) Hou, Z; Langmuir 1999, V15, P3011 HCA
 - (20) Kawasaki, M; Langmuir 2000, V16, P1719 HCA
 - (21) Kawasaki, M; Surf Sci 1997, V388, PL1121 HCA
 - (22) Kepley, L; Anal Chem 1992, V64, P3191 HCA

- (23) Kim, H; Langmuir 1997, V13, P7192 HCA
- (24) Kim, Y; J Vac Sci Technol, A 1994, V12, P3169 HCA
- (25) Laibinis, P; J Am Chem Soc 1991, V113, P7152 HCA
- (26) Laibinis, P; Thin Films 1998, V24, P2
- (27) Liao, S; J Am Chem Soc 2000, V122, P3688 HCA
- (28) Mrksich, M; Chem Soc Rev 2000, V29, P267 HCA
- (29) Neugebauer, C; Physics of Thin Films 1964, V2, P1 HCA
- (30) Nielson, R; J Phys Chem 1989, V93, P2152 HCA
- (31) Nuzzo, R; J Am Chem Soc 1983, V105, P4481 HCA
- (32) Oskam, G; J Phys D: Appl Phys 1998, V31, P1927 HCA
- (33) Penner, R; Science 1990, V250, P1118 HCA
- (34) Poirier, G; Chem Rev 1997, V97, P1117 HCA
- (35) Poirier, G; Science 1996, V272, P1145 HCA
- (36) Porter, M; J Am Chem Soc 1987, V109, P3559 HCA
- (37) Ron, H; Langmuir 1994, V10, P4566 HCA
- (38) Ron, H; Langmuir 1998, V14, P1116 HCA
- (39) Rong, H; Langmuir 2001, V17, P1582 HCA
- (40) Schonherr, H; Langmuir 1997, V13, P3769
- (41) Schreiber, F; Prog Surf Sci 2000, V65, P151 HCA
- (42) Thun, R; Physics of Thin Films 1963, V1, P187 HCA
- (43) Trevor, D; Phys Rev Lett 1989, V62, P929 HCA
- (44) Ulman, A; Chem Rev 1996, V96, P1533 HCA
- (45) Valiokas, R; J Phys Chem B 2000, V104, P7565 HCA
- (46) Venables, J; Introduction to surface and thin film processes 2000
- (47) Zhong, C; J Electroanal Chem 1997, V421, P9 HCA

L31 ANSWER 42 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 136:391441 HCA Full-text

ED Entered STN: 13 Jun 2002

TI Ordered monolayers of nanographitic sheets processed from solutions via oxidative cyclodehydrogenation

AU Samori, Paolo; Simpson, Christopher D.; Muellen, Klaus; Rabe, Juergen P.

CS Department of Physics, Humboldt University Berlin, Berlin, 10115, Germany

SO Langmuir (2002), 18(11), 4183-4185

CODEN: LANGD5; ISSN: 0743-7463

PB American Chemical Society

DT Journal

LA English

CC 66-4 (Surface Chemistry and Colloids)

Section cross-reference(s): 25

AB We describe a new approach for solution processing of crystalline monolayers of an alkyl-substituted polycyclic aromatic hydrocarbon mol. on the basal plane of graphite. These layers are prepared by first adsorbing a soluble oligophenyl precursor at a solid-liquid interface and subsequently performing the oxidative cyclodehydrogenation reaction to the final fused product in-situ. Scanning tunneling microscopy imaging with submol. resolution allowed visualization of the ordered nanostructures of both the precursors and the final organic adlayer, proving that the reaction had occurred.

ST polycyclic arom hydrocarbon prepn graphite surface
oxidative cyclodehydrogenation

IT Interfacial structure

(alkyl-substituted polycyclic aromatic hydrocarbons on graphite prepared from solns. via oxidative cyclodehydrogenation in relation to)

IT Self-assembled monolayers

(of alkyl-substituted polycyclic aromatic hydrocarbons on graphite prepared from solns. via oxidative cyclodehydrogenation)

IT Aromatization

(oxidative; alkyl-substituted polycyclic aromatic hydrocarbons

on graphite prepared from solns. via oxidative
cyclodehydrogenation)

IT 7782-42-5, Graphite, properties

(alkyl-substituted polycyclic aromatic hydrocarbons on graphite
prepared from solns. via oxidative cyclodehydrogenation)

IT 170698-88-1P

(alkyl-substituted polycyclic aromatic hydrocarbons on graphite
prepared from solns. via oxidative cyclodehydrogenation)

IT 170698-89-2, Hexakis(4-dodecylphenyl)benzene

(alkyl-substituted polycyclic aromatic hydrocarbons on graphite
prepared from solns. via oxidative cyclodehydrogenation of)

OSC.G 11 THERE ARE 11 CAPLUS RECORDS THAT CITE THIS RECORD (11 CITINGS)

UPOS.G Date last citing reference entered STN: 10 Aug 2011

OS.G CAPLUS 2011:644824; 2010:1061939; 2009:1516396; 2009:1158122;
2009:537377; 2008:8386; 2007:452850; 2005:1030155; 2005:139499;
2004:810145; 2002:933080

RE.CNT 25 THERE ARE 25 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Clar, E; Aromatische Kohlenwasserstoffe - Polycyclische Systeme 1952
- (2) Clar, E; The Aromatic Sextet 1972
- (3) Claypool, C; J Phys Chem B 1997, V101, P5978 HCA
- (4) Cyr, D; J Phys Chem 1996, V100, P13747 HCA
- (5) Feast, W; Electronic Properties of Polymers and Related Compounds, Springer
Series in Solid-State Science 1985, V63, P45 HCA
- (6) Fechtenkotter, A; Chem Rev 2001, V101, P1267
- (7) Gesquiere, A; Langmuir 2000, V16, P10385 HCA
- (8) Gimzewski, J; Science 1999, V283, P1683 HCA
- (9) Grell, M; Adv Mater 1999, V11, P895 HCA
- (10) Hillner, P; Unpublished results
- (11) Kraft, A; Angew Chem 1998, V110, P416
- (12) Kraft, A; Angew Chem, Int Ed Engl 1998, V27, P402
- (13) Lazzaroni, R; J Chem Phys 1997, V107, P99 HCA
- (14) Prokhorova, S; Macromolecules 1999, V32, P2653 HCA
- (15) Qui, X; J Am Chem Soc 2000, V122, P5550
- (16) Rabe, J; Science 1991, V253, P424 HCA
- (17) Samori, P; Adv Mater 2000, V12, P579 HCA
- (18) Stabel, A; Angew Chem 1995, V107, P1768
- (19) Stabel, A; Angew Chem, Int Ed Engl 1995, V34, P1609 HCA
- (20) Stawasz, M; Langmuir 2000, V16, P2326 HCA
- (21) Stocker, W; J Am Chem Soc 1998, V120, P7691 HCA
- (22) van de Craats, A; Adv Mater 2001, V13, P130 HCA
- (23) Weiss, K; Angew Chem 1999, V111, P3974
- (24) Weiss, K; Angew Chem, Int Ed Engl 1999, V38, P3748 HCA
- (25) Zhang, L; Langmuir 2000, V16, P3813 HCA

L31 ANSWER 43 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 136:59250 HCA Full-text

ED Entered STN: 17 Jan 2002

TI Hydrophobic Organization of Monolayer-Protected Au Clusters on
Thiol-Functionalized Au(111) Surfaces

AU Aslam, M.; Mulla, I. S.; Vijayamohan, K.

CS Physical and Materials Chemistry Division, National Chemical Laboratory,
Pune, 411008, India

SO Langmuir (2001), 17(24), 7487-7493

CODEN: LANGD5; ISSN: 0743-7463

PB American Chemical Society

DT Journal

LA English

CC 66-4 (Surface Chemistry and Colloids)

- AB The present study explains a novel hydrophobic organization of 4.8 ± 0.5 nm core diameter Au clusters in contrast to the organization using covalent and electrostatic interactions where specific bifunctional mols. are used. This unique method of organization is demonstrated using quartz crystal microbalance (QCM), UV-visible spectroscopy, cyclic voltammetry, XPS, x-ray diffraction, and I-V measurements. QCM results show a slow attainment of saturation coverage (10^{10} clusters/cm²) of Au nanoclusters on the self-assembled monolayer (SAM) functionalized substrate, and the equilibrium constant (K_{eq}) is 3 times less compared to that for the monolayer formation using dodecanethiol. The electronic and optical properties (e.g., surface plasmon band .apprx.525 nm) of these films show that the Au colloids maintain their individual character without fusion to larger units, and the current-voltage behavior shows nonlinearity. X-ray photoelectron spectra of the functionalized Au surface treated with monolayer-protected Au clusters (MPCs) reveal that S 2p shows a 0.2 eV shift compared to that of a dodecanethiol SAM. Cyclic voltammetric studies confirm the redox accessibility of these MPCs with an E° value of 0.65 V ($\Delta E \approx 60$ mV, $I_{pa}/I_{pc} \approx 1$) and a surface coverage of 2.15×10^{-9} mol/cm² on the SAM-functionalized surface. The hydrophobic organization of MPCs on the functionalized Au substrate forms an ideal platform for examining the existing theor. models associated with the adsorption of colloids and proteins, as well as cellular attachment and adhesion at solid surfaces.
- ST hydrophobic organization gold monolayer protected cluster thiol SAM
- IT Self-assembled monolayers
(hydrophobic organization of monolayer-protected Au clusters on thiol SAM-functionalized Au(111) surfaces)
- IT Clusters
(nanoclusters; hydrophobic organization of monolayer-protected Au clusters on thiol SAM-functionalized Au(111) surfaces)
- IT Electric current-potential relationship
(of SAM-functionalized Au(111) surfaces before and after adsorption of Au clusters)
- IT Adsorption
X-ray photoelectron spectra
(of dodecanethiol SAM on Au surface and monolayer-protected Au clusters on SAM-functionalized Au surface)
- IT Particle size distribution
UV and visible spectra
(of monolayer-protected Au clusters)
- IT IR spectra
(of monolayer-protected Au clusters on SAM-functionalized Au surface)
- IT Cyclic voltammetry
(using SAM-functionalized Au(111) surfaces as working electrode before and after adsorption of Au clusters)
- IT 7440-57-5, Gold, properties
(clusters; hydrophobic organization of monolayer-protected Au clusters on thiol SAM-functionalized Au(111) surfaces)
- IT 112-55-0, 1-Dodecanethiol
(hydrophobic organization of monolayer-protected Au clusters on thiol SAM-functionalized Au(111) surfaces)
- OSC.G 25 THERE ARE 25 CAPLUS RECORDS THAT CITE THIS RECORD (25 CITINGS)
- UPOS.G Date last citing reference entered STN: 23 Dec 2010
- OS.G CAPLUS 2010:1541046; 2010:800769; 2010:78891; 2009:1260639; 2008:1461198; 2008:1071738; 2008:869707; 2008:26902; 2007:1132970; 2007:526407; 2007:258552; 2007:125252; 2006:804636; 2005:626810; 2005:307112; 2004:815117; 2004:395821; 2004:395797;

2004:198083; 2003:942591; 2003:894875; 2003:779477; 2003:170716;
2003:89990; 2002:818449

RE.CNT 44 THERE ARE 44 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Aslam, M; J Mater Chem 2000, V10, P1737 HCA
- (2) Bandhyopadhyay, K; Langmuir 1997, V13, P5244
- (3) Bandyopadhyay, K; Langmuir 1998, V14, P6924 HCA
- (4) Bourg, M; J Phys Chem B 2000, V104, P6562 HCA
- (5) Brust, M; Adv Mater 1995, V7, P795 HCA
- (6) Brust, M; Chem Commun 1996, P1949 HCA
- (7) Brust, M; J Chem Soc, Chem Commun 1994, V1, P801
- (8) Brust, M; Langmuir 1998, V14(19), P5426
- (9) Chen, S; Langmuir 1999, V15, P682 HCA
- (10) Collier, C; Science 1997, V227, P1978
- (11) Colvin, V; J Am Chem Soc 1992, V114, P5229
- (12) Colvin, V; Nature 1994, V370, P354 HCA
- (13) Elghanian, R; Science 1997, V277, P1078 HCA
- (14) Feldheim, D; Chem Soc Rev 1998, V27, P1 CAPLUS
- (15) Finklea, H; J Phys Chem B 2001, V105(15), P3088 HCA
- (16) Gittins, D; Nature 2000, V408, P67 HCA
- (17) Grabar, K; Langmuir 1996, V12, P2353 HCA
- (18) Halperin, W; Rev Mod Phys 1986, V58(3), P533 HCA
- (19) Hickman, J; Science 1991, V252, P688 HCA
- (20) Hoffman, D; J Am Chem Soc 2000, V39, P5418
- (21) Hostetler, M; Langmuir 1996, V12, P3604 HCA
- (22) Macphail, R; J Phys Chem 1984, V88, P334 HCA
- (23) Mekhalif, Z; Langmuir 1997, V13, P2285 HCA
- (24) Mirkin, C; Nature 1996, V382, P607 HCA
- (25) Murry, C; Science 1996, V270, P1335
- (26) Nakanishi, T; J Phys Chem 1998, VB102, P1571
- (27) Nuzzo, R; J Am Chem Soc 1987, V109, P2385
- (28) Nuzzo, R; J Am Chem Soc 1990, V112, P558 HCA
- (29) O'Hara, P; Phys Rev Lett 1995, V75, P3466 HCA
- (30) Pethkar, S; J Mater Chem 2001, V11, P1710 HCA
- (31) Sabatani, E; J Phys Chem 1987, V91, P6663 HCA
- (32) Schessler, H; J Am Chem Soc 1996, V118, P9645 HCA
- (33) Schmacher, R; Angew Chem, Int Ed Engl 1990, V29(4), P329
- (34) Shipway, A; Adv Mater 2000, V12(13), P993 HCA
- (35) Sigal, G; J Am Chem Soc 1998, V120, P3464 HCA
- (36) Snyder, R; J Phys Chem 1982, V16, P5145
- (37) Stratton, R; J Phys Chem Solids 1962, V23, P1177
- (38) Su, T; Langmuir 2000, V16, P4999 HCA
- (39) Templeton, A; Acc Chem Res 2000, V33, P27 HCA
- (40) Torigoe, K; J Phys Chem B 1999, V103(15), P2862 HCA
- (41) Ulman, A; An Introduction to ultrathin organic films from
Langmuir-Blodgett to Self-assembly 1991
- (42) Vijayasarathy, K; J Phys Chem 1999, VB103, P399
- (43) Wang, B; Appl Phys Lett 2000, V77(8), P1179 HCA
- (44) Yang, Z; Langmuir 1999, V15, P8405 HCA

L31 ANSWER 44 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 135:377217 HCA Full-text

ED Entered STN: 13 Dec 2001

TI Self-Assembled Monolayers of

Aromatic Thiol and Selenol on Silver: Comparative Study of
Adsorptivity and Stability

AU Han, Sang Woo; Lee, Seung Joon; Kim, Kwan

CS Laboratory of Intelligent Interface School of Chemistry and Molecular
Engineering and Center for Molecular Catalysis, Seoul National University,
Seoul, 151-742, S. Korea

SO Langmuir (2001), 17(22), 6981-6987

CODEN: LANGD5; ISSN: 0743-7463

PB American Chemical Society

DT Journal

LA English

CC 66-4 (Surface Chemistry and Colloids)

AB The authors have studied comparative adsorptivities and relative stabilities of self-assembled monolayers of thiol (benzenethiol, BT) vs. selenol (benzeneselenol, BSe) on a Ag surface by diffuse reflectance IR Fourier transform (DRIFT) spectroscopy and surface-enhanced Raman spectroscopy (SERS). BT and BSe are chemisorbed on Ag as benzenethiolate and benzeneselenolate, resp., after deprotonation with a tilted orientation with respect to the substrate surface; the benzene rings of BT and BSe are tilted by 25° and 37°, resp., from the substrate normal. Competitive adsorption expts. show that adsorption of BT is more favorable by 0.3 kcal/mol. Temperature-dependent DRIFT spectra indicated that the monolayer of benzenethiolate on Ag is thermally more stable than that of benzeneselenolate. This could be evidenced from the fact that the vibrational peaks of the benzenethiolate species were observed up to 458 K, while those of benzeneselenolate became substantially weakened around 418 K. The more neg. desorption potential of the BT monolayer clearly indicates that the benzenethiolate binds more strongly to the Ag surface than the benzeneselenolate does.

ST self assembled monolayer benzenethiol
benzeneselenol adsorption silver; SAM benzenethiol
benzeneselenol adsorption silver

IT Self-assembled monolayers
(adsorptivity and stability of self-assembled
monolayers of aromatic thiol and selenol on silver)

IT Adsorption
(competitive; adsorptivity and stability of self-
assembled monolayers of aromatic thiol and
selenol on silver)

IT IR reflectance spectra
(diffuse; of benzenethiol and benzeneselenol adsorbed on Ag)

IT SERS (Raman scattering)
(of benzenethiol and benzeneselenol adsorbed on Ag)

IT 108-98-5, Benzenethiol, processes 645-96-5, Benzeneselenol
(adsorptivity and stability of self-assembled
monolayers of aromatic thiol and selenol on silver)

IT 7440-22-4D, Silver, complexes, properties 13133-62-5D, Benzenethiolate,
silver-bound, properties 14971-39-2D, Benzeneselenolate, silver-bound
(on surface; adsorptivity and stability of self-
assembled monolayers of aromatic thiol and
selenol on silver)

OSC.G 64 THERE ARE 64 CAPLUS RECORDS THAT CITE THIS RECORD (64 CITINGS)

UPOS.G Date last citing reference entered STN: 31 May 2011

OS.G CAPLUS 2011:634967; 2011:524459; 2010:1556742; 2010:1497376;
2010:670579; 2010:755245; 2010:466007; 2010:250596; 2009:1605401;
2009:1412446; 2009:1308360; 2009:1268176; 2009:897092;
2009:963119; 2009:779243; 2009:31646; 2008:1058873; 2008:1017677;
2008:900785; 2008:859310; 2008:812788; 2008:561250; 2008:498898;
2008:428924; 2008:421348; 2008:144932; 2008:23202; 2007:1318551;
2007:1170823; 2007:1137454; 2007:862268; 2007:829554;
2007:683564; 2007:571755; 2007:528749; 2007:390823; 2007:237541;
2006:1342865; 2006:1320109; 2006:1299729; 2006:1257580;
2006:1185531; 2006:1131677; 2006:976163; 2006:801336;
2006:520478; 2006:509724; 2005:1319367; 2005:1255156;
2005:1113435

RE.CNT 66 THERE ARE 66 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE CITED REFERENCES

- (1) Anderson, M; Langmuir 1994, V10, P1638 HCA
- (2) Anon; Gaussian 98 program
- (3) Avouris, P; J Chem Phys 1981, V75, P4783 HCA
- (4) Bandyopadhyay, K; Langmuir 1999, V15, P5314 HCA
- (5) Bockris, J; Comprehensive Treatise of Electrochemistry 1969, V1 HCA
- (6) Carron, K; J Phys Chem 1991, V95, P9979 HCA
- (7) Cho, S; J Phys Chem 1995, V99, P10594 HCA
- (8) Creighton, J; Surf Sci 1983, V124, P209 HCA
- (9) Dishner, M; Langmuir 1997, V13, P4788 HCA
- (10) Gao, P; J Phys Chem 1985, V89, P5040 HCA
- (11) Garrell, R; J Am Chem Soc 1995, V117, P11563 HCA
- (12) Glendening, E; NBO Version 3.1
- (13) Greenler, R; J Chem Phys 1966, V44, P310 HCA
- (14) Greenler, R; Surf Sci 1982, V118, P415 HCA
- (15) Han, H; Appl Spectrosc 1998, V52, P1047 HCA
- (16) Han, H; Langmuir 1999, V15, P6868 HCA
- (17) Han, H; Langmuir 2000, V16, P1149 HCA
- (18) Han, S; J Phys Chem B 2000, V104, P11987 HCA
- (19) Han, S; Langmuir 1998, V14, P6113 HCA
- (20) Han, S; Langmuir 2000, V16, P9493 HCA
- (21) Han, S; Vib Spectrosc 1999, V21, P133 HCA
- (22) Hickman, J; Science 1991, V252, P688 HCA
- (23) Huang, F; Langmuir 1998, V14, P4802 HCA
- (24) Joo, T; J Phys Chem 1986, V90, P5816 HCA
- (25) Joo, T; J Raman Spectrosc 1987, V18, P57 HCA
- (26) Kawanishi, Y; Langmuir 1992, V8, P2601 HCA
- (27) Kim, S; J Phys Chem 1996, V100, P7174 HCA
- (28) Koopal, L; J Colloid Interface Sci 1994, V166, P51 HCA
- (29) Kwon, Y; J Phys Chem 1994, V98, P8481 HCA
- (30) Lee, I; Langmuir 2000, V16, P9963 HCA
- (31) Lee, S; Vib Spectrosc 1998, V18, P187 HCA
- (32) Lee, S; Vib Spectrosc 2000, V24, P265 HCA
- (33) Li, D; J Am Chem Soc 1990, V112, P7389 HCA
- (34) Masel, R; Principles of Adsorption and Reaction on Solid Surfaces 1996
- (35) Mirkin, C; Annu Rev Phys Chem 1992, V43, P719 HCA
- (36) Moskovits, M; J Am Chem Soc 1986, V108, P4711
- (37) Moskovits, M; J Chem Phys 1980, V73, P6068 HCA
- (38) Moskovits, M; J Chem Phys 1982, V77, P4408 HCA
- (39) Murray, R; Molecular Design of Electrode Surface; Techniques of Chemistry Series 1992, VXXII
- (40) Pandey, G; Angew Chem, Int Ed Engl 1995, V34, P2669 HCA
- (41) Pierrat, O; Langmuir 1997, V13, P4112 HCA
- (42) Porter, M; J Am Chem Soc 1987, V109, P3559 HCA
- (43) Rasheed, F; Spectrosc Lett 1977, V10, P791 HCA
- (44) Samant, M; Langmuir 1992, V8, P1615 HCA
- (45) Schoenfish, M; Langmuir 1999, V15, P509 HCA
- (46) Sips, R; J Chem Phys 1948, V16, P490 HCA
- (47) Sips, R; J Chem Phys 1950, V18, P1024 HCA
- (48) Smoes, S; Bull Soc Chim Belg 1972, V81, P45 HCA
- (49) Stole, S; Langmuir 1990, V6, P1199 HCA
- (50) Szafranski, C; Langmuir 1998, V14, P3570 HCA
- (51) Takahashi, M; Surf Sci 1985, V158, P307 HCA
- (52) Tariov, M; J Am Chem Soc 1993, V115, P5305
- (53) Ulman, A; An Introduction to Ultrathin Organic Films from Langmuir-Blodgett to Self-Assembly 1991
- (54) Ulman, A; Chem Rev 1996, V96, P1533 HCA
- (55) Varsanyi, G; Vibrational Spectra of Benzene Derivatives 1969
- (56) Weisshaar, D; J Am Chem Soc 1992, V114, P5860 HCA
- (57) Whiffen, D; J Chem Soc 1956, P1350 HCA
- (58) Whitesides, G; Langmuir 1990, V6, P87 HCA

(59) Widrig, C; J Electroanal Chem 1991, V310, P335 HCA
(60) Wollman, E; J Am Chem Soc 1994, V116, P4395 HCA
(61) Wu, Y; Langmuir 1999, V15, P1247 HCA
(62) Wu, Y; Langmuir 1999, V15, P4625 HCA
(63) Xue, G; Anal Chem 1991, V63, P2393 HCA
(64) Xue, G; Macromolecules 1991, V24, P4195 HCA
(65) Yim, Y; J Phys Chem 1990, V94, P2552 HCA
(66) Zhong, C; Anal Chem 1995, V67, P709A HCA

L31 ANSWER 45 OF 60 HCA COPYRIGHT 2011 ACS on STN
AN 135:249815 HCA Full-text
ED Entered STN: 11 Oct 2001
TI Computational nanotribology: ~~SAMS~~ for MEMS
AU Berry, Rajiv J.; Wintrich, Nicole L.; Bharadwaj, Rishikesh K.; Schwartz, Martin
CS Air Force Research Laboratory, Materials Directorate, Wright-Patterson AFB, OH, 45433, USA
SO Materials Research Society Symposium Proceedings (2001), 649(Fundamentals of Nanoindentation and Nanotribology II), Q9.5.1-Q9.5.6 CODEN: MRSPDH; ISSN: 0272-9172
PB Materials Research Society
DT Journal; General Review
LA English
CC 76-0 (Electric Phenomena)
Section cross-reference(s): 65, 66
AB A review with 10 refs. ~~Self-assembled monolayers (SAMS)~~ consisting of hydrocarbon chains attached to silica walls were evaluated computationally for their high temperature stability, life cycle and performance in microelectromech. systems (MEMS). Ab initio calcns. at sufficiently high level of theory were conducted on model compds. to predict the bond strengths holding the monolayer tethered to the MEMS device and relate them to its thermal stability. Non-equilibrium mol. dynamics (NEMD) simulations under sliding periodic boundary conditions were employed to compute the frictional force as a function of applied load. The NEMD trajectories were analyzed for the structure and chain dynamics of the ~~SAMS~~ and compared with NEMD and equilibrium MD results for the fluid. The significance of monolayer penetration depth, monolayer gauche fraction, wall thermostat characteristics and the size of the simulation box on the computed results were studied.
ST review hydrocarbon chain monolayers silica gel ~~surface~~ MEMS
IT Micromachines
Semiconductor devices
(MEMS system; computational nanotribol. in evaluation of MEMS system with hydrocarbon chains on silica gel ~~surface~~)
IT Friction
Molecular dynamics
~~Self-assembled monolayers~~
(computational nanotribol. in evaluation of MEMS system with hydrocarbon chains on silica gel ~~surface~~)
IT Hydrocarbons, uses
(computational nanotribol. in evaluation of MEMS system with hydrocarbon chains on silica gel ~~surface~~)
IT Tribology
(nano-; computational nanotribol. in evaluation of MEMS system with hydrocarbon chains on silica gel ~~surface~~)
RE.CNT 10 THERE ARE 10 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE CITED REFERENCES
(1) Allen, M; Computer Simulation of Liquids 1989
(2) Banks, R; Fluorocarbons and their Derivatives 1970, P119
(3) Bliznyuk, V; Journal of Tribology 1998, V120, P489 HCA
(4) Khare, R; J Chem Phys 1997, V107, P2589 HCA

- (5) Rigby, D; Polymer International 1997, V44, P311 HCA
(6) Schwartz, M; J Mol Struct Theochem in press
(7) Srinivasan, U; Solid-State Sensor and Actuator Workshop 1998, P156
(8) Sun, H; Spectrochimica Acta 1997, VA153, P1301
(9) Tutein, A; Langmuir 2000, V16, P291 HCA
(10) Waltman, R; Tribol Lett 1999, V7, P91 HCA

L31 ANSWER 46 OF 60 HCA COPYRIGHT 2011 ACS on STN
AN 135:232127 HCA Full-text
ED Entered STN: 04 Oct 2001
TI Ordered nanostructures of a [2] catenane through self-assembly at
surfaces. An STM study with sub-molecular resolution
AU Samori, Paolo; Jackel, Frank; Unsal, Omer; Godt, Adelheid; Rabe, Jurgen P.
CS Department of Physics, Humboldt Univ. Berlin, Berlin, 10115, Germany
SO ChemPhysChem (2001), 2(7), 461-464 Published in: Angew.
Chem., Int. Ed., 40(14)
CODEN: CPCHFT; ISSN: 1439-4235
PB Wiley-VCH Verlag GmbH
DT Journal
LA English
CC 66-4 (Surface Chemistry and Colloids)
Section cross-reference(s): 22
AB STM is an important technique which allows not only investigations of
structure and dynamics of organic adsorbates but also their manipulation at
the mol. level. Herein the study dealt with STM investigations of the
[2]catenane which consist of two 87-membered rings and related compds. The
large rings of the [2]catenane have conformational flexibility due to the long
aliphatic chains. This features give rise to adopt a shape to form tightly-
packed 2-dimensional crystals on highly oriented pyrolytic graphite (HOPG)
through self-assembly from solution. The STM images revealed that the adsorbed
catenane adopted a quaternary structure, in which the 2 angled moieties are at
the rim and the 2 rodlike units are in the middle of the interlocked system.
This interpretation of the images was supported by mol. mechanics calcns. of
[2]catenane on HOPG. Both macrocycles forming the catenane are unfolded and
ring-shaped. They assemble nearly flat on HOPG, which allows for a maximum
overlap of the electronic states of the adsorbate with the ones of the
substrate. The computed structure was in good agreement with the STM results.
ST catenane ordering graphite surface self assembly
IT Nanostructures
Order-disorder transition
Self-assembled monolayers
(ordered nanostructures of [2] catenanes through self-assembly at HOPG
surfaces)
IT 7782-42-5D, Graphite, highly oriented pyrolytic, uses
(ordered nanostructures of [2] catenanes through self-assembly at HOPG
surfaces)
IT 358768-04-4 358768-05-5 358768-07-7
(ordered nanostructures of [2] catenanes through self-assembly at HOPG
surfaces)
OSC.G 20 THERE ARE 20 CAPLUS RECORDS THAT CITE THIS RECORD (20 CITINGS)
UPOS.G Date last citing reference entered STN: 20 Jul 2011
OS.G CAPLUS 2011:857619; 2009:749681; 2009:380805; 2008:1250405;
2008:1112595; 2008:1042077; 2007:1330354; 2007:741151;
2007:490022; 2007:361943; 2007:23497; 2006:521518; 2006:521511;
2005:1247855; 2005:330779; 2004:959888; 2004:236500; 2003:385603;
2002:933080; 2002:731434
RE.CNT 29 THERE ARE 29 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE CITED REFERENCES
(1) Amabilino, D; Chem Rev 1995, V95, P2725 HCA
(2) Anon; Molecular Catenanes, Rotaxanes and Knots 1999

- (3) Anon; Scanning Probe Image Processor Version 1.72
- (4) Ballardini, R; J Am Chem Soc 1997, V119, P12503 HCA
- (5) Balzani, V; Angew Chem 2000, V112, P3484
- (6) Balzani, V; Angew Chem Int Ed 2000, V39, P3348 HCA
- (7) Biosym Technologies Inc; Discover Version 4.0.0
- (8) Biscarini, F; Synth Met 1999, V102, P1466 HCA
- (9) Brown, C; Langmuir 2000, V16, P1924 HCA
- (10) Ceroni, P; J Phys Chem B 1999, V103, P10171 HCA
- (11) Cesario, M; J Chem Soc Chem Commun 1985, P244 HCA
- (12) Collier, C; Science 2000, V289, P1172 HCA
- (13) Deleuze, M; J Am Chem Soc 2000, V122, P1130 HCA
- (14) Dietrich-Buchecker, C; Chem Rev 1987, V87, P79S
- (15) Fustin, C; Thin Solid Films 1998, V327-329, P321 HCA
- (16) Gase, T; Adv Mater 1999, V11, P1303 HCA
- (17) Gimzewski, J; Science 1999, V283, P1683 HCA
- (18) Hamilton, D; Chem Eur J 1998, V4, P608 HCA
- (19) Hillner, P; No Publication Given
- (20) Johnston, A; Angew Chem 1995, V107, P1324
- (21) Johnston, A; Angew Chem Int Ed 1995, V34, P1209 HCA
- (22) Lazzaroni, R; J Chem Phys 1997, V107, P99 HCA
- (23) Lu, T; J Am Chem Soc 1993, V115, P2542 HCA
- (24) Raehm, L; Org Lett 2000, V2, P1991 HCA
- (25) Samori, P; Adv Mater 2000, V12, P579 HCA
- (26) Sauvage, J; Acc Chem Res 1998, V31, P611 HCA
- (27) Stabel, A; J Phys Chem 1995, V99, P505
- (28) Unsal, O; Chem Eur J 1999, V5, P728
- (29) Unsal, O; unpublished results

L31 ANSWER 47 OF 60 HCA COPYRIGHT 2011 ACS on STN
AN 135:201854 HCA Full-text
ED Entered STN: 20 Sep 2001
TI Redox Active Ordered Arrays via Metal Initiated Self-Assembly of
Terpyridine Based Ligands
AU Diaz, Diego J.; Bernhard, Stefan; Storrier, Gregory D.; Abruna, Hector D.
CS Department of Chemistry and Chemical Biology Baker Laboratory, Cornell
University, Ithaca, NY, 14853-1301, USA
SO Journal of Physical Chemistry B (2001), 105(37), 8746-8754
CODEN: JPCBFK; ISSN: 1089-5647
PB American Chemical Society
DT Journal
LA English
CC 72-2 (Electrochemistry)
Section cross-reference(s): 27, 66
AB The interfacial reaction of terpyridyl-pendant poly-amido amine (PAMAM)
dendrimers (dend-n-tpy; n = 4, 8, 32) and of bis-terpyridine containing
bridging ligands (tpy-bridge-tpy), dissolved in CH₂Cl₂, with aqueous Fe²⁺ or
Co²⁺ gives rise to film formation on HOPG and Pt(111) single crystal surfaces.
Molecularly resolved STM images reveal that these films form highly ordered 2-
D trigonal arrays, which appear to be composed of one-dimensional polymeric
strands with a repeat unit of (tpy-dendrimer-tpy-M)_x, in the case of
dendrimers, or (tpy-bridge-tpy-M)_x, in the case of the bridging ligands. An
extensive study with ligands of tailored architecture has been carried out,
providing insight on the relationship between the ligand's mol. structure and
that of the resulting films. The formation of ordered domains appears to be
controlled, at least in part, by the rigidity of the mol. containing the
terpyridine groups. Films derived from bridging ligands containing long chains
did not give rise to observable periodic structures, whereas, rotationally
hindered bridging ligands gave rise to well-ordered films. The use of
optically active ligands gave rise to helical structures whose sense was
dependent on the chirality of the mol. employed. The phys. extension of the

- ordered domains appears to be delimited by terrace width on the HOPG surface. The dimensions obtained from an anal. of STM images are consistent with the estimated size (from mol. modeling) of the mols. from which the films were derived. In all cases, the films are electrochem. active and exhibit a metal based reversible wave at a formal potential that corresponds to that for the resp. $[M(tpy)_2]^{+2}$ complex.
- ST interfacial reaction redox active ordered array metal terpyridine complex; dendrimer ligands terpyridine selfassembled layer platinum graphite
- IT Chirality
(effect on redox active ordered arrays via metal initiated self-assembled of terpyridine based dendrimer ligands)
- IT Molecular modeling
(estimated size of self-assembled film forming mol. of complexes with terpyridine based ligands)
- IT Cyclic voltammetry
(of Pt electrode with films derived from interfacial reaction of dend-8-tpy/ Co^{2+} and dend-8-tpy/ Fe^{2+} in acetonitrile containing TBAP)
- IT Surface structure
(of films derived from interfacial reaction of dend-8-tpy/ Co^{2+} and dend-8-tpy/ Fe^{2+})
- IT Formal potential
(of films derived from interfacial reaction of dend-8-tpy/ Co^{2+} and dend-8-tpy/ Fe^{2+} in acetonitrile containing TBAP)
- IT Interfacial reaction
(of terpyridyl-pendant poly-amido amine (PAMAM) dendrimers (dend-n-tpy; $n = 4, 8, 32$) and of bis-terpyridine containing bridging ligands (tpy-bridge-tpy), dissolved in CH_2Cl_2 , with aqueous Fe^{2+} or Co^{2+})
- IT Polyamines
(polyamide-, dendrimers; redox active ordered arrays via metal initiated self-assembly of terpyridine based dendrimer ligands)
- IT Dendritic polymers
Dendritic polymers
(polyamide-polyamines; redox active ordered arrays via metal initiated self-assembly of terpyridine based dendrimer ligands)
- IT Polyamides, properties
(polyamine-, dendrimers; redox active ordered arrays via metal initiated self-assembly of terpyridine based dendrimer ligands)
- IT Self-assembled monolayers
(redox active ordered arrays via metal initiated self-assembly of terpyridine based dendrimer ligands)
- IT 75-05-8, Acetonitrile, uses 1923-70-2, Tetrabutylammonium perchlorate (cyclic voltammetry of Pt electrode with films derived from interfacial reaction of dend-8-tpy/ Co^{2+} and dend-8-tpy/ Fe^{2+} in acetonitrile containing TBAP)
- IT 26937-01-9D, PAMAM, reaction products with carboxylic acid-pendant terpyridine
(dendritic; redox active ordered arrays via metal initiated self-assembly of terpyridine based dendrimer ligands)
- IT 26937-01-9, PAMAM
(dendritic; redox active ordered arrays via metal initiated self-assembly of terpyridine based ligands)
- IT 356522-52-6P 356522-53-7P
(effect on redox active ordered arrays via metal initiated self-assembled of terpyridine based dendrimer ligands)
- IT 7782-42-5, Graphite, uses
(highly oriented, pyrolytic; redox active ordered arrays via metal initiated self-assembly of terpyridine based dendrimer ligands on)

IT 75-09-2, Dichloromethane, uses
(of terpyridyl-pendant poly-amido amine (PAMAM) dendrimers (dend-n-tpy;
n = 4, 8, 32) and of bis-terpyridine containing bridging ligands
(tpy-bridge-tpy), dissolved in CH₂Cl₂, with aqueous Fe²⁺ or Co²⁺)

IT 15438-31-0, Iron 2+, reactions 22541-53-3, Cobalt 2+, reactions
(of terpyridyl-pendant poly-amido amine (PAMAM) dendrimers (dend-n-tpy;
n = 4, 8, 32) and of bis-terpyridine containing bridging ligands
(tpy-bridge-tpy), dissolved in CH₂Cl₂, with aqueous Fe²⁺ or Co²⁺)

IT 1148-79-4D, 2,2':6',2''-Terpyridine, reaction products with polyamidoamine
dendrimers
(redox active ordered arrays via metal initiated self-assembly of
terpyridine ~~based~~ dendrimer ligands)

IT 240823-21-6P 356522-50-4P 356522-51-5P
(redox active ordered arrays via metal initiated self-assembly of
terpyridine ~~based~~ dendrimer ligands)

IT 7440-06-4, Platinum, uses
(single crystal; redox active ordered arrays via metal initiated
self-assembly of terpyridine ~~based~~ dendrimer ligands on)

OSC.G 30 THERE ARE 30 CAPLUS RECORDS THAT CITE THIS RECORD (31 CITINGS)

UPOS.G Date last citing reference entered STN: 08 Apr 2011

OS.G CAPLUS 2011:226142; 2010:1340228; 2010:714750; 2009:568027;
2008:1462257; 2008:1409836; 2008:917752; 2008:456197;
2008:397206; 2008:25917; 2007:410256; 2006:1061743; 2006:766752;
2006:761817; 2006:690241; 2006:104305; 2006:87284; 2006:45022;
2005:565832; 2004:973494; 2004:875499; 2004:718998; 2004:636644;
2004:566815; 2004:453654; 2004:248153; 2004:3265; 2003:246865;
2003:69862; 2003:16258

RE.CNT 70 THERE ARE 70 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Alonso, B; Chem Mater 1995, V7, P1440 HCA
- (2) Balzani, V; Acc Chem Res 1998, V31, P759
- (3) Balzani, V; J Phys Chem 1996, V100, P16786 HCA
- (4) Bar-Haim, A; J Phys Chem B 1998, V102, P1662 HCA
- (5) Beebe, T; Science 1991, V251, P640
- (6) Belser, P; J Am Chem Soc 1993, V115, P4076 HCA
- (7) Bernhard, S; submitted
- (8) Bhyrappa, P; J Am Chem Soc 1996, V118, P5708 HCA
- (9) Bohringer, M; Angew Chem, Int Ed 1999, V38, P821 HCA
- (10) Bohringer, M; Angew Chem, Int Ed 2000, V39, P792 HCA
- (11) Bryce, M; Adv Dendritic Macromol:Redox Active Dendrites 1996, V3, P115 HCA
- (12) Buttry, D; J Am Chem Soc 1983, V104, P685
- (13) Cee, V; Surf Sci 1995, V329, P141 HCA
- (14) Chang, H; Langmuir 1991, V7, P1143 HCA
- (15) Chow, H; J Org Chem 1997, V62, P5116 HCA
- (16) Clavillier, J; J Electroanal Chem 1986, V205, P419
- (17) Constable, E; J Chem Soc, Dalton Trans 1992, P3467 HCA
- (18) de Cola, L; Recl Trav Chim Pays-Bas 1995, V114, P534 HCA
- (19) de Feyter, S; Langmuir 1999, V15, P2817 HCA
- (20) Diaz, D; Langmuir 1999, V15, P7351 HCA
- (21) Diaz, D; unpublished results
- (22) Fife, W; J Org Chem 1983, V48, P1375 HCA
- (23) Fischer, M; Angew Chem, Int Ed Engl 1999, V38, P884
- (24) Frechet, J; Science 1994, V263, P1710 HCA
- (25) Frey, H; Adv Mater 1998, V10(4), P279 HCA
- (26) Garcia, V; Probe Microscopy 1997, V1, P107
- (27) Giancarlo, L; Annu Rev Phys Chem 1998, V49, P297 HCA
- (28) Gorman, C; Adv Mater 1998, V10(4), P295 HCA
- (29) Gorman, C; J Am Chem Soc 1997, V119, P1141 HCA
- (30) Gorman, C; J Am Chem Soc 1999, V121, P9958 HCA
- (31) Griffith, J; J Appl Phys 1994, V74, PR83

- (32) Grosshenny, V; Angew Chem, Int Ed Engl 1995, V34, P1100 HCA
(33) Hamers, R; J Phys Chem 1996, V100, P13103 HCA
(34) Hermann, B; Surf Int Anal 1999, V27, P507 HCA
(35) Hudson, S; Science 1997, V278, P449 HCA
(36) Juris, A; Coord Chem Rev 1998, P85
(37) Kalyanasundaram, K; Photochemistry of Polypyridine and Porphyrin Complexes 1991
(38) Kuwabara, M; Appl Phys Lett 1990, V56, P2396 HCA
(39) Lellek, V; J Mater Chem 2000, V10, P1061 HCA
(40) Liu, C; Langmuir 1991, V7, P1138 HCA
(41) Majoral, J; Chem Rev 1999, V99, P845 HCA
(42) Mansfield, M; Polymer 1996, V37, P3835 HCA
(43) Matthews, O; Prog Polym Sci 1998, V23, P1 HCA
(44) McWhinnie, W; Adv Inorg Chem Radiochem 1969, V12, P135 HCA
(45) Miedaner, A; Inorg Chem 1994, V33, P5482 HCA
(46) Nam, A; J Vac Sci Tech 1995, V13, P1556 HCA
(47) Newkome, G; Advances in Dendritic Macromolecules 1994
(48) Newkome, G; Dendritic Molecules: Concepts, Syntheses, Perspectives 1996
(49) Ouseph, P; Phys Rev B 1996, V53, P9610 HCA
(50) Patrick, D; Surf Sci Lett 1993, V297, PL119 HCA
(51) Potts, K; J Am Chem Soc 1987, V109, P3961 HCA
(52) Ramirez-Aguilar, K; Langmuir 1998, V14, P2562 HCA
(53) Reetz, M; Angew Chem, Int Ed Engl 1997, V36, P1526 HCA
(54) Rong, Z; Phys Rev B 1993, V48, P17427 HCA
(55) Sauvage, J; Chem Rev 1996, V94, P993
(56) Service, R; Science 2000, V290, P1524 CAPLUS
(57) Sheiko, S; Macromol Rapid Commun 1996, V17, P283 HCA
(58) Storrier, G; Langmuir 1999, V15, P872 HCA
(59) Takada, K; J Am Chem Soc 1997, V119, P10763 HCA
(60) Takada, K; Langmuir 1999, V15, P7333 HCA
(61) Tomalia, D; Angew Chem, Int Ed Engl 1990, V29, P138
(62) Tsukruk, V; Adv Mater 1998, V10, P253 HCA
(63) Tully, D; Adv Mater 1999, V11, P314 HCA
(64) Valerio, C; J Am Chem Soc 1997, V119, P2588 HCA
(65) van Veggel, F; Macromol Symp 1998, V131, P165 HCA
(66) Walba, D; Enantiomer 1996, V1, P267 HCA
(67) Xhie, J; Phys Rev B 1993, V47, P15,835
(68) Zeng, F; Chem Rev 1997, V97, P1681 HCA
(69) Zhao, M; Angew Chem, Int Ed Engl 1997, V36, P2596 HCA
(70) Zhao, M; J Am Chem Soc 1998, V120, P4877 HCA

L31 ANSWER 48 OF 60 HCA COPYRIGHT 2011 ACS on STN
AN 135:143838 HCA Full-text
ED Entered STN: 23 Aug 2001
TI Viologen monolayers: Dynamics on electrode ~~surfaces~~
AU Sagara, Takamasa; Tsuruta, Hiroaki; Fukuoka, Yumika; Tanaka, Saori;
Nakashima, Naotoshi
CS "Organization and Function", PRESTO, JST, Japan
SO Studies in Surface Science and Catalysis (2001), 132(Proceedings
of the International Conference on Colloid and Surface Science, 2000),
841-844
CODEN: SSCTDM; ISSN: 0167-2991
PB Elsevier Science B.V.
DT Journal
LA English
CC 72-2 (Electrochemistry)
Section cross-reference(s): 66
AB Dynamic processes of viologen monolayers at electrified interfaces were
described for ~~self-assembled monolayers~~ (SAMS) of viologen-thiols on a Au
electrode and the spike voltammetric response of heptylviologen on a HOPG

electrode using the results of electrochem. and electroreflectance measurements. The viologen-thiol SAM memorizes anion present while forming the SAM. The spike response of heptylviologen at a HOPG electrode was tentatively assigned as Gibbs monolayer-Langmuir monolayer phase transition.

ST viologen self assembled monolayer gold electrode dynamics; mercaptoundecylpentylviologen fluorophosphate self assembled monolayer gold electrode dynamic process

IT Self-assembled monolayers
(cyclic voltammetry of viologen-thiol self-assembled monolayer on Au electrode in KCl solution and effect of coexisting anion in forming monolayer: viologen monolayers dynamics on electrode surfaces)

IT Anions
(in viologen-thiol viologen-thiol self-assembled monolayer on Au electrode dynamics)

IT Formal potential
(of pentyl(mercaptoundecyl)bipyridinium bis(hexafluorophosphate) SAM on gold electrode prepared with and without Et4NBr in KBr and in KPF6 and KF solns. in film transfer expts.)

IT Cyclic voltammetry
(of pentyl(mercaptoundecyl)bipyridinium bis(hexafluorophosphate) SAM on gold electrode prepared with and without Et4NBr in KBr solution: viologen monolayers dynamics on electrode surfaces)

IT 7782-42-5, Graphite, uses
(cyclic voltammetry and spike response of heptylviologen on pyrolytic graphite electrode in KBr solution: viologen monolayers dynamics on electrode surfaces)

IT 47503-76-4, Heptylviologen
(cyclic voltammetry and spike response of heptylviologen on pyrolytic graphite electrode in KBr solution: viologen monolayers dynamics on electrode surfaces)

IT 7440-57-5, Gold, uses
(cyclic voltammetry of viologen-thiol self-assembled monolayer on Au electrode in KCl solution and effect of coexisting anion in forming monolayer: viologen monolayers dynamics on electrode surfaces)

IT 350033-32-8
(cyclic voltammetry of viologen-thiol self-assembled monolayer on Au electrode in KCl solution and effect of coexisting anion in forming monolayer: viologen monolayers dynamics on electrode surfaces)

IT 7758-02-3, Potassium bromide (KBr), uses 7789-23-3, Potassium fluoride (KF) 17084-13-8, Potassium hexafluorophosphate
(formal potential of pentyl(mercaptoundecyl)bipyridinium bis(hexafluorophosphate) SAM on gold electrode prepared with and without Et4NBr in KBr and in KPF6 and KF solns. in film transfer expts.)

IT 71-91-0, Tetraethylammonium bromide
(self-assembled monolayer formation on Au in acetonitrile containing pentyl(mercaptoundecyl)bipyridinium bis(hexafluorophosphate) and Et4NBr: viologen monolayers dynamics on electrode surfaces)

OSC.G 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD (1 CITINGS)

UPOS.G Date last citing reference entered STN: 16 Feb 2009

OS.G CAPLUS 2007:966248

RE.CNT 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

(1) Arihara, K; J Electroanal Chem 1999, V473, P138 HCA

(2) Millan, J; Langmuir 1999, V15, P618 HCA

- (3) Sagara, T; Electrochim Acta 1998, V43, P2183 HCA
(4) Sagara, T; Langmuir 1999, V15, P3823 HCA
(5) Tang, X; Langmuir 1996, V12, P5921 HCA

L31 ANSWER 49 OF 60 HCA COPYRIGHT 2011 ACS on STN
AN 135:113392 HCA Full-text
ED Entered STN: 09 Aug 2001
TI Electrochemical Origin of Hysteresis in the Electron-Transfer Reactions of Adsorbed Proteins: Contrasting Behavior of the "Blue" Copper Protein, Azurin, Adsorbed on Pyrolytic Graphite and Modified Gold Electrodes
AU Jeuken, Lars J. C.; Armstrong, Fraser A.
CS Inorganic Chemistry Laboratory, Oxford University, Oxford, OX1 3QR, UK
SO Journal of Physical Chemistry B (2001), 105(22), 5271-5282
CODEN: JPCBFK; ISSN: 1089-5647
PB American Chemical Society
DT Journal
LA English
CC 72-2 (Electrochemistry)
Section cross-reference(s): 34, 66
AB Azurin and other small redox proteins exhibit fast electron transfer when adsorbed on a pyrolytic graphite "edge" electrode, but close examination reveals unusual electrochem. behavior that is not predicted by simple models. Cyclic voltammetry over a wide range of scan rates (up to 1000 V s⁻¹) shows that the apparent reduction potential depends on the scan rate and initial polarization potential, and that a small finite peak separation persists in the slowest expts. (1 mV s⁻¹). To determine the origin of these effects, the voltammetric behavior of azurin adsorbed at PGE has been compared with results obtained using gold electrodes modified with a self-assembled monolayer (SAM) of hexanethiol or decanethiol. The contrastingly simple results that are obtained with the SAM electrodes show that the complexities stem from properties of the graphite surface or its interface with the protein. Fast scan cyclic voltammetry, initiated after prepolarizing the graphite electrode over a range of potentials, reveals that rapid electron exchange with the "blue" Cu center is perturbed by further processes that are relatively slow. Moreover, similar effects are observed for a ferredoxin that has two Fe-S clusters, each with a much more neg. reduction potential. These slow processes are responsible for the complex hysteresis behavior that is observed with the PGE electrode. Two models are proposed and compared: in the first, redox-active surface groups on the graphite surface modulate the reduction potential of the adsorbed protein. In the second model, the change in redox state of the active site is sensed by the electrode-protein interface, which adjusts to a new state.
ST hysteresis electron transfer reaction adsorbed protein
IT Proteins, specific or class
(copper-containing, blue; electrochem. origin of hysteresis in electron-transfer reactions of adsorbed)
IT Azurin (protein)
(electrochem. origin of hysteresis in electron-transfer reactions of adsorbed)
IT Adsorption
Electron transfer
Hysteresis
(electrochem. origin of hysteresis in electron-transfer reactions of adsorbed proteins)
IT Proteins, general, properties
(electrochem. origin of hysteresis in electron-transfer reactions of adsorbed proteins)
IT Chemically modified electrodes
(electrochem. origin of hysteresis in electron-transfer reactions of

proteins adsorbed on)
IT Self-assembled monolayers
(electrochem. origin of hysteresis in electron-transfer reactions of
proteins adsorbed on gold modified with)
IT Simulation and Modeling, physicochemical
(of proteins adsorbed on pyrolytic graphite and modified gold
electrodes)
IT Cyclic voltammetry
Electric potential
(of pyrolytic graphite and modified gold electrodes with
adsorbed proteins in NaCl solns.)
IT 111-31-9, Hexanethiol 143-10-2, Decanethiol
(electrochem. origin of hysteresis in electron-transfer reactions of
proteins adsorbed on gold modified with)
IT 7440-57-5, Gold, uses
(modified electrode; electrochem. origin of hysteresis in
electron-transfer reactions of proteins adsorbed on)
IT 7782-42-5, Graphite, uses
(pyrolytic; electrochem. origin of hysteresis in
electron-transfer reactions of proteins adsorbed on)
OSC.G 57 THERE ARE 57 CAPLUS RECORDS THAT CITE THIS RECORD (58 CITINGS)
UPOS.G Date last citing reference entered STN: 30 Aug 2011
OS.G CAPLUS 2011:1083051; 2010:1445074; 2010:1555304; 2010:1481695;
2010:1144259; 2010:1029865; 2010:697194; 2010:845241;
2010:790906; 2010:427353; 2009:1370157; 2009:1192749;
2009:884182; 2009:1021407; 2009:977640; 2009:507056; 2009:122621;
2009:58577; 2008:763649; 2008:365069; 2008:246147; 2007:1351150;
2007:1011187; 2007:837006; 2006:1209620; 2006:753201;
2006:607124; 2006:277327; 2006:87589; 2005:1158638; 2005:1118008;
2005:429907; 2005:366462; 2005:358110; 2005:339926; 2005:320731;
2005:306973; 2005:184342; 2004:834328; 2004:815298; 2004:774677;
2004:750122; 2004:440443; 2004:353876; 2003:937248; 2003:648419;
2003:485150; 2003:392216; 2003:306327; 2003:212520
RE.CNT 68 THERE ARE 68 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE CITED REFERENCES
(1) Adman, E; Adv Prot Chem 1991, V42, P144
(2) Armstrong, F; Faraday Discuss 2000, P191 HCA
(3) Arnold, S; J Electroanal Chem 1997, V438, P91 HCA
(4) Bard, A; Electrochemical Methods: Fundamentals and Applications 1980
(5) Bayachou, M; Inorg Chem 2000, V39, P289 HCA
(6) Brits, D; Digital Simulation in Electrochemistry 1988, V2
(7) Britz, D; J Electroanal Chem 1978, V88, P309 HCA
(8) Cabaniss, G; J Am Chem Soc 1985, V107, P1845 HCA
(9) Chen, K; Nature 2000, V407, P110 CAPLUS
(10) Chen, P; Anal Chem 1995, V67, P3115 HCA
(11) Chen, P; Anal Chem 1996, V68, P3958 HCA
(12) Chen, X; Langmuir 1999, V15, P7022 HCA
(13) Clair, C; Inorg Chim Acta 1992, V191, P149
(14) Clark, R; Langmuir 1997, V13, P559 HCA
(15) Edwards, S; J Biol Chem 1995, V270, P4293 HCA
(16) El Kasmi, A; J Am Chem Soc 1998, V120, P225
(17) Engstrom, R; Anal Chem 1984, V56, P136 HCA
(18) Ethan, M; Methods Enzymol 1997, V277, P505
(19) Fawcett, W; J Electroanal Chem 1994, V378, P117 HCA
(20) Feng, Z; J Chem Soc, Faraday Trans 1997, V93, P1367 HCA
(21) Finklea, H; Electroanal Chem 2001, V495, P79 HCA
(22) Finklea, H; Electroanalytical Chemistry 1996, V19, P109 HCA
(23) Gaigalas, A; J Colloid Interface Sci 1997, V193, P60 HCA
(24) Groeneveld, C; Eur J Biochem 1985, V153, P559 HCA
(25) Heering, H; J Am Chem Soc 1997, V119, P11628 HCA

- (26) Heffron, K; J Inorg Biochem 1999, V74, P157
(27) Hirst, J; Anal Chem 1998, V70, P5062 HCA
(28) Hirst, J; J Am Chem Soc 1998, V120, P11994 HCA
(29) Hirst, J; J Am Chem Soc 1998, V120, P7085 HCA
(30) Honeychurch, M; Electroanalysis 1998, V10, P285 HCA
(31) Hyun, Y; Biochemistry 1995, V34, P12249 HCA
(32) Iismaa, S; J Biol Chem 1991, V266, P21563 HCA
(33) Ivkovic-Jensen, M; Biochemistry 1999, V38, P1589 HCA
(34) Jeuken, L; J Am Chem Soc 2000, V122, P12186 HCA
(35) Jones, A; J Inorg Biochem 1999, V74, P183
(36) Jung, Y; J Biol Chem 1999, V274, P2978 HCA
(37) Kalverda, A; Biochemistry 1999, V38, P12690 HCA
(38) Kraulis, P; J Appl Crystallogr 1991, V24, P946
(39) Kukimoto, M; FEBS Lett 1996, V394, P87 HCA
(40) Kyritsis, P; Inorg Chem 1995, V34, P5370 HCA
(41) Laviron, E; Electroanalytical Chemistry 1982, V12, P53 HCA
(42) Leesch, V; Biochemistry 2000, V39, P10132 HCA
(43) Lowery, M; Inorg Chim Acta 1992, V200, P233
(44) Matsushita, K; Biochemistry 1999, V38, P6111 HCA
(45) Nahir, T; J Electroanal Chem 1996, V410, P9 HCA
(46) Nakahara, M; J Mater Sci 1995, V30, P4363 HCA
(47) Nar, H; J Mol Biol 1991, V221, P765 HCA
(48) Nassar, A; J Phys Chem B 1997, V101, P2224 HCA
(49) Page, C; Nature 1999, V402, P47 HCA
(50) Panzer, R; Electrochim Acta 1975, V20, P635 HCA
(51) Pascher, T; Eur J Biochem 1993, V212, P289 HCA
(52) Pershad, H; Biochemistry 1999, V38, P8992 HCA
(53) Pershad, H; Dphil Thesis; Oxford University 2000
(54) Pletneva, E; J Am Chem Soc 2000, V122, P1034 HCA
(55) Press, W; Numerical Recipes in Pascal 1989
(56) Randin, J; Electroanal Chem Interface Electrochem 1975, V58, P313 HCA
(57) Rees, D; Proc Natl Acad Sci U S A 1985, V82, P3082 HCA
(58) Shepard, W; J Am Chem Soc 1990, V112, P7817 HCA
(59) Silvestrini, M; Biochem J 1982, V203, P445 HCA
(60) Smith, C; Anal Chem 1992, V64, P2398 HCA
(61) Stout, C; J Biol Chem 1993, V268, P25920 HCA
(62) van Pouderoyen, G; Eur J Biochem 1994, V222, P583 HCA
(63) van de Kamp, M; Biochim Biophys Acta 1990, V1019, P283 HCA
(64) van de Kamp, M; Eur J Biochem 1993, V218, P229 HCA
(65) Vijgenboom, E; Microbiol 1997, V143, P2853 HCA
(66) Zannoni, D; Biochim Biophys Acta 1989, V975, P299 HCA
(67) Zhou, J; Science 1994, V265, P1693 HCA
(68) Zu, X; Langmuir 1999, V15, P7372 HCA

L31 ANSWER 50 OF 60 HCA COPYRIGHT 2011 ACS on STN
AN 133:314903 HCA Full-text
ED Entered STN: 16 Nov 2000
TI Metal Ion Reactivity with 1,4-Benzenedimethanethiol Monolayers on Gold
AU Venkataramanan, M.; Murty, K. V. G. K.; Pradeep, T.; Deepali, W.;
Vijayamohanan, K.
CS Department of Chemistry and Regional Sophisticated Instrumentation Centre,
Indian Institute of Technology, Madras, 600 036, India
SO Langmuir (2000), 16(20), 7673-7678
CODEN: LANGD5; ISSN: 0743-7463
PB American Chemical Society
DT Journal
LA English
CC 72-2 (Electrochemistry)
Section cross-reference(s): 66, 73

AB Exposure of Cu²⁺ ions to 1,4-benzenedimethanethiol (BDMT) monolayers on Au in solution results in the formation of copper functionalized monolayers which have been investigated in detail by surface-enhanced Raman spectroscopy (SERS), XPS, and cyclic voltammetry (CV). Upon exposure to copper ions, the free thiol groups at the surface of the monolayer disappear indicating the replacement of protons with copper ions. The reaction leads to a red shift in the C-S stretching frequency, but most of the other features are unaffected. Relative intensities of the peaks are largely the same; however, some new features are observed suggesting minor changes in the adsorbate structure that makes addnl. modes observable. Thermal stability of the monolayers has been reduced substantially as a result of reaction with metal ions, indicating that the chemical binding at the Au-monolayer interface is affected. XPS shows that copper is present at the surface. Electrochem. behavior before and after Cu²⁺ ion adsorption is significantly different, and the adsorbed metal ions undergo reversible redox transformations. The cyclic voltammograms of the adsorbed copper ions are discussed in relation to the oxidation state changes in aqueous electrolyte solns.

ST copper ion reactivity benzenedimethanethiol monolayers gold

IT SERS (Raman scattering)
(by 1,4-benzenedimethanethiol monolayers on gold before and after exposing to Cu²⁺ ions)

IT Surface reaction
(effect of Cu²⁺ adsorption on 1,4-benzenedimethanethiol monolayers chemical binding with gold)

IT Temperature
(effect on surface-enhanced Raman spectra of 1,4-benzenedimethanethiol monolayers on gold exposed to Cu²⁺ ions)

IT Self-assembled monolayers
(metal ion reactivity with 1,4-benzenedimethanethiol monolayers on gold)

IT Thermal stability
(of 1,4-benzenedimethanethiol monolayers on gold before and after exposing to Cu²⁺ ions)

IT Cyclic voltammetry
(of 1,4-benzenedimethanethiol monolayers on gold before and after exposing to Cu²⁺ ions in KCl solution)

IT Substitution reaction
(of 1,4-benzenedimethanethiol monolayers on gold exposed to Cu²⁺ ions)

IT Adsorption
(of copper ions with 1,4-benzenedimethanethiol monolayers on gold from CuCl₂ solution)

IT 7440-57-5, Gold, uses
(metal ion reactivity with 1,4-benzenedimethanethiol monolayers on)

IT 15158-11-9, Copper 2+, properties
(metal ion reactivity with 1,4-benzenedimethanethiol monolayers on gold)

IT 105-09-9, 1,4-Benzenedimethanethiol
(metal ion reactivity with 1,4-benzenedimethanethiol monolayers on gold)

IT 7447-40-7, Potassium chloride, uses
(of 1,4-benzenedimethanethiol monolayers on gold before and after exposing to Cu²⁺ ions in KCl solution)

IT 7447-39-4, Copper chloride, uses
(of copper ions with 1,4-benzenedimethanethiol monolayers on gold from CuCl₂ solution)

OSC.G 19 THERE ARE 19 CAPLUS RECORDS THAT CITE THIS RECORD (20 CITINGS)

UPOS.G Date last citing reference entered STN: 09 Mar 2011

OS.G CAPLUS 2011:236883; 2011:251580; 2009:1586584; 2009:1570969;
2009:1260639; 2006:976163; 2006:814906; 2006:308000; 2006:184026;
2005:955062; 2005:610582; 2003:928599; 2003:679482; 2003:612654;

2003:482225; 2002:841554; 2002:422496; 2002:412887; 2001:934246

RE.CNT 70 THERE ARE 70 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Alves, C; J Am Chem Soc 1992, V114, P1222 HCA
- (2) Ansell, M; Chem Mater 1996, V8, P591 HCA
- (3) Bain, C; J Am Chem Soc 1989, V111, P321 HCA
- (4) Bain, C; J Am Chem Soc 1989, V111, P7155 HCA
- (5) Bandyopadhyay, K; J Electroanal Chem 1998, V447, P11 HCA
- (6) Bandyopadhyay, K; Langmuir 1997, V13, P866 HCA
- (7) Bandyopadhyay, K; Langmuir 1998, V14, P625 HCA
- (8) Bandyopadhyay, K; Langmuir 1998, V14, P6924 HCA
- (9) Bandyopadhyay, K; Langmuir 1999, V15, P5314 HCA
- (10) Becka, A; J Phys Chem 1992, V96, P2657 HCA
- (11) Bensebaa, F; Surf Sci 1998, V405, PL472 HCA
- (12) Bercegol, H; J Phys Chem 1995, V99, P8763 HCA
- (13) Berchmans, S; J Electroanal Chem 1999, V468, P170 HCA
- (14) Bindu, V; Vacuum 1998, V49, P63 HCA
- (15) Briggs, D; Practical Surface Analysis by Auger and X-ray Photoelectron Spectroscopy 1984
- (16) Brown, A; Anal Chem 1977, V49, P1589 HCA
- (17) Brust, M; Langmuir 1997, V13, P5602 HCA
- (18) Bryant, M; J Am Chem Soc 1991, V113, P3629 HCA
- (19) Bryant, M; J Am Chem Soc 1991, V113, P8284 HCA
- (20) Camillone, N; J Chem Phys 1994, V101, P11031
- (21) Campbell, D; J Am Chem Soc 1996, V118, P10211 HCA
- (22) Cavalleri, O; Langmuir 1998, V14, P7292 HCA
- (23) Chadwick, J; J Am Chem Soc 1993, V115, P10364 HCA
- (24) Chidsey, C; J Am Chem Soc 1990, V112, P4301 HCA
- (25) Czanderna, A; J Vac Sci Technol, A 1991, V5, P2607
- (26) Dhirani, A; J Am Chem Soc 1996, V118, P3319 HCA
- (27) Dubois, L; J Chem Phys 1993, V98, P678 HCA
- (28) Evans, D; J Am Chem Soc 1991, V113, P5866
- (29) Evans, S; Chem Phys Lett 1990, V170, P462 HCA
- (30) Finklea, H; Langmuir 1993, V9, P3660 HCA
- (31) Freeman, T; Thin Solid Films 1994, P784 HCA
- (32) Garrell, R; J Am Chem Soc 1995, V117, P11563 HCA
- (33) Giancarlo, C; Annu Rev Phys Chem 1998, V49, P297
- (34) Gobi, V; J Phys Chem B 1999, V103, P83
- (35) Herdt, G; J Vac Sci Technol, A 1994, V12, P2410 HCA
- (36) Herdt, G; J Vac Sci Technol, A 1997, V15, P513 HCA
- (37) Hickman, J; Science 1991, V252, P688 HCA
- (38) Hutt, D; Langmuir 1997, V13, P3055 HCA
- (39) Ishida, T; Langmuir 1998, V14, P2092 HCA
- (40) Kolega, R; Langmuir 1998, V14, P5469 HCA
- (41) Laibinis, P; J Phys Chem 1992, V96, P5097 HCA
- (42) Lee, H; J Am Chem Soc 1988, V110, P618 HCA
- (43) Li, D; Appl Phys Lett 1998, V73, P2645 HCA
- (44) Li, D; J Am Chem Soc 1990, V112, P7389 HCA
- (45) Liu, G; J Chem Phys 1994, V101, P4301 HCA
- (46) Mirkin, C; Annu Rev Phys Chem 1992, V43, P719 HCA
- (47) Moskovits, M; Rev Mod Phys 1985, V57, P783 HCA
- (48) Murty, K; Langmuir 1998, V14, P5446 HCA
- (49) Nuzzo, R; J Am Chem Soc 1987, V109, P2358 HCA
- (50) Nuzzo, R; J Am Chem Soc 1987, V109, P733 HCA
- (51) Otta, A; J Phys:Condens Matter Phys 1992, V4, P1143
- (52) Oyamatsu, D; Langmuir 1998, V14, P3298 HCA
- (53) Pale-Grosdemange, C; J Am Chem Soc 1991, V113, P12 HCA
- (54) Poirier, G; Chem Rev 1997, V97, P1117 HCA
- (55) Porter, M; J Am Chem Soc 1987, V109, P3559 HCA
- (56) Sandhyarani, N; J Colloid Interface Sci 1999, V209, P154 HCA

- (57) Sandhyarani, N; J Raman Spectrosc 1998, V29, P359 HCA
(58) Sandhyarani, N; Vacuum 1998, V49, P279 HCA
(59) Schoenfisch, M; J Am Chem Soc 1998, V120, P4502 HCA
(60) Schrader, B; Spectrochim Acta 1991, V47A, P1135 HCA
(61) Sobocinski, R; J Am Chem Soc 1990, V112, P6177 HCA
(62) Tarlov, M; Langmuir 1992, V8, P80 HCA
(63) Ulman; An Introduction to Ultrathin Organic Films from Langmuir-Blodgett to Self-Assembly 1991
(64) Ulman, A; Chem Rev 1996, V96, P1533 HCA
(65) Venkataramanan, M; J Colloid Interface Sci 1999, V212, P553 HCA
(66) Wink, T; Analyst 1997, V122, P43R MEDLINE
(67) Wolf, H; J Phys Chem 1995, V99, P7102 HCA
(68) Yeo, Y; J Phys Chem 1992, V96, P6110 HCA
(69) Zamborini, F; Langmuir 1998, V14, P640 HCA
(70) Zhu, T; Chem Phys Lett 1997, V265, P334 HCA

L31 ANSWER 51 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 133:213650 HCA Full-text

ED Entered STN: 29 Sep 2000

TI Polarized infrared study on the structure of two-dimensional nanoclusters of partially fluorinated long-chain fatty acid salts at ambient and elevated temperatures

AU Ren, Yanzhi; Iimura, Ken-ichi; Kato, Teiji

CS Satellite Venture Business Laboratory, Utsunomiya University, Utsunomiya, 321-8585, Japan

SO Journal of Chemical Physics (2000), 113(3), 1162-1169
CODEN: JCPSA6; ISSN: 0021-9606

PB American Institute of Physics

DT Journal

LA English

CC 66-3 (Surface Chemistry and Colloids)

Section cross-reference(s): 73

AB Atomic force microscopy (AFM) images of the single monolayer of five partially fluorinated fatty acid salts $[\text{CF}_3(\text{CF}_2)_m(\text{CH}_2)_n\text{COO-}]_2\text{Cd}^{2+}$ [(m,n)=(7,10), (7,16), (7,22), (5,22), and (3,22)] transferred from aqueous Cd^{2+} subphase to solid ~~substrate~~ revealed that the mols. had assembled into monodispersed two-dimensional clusters of tens of nanometers, whose morphol. developed systematically with (m,n). Polarized IR measurements detected a corresponding change with (m,n) in the $-(\text{CF}_2)-m$ and $-(\text{CH}_2)-n$ orientation angles. It is found that the van der Waals interaction between the C-C-C trans zig-zag planes of adjacent hydrocarbon segments is the driving force for the cluster formation, while the overlapping interaction between the fluorocarbon tails of neighbor salt mols. is responsible for cluster compactness. Grazing incidence reflection absorption spectra of the (m,n)=(7,10) single monolayer recorded during temperature elevation from 25 to 150°C show that ~~heating~~ has caused the hydrocarbon chain and the terminal C-CF₃ axis to be gradually randomly oriented, while the carboxylate C₂ symmetry axis and the fluorocarbon long axis to realign toward the ~~substrate~~ normal. It is ~~discovered~~ that the single monolayer has thermal memory and cyclic heating-cooling treatment can render an excellent thermal stability of 120°C to the $-(\text{CH}_2)-10$ and $\text{CF}_3(\text{CF}_2)-7$ orientations. The different thermal behavior of the corresponding five-layer Y-type LB films, reported by C. Naselli et al. (1989) was explained as due to the longitudinal interaction between the headgroups of adjacent layers.

ST fatty acid cadmium salt Langmuir Blodgett monolayer nanostructure conformation

IT Adsorbed monolayers

(Langmuir-Blodgett; polarized IR study of structure of two-dimensional nanoclusters of partially fluorinated long-chain fatty acid salts)

IT Chemical chains
Conformation

IR spectra
Molecular orientation
Molecular reorientation
Nanostructures
Packing (particle)
 Self-assembled monolayers
Van der Waals force
 (polarized IR study of structure of two-dimensional nanoclusters of
 partially fluorinated long-chain fatty acid salts)

IT Fatty acids, properties
 (salts; polarized IR study of structure of two-dimensional nanoclusters
 of partially fluorinated long-chain fatty acid salts)

IT 121206-85-7 289714-07-4 289714-08-5 289714-09-6 289714-10-9
 (polarized IR study of structure of two-dimensional nanoclusters of
 partially fluorinated long-chain fatty acid salts)

OSC.G 10 THERE ARE 10 CAPLUS RECORDS THAT CITE THIS RECORD (10 CITINGS)

UPOS.G Date last citing reference entered STN: 24 Dec 2009

OS.G CAPLUS 2009:1570991; 2007:1076732; 2004:687812; 2002:509550;
2002:474581; 2002:67472; 2001:411433; 2001:288202; 2001:6990;
2000:893571

RE.CNT 25 THERE ARE 25 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

(1) Allara, D; J Phys Chem 1982, V86, P2700 HCA
(2) Blaudez, D; J Chem Soc Faraday Trans 1996, V92, P525 HCA
(3) Bunn, C; Nature 1954, V174, P549 HCA
(4) Horn, A; Spectroscopy for Surface Science 1991, P297
(5) Kato, T; Chem Phys Lett 1991, V184, P455 HCA
(6) Kato, T; Jpn J Appl Phys 1995, V34, PL911 HCA
(7) Kato, T; Langmuir 1998, V14, P1786 HCA
(8) Kawai, T; J Colloid Interface Sci 1985, V103, P56 HCA
(9) Koenig, J; Spectroscopy of Polymers 1992
(10) Myrzakozha, D; Langmuir 1999, V15, P3595 HCA
(11) Myrzakozha, D; Langmuir 1999, V15, P3601 HCA
(12) Naselli, C; J Chem Phys 1989, V90, P3855 HCA
(13) Rabolt, F; Polymer 1977, V18, P1258
(14) Rabolt, J; J Chem Phys 1983, V78, P946 HCA
(15) Roeges, N; A Guide to the Complete Interpretation of Infrared Spectra of
Organic Structures 1994, P29
(16) Schwartz, D; Science 1992, V257, P508 HCA
(17) Smith, D; Proc Natl Acad Sci 1987, V84, P969 HCA
(18) Snyder, R; J Mol Spectrosc 1960, V4, P411 HCA
(19) Ulman, A; An Introduction to Ultrathin Organic Films from
Langmuir-Blodgett to Self-Assembly 1991
(20) Umemura, J; Spectrochim Acta A 1994, V50, P8
(21) Wang, J; J Phys Chem 1996, V100, P17232
(22) Wang, Y; J Phys Chem 1996, V100, P17238 HCA
(23) Wang, Y; J Phys Chem 1996, V100, P374 HCA
(24) Weers, J; Fourier Transform Infrared Spectroscopy in Colloid and Interface
Science 1991, P163
(25) Weers, J; Fourier Transform Infrared Spectroscopy in Colloid and Interface
Science 1991, P91

L31 ANSWER 52 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 132:128172 HCA Full-text

ED Entered STN: 25 Feb 2000

TI Convenient preparation of self-assembled
monolayers derived from calix[4]resorcinarene derivatives
exhibiting resistance to desorption

AU Ichimura, Kunihiro; Oh, Sang-Keun; Fujimaki, Masanori; Matsuzawa, Yoko;
Nakagawa, Masaru

- CS Research Laboratory of Resources Utilization, Tokyo Institute of Technology, Yokohama, 226-8503, Japan
- SO Journal of Inclusion Phenomena and Macrocyclic Chemistry (1999), 35(1-2), 173-183
CODEN: JIPCF5
- PB Kluwer Academic Publishers
- DT Journal
- LA English
- CC 66-4 (Surface Chemistry and Colloids)
Section cross-reference(s): 74
- AB Crown conformers of O-carboxymethylated calix[4]resorcinarenes (CRA-CMs) bearing four perfluorooctyl- and octylazobenzene residues at the lower rim of the cyclic skeleton were synthesized to investigate the resistance to desorption of CRA-CMs forming self-assembled monolayers on aminosilylated silica substrates and the surface energy photocontrol based on E-to-Z photoisomerization of the azobenzene moiety. In comparison with CRA-CM monolayers on silica substrates, the desorption of CRA-CMs on the aminated substrate was remarkably suppressed even when CRA-CM monolayers were sonicated in polar solvents and even in water. The high desorption-resistance was attributable to multi-point adsorption of CRA-CMs through COOH/NH₂ interactions. UV-Vis spectral studies revealed that CRA-CM substituted with p-octylazobenzene exhibited high E-to-Z photoisomerizability up to 92% in self-assembled monolayers, while less photoisomerizability was observed for CRA-CM bearing p-perfluorooctylazobenzenes due to the steric hindrance of the larger perfluoroalkyl chains. Photoinduced changes of contact angles for water up to 8.3° were observed for a CRA-CM monolayer.
- ST calixresorcinarene deriv prepn silica self assembled monolayer photoisomerization
- IT Isomerization
(photoisomerization; preparation of self-assembled monolayers derived from calix[4]resorcinarene derivs. exhibiting resistance to desorption)
- IT Chemisorption
Contact angle
Desorption
Self-assembled monolayers
Surface energy
(preparation of self-assembled monolayers derived from calix[4]resorcinarene derivs. exhibiting resistance to desorption)
- IT 3179-76-8, 3-Aminopropyldiethoxymethylsilane
(chemisorbed; preparation of self-assembled monolayers derived from calix[4]resorcinarene derivs. exhibiting resistance to desorption)
- IT 226409-60-5P 226409-61-6P
(preparation of self-assembled monolayers derived from calix[4]resorcinarene derivs. exhibiting resistance to desorption)
- IT 104631-97-2 212915-83-8 256226-91-2
(preparation of self-assembled monolayers derived from calix[4]resorcinarene derivs. exhibiting resistance to desorption)
- IT 256329-56-3P
(preparation of self-assembled monolayers derived from calix[4]resorcinarene derivs. exhibiting resistance to desorption)
- IT 60676-86-0, Fused silica
(substrates; preparation of self-assembled monolayers derived from calix[4]resorcinarene derivs. exhibiting resistance to desorption)

OSC.G 9 THERE ARE 9 CAPLUS RECORDS THAT CITE THIS RECORD (10 CITINGS)
UPOS.G Date last citing reference entered STN: 16 Feb 2009
OS.G CAPLUS 2005:203721; 2003:877759; 2003:726772; 2003:7330; 2002:917673;
2002:558391; 2002:207094; 2001:635084; 2001:368964

RE.CNT 17 THERE ARE 17 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE CITED REFERENCES

- (1) Anon; An Introduction to Ultrathin Organic Films from Langmuir 1991
- (2) Anon; Handbook of Lipid Research 4 1986
- (3) Anon; Photochromism Molecules and Systems 1990, P903
- (4) Aoki, K; Langmuir 1992, V8, P1007 HCA
- (5) Arrington, C; J Phys Chem 1953, V57, P247 HCA
- (6) Bain, C; Langmuir 1989, V5, P1370 HCA
- (7) Bryant, M; Langmuir 1993, V9, P385 HCA
- (8) Dobbs, D; Chem Eng News 1990, V68, P2 HCA
- (9) Fujimaki, M; Chem Lett 1998, P165 HCA
- (10) Fujimaki, M; Langmuir 1998, V14, P4495 HCA
- (11) Higashi, N; Chem Lett 1986, P105 HCA
- (12) Ichimura, K; Langmuir 1997, V13, P6780 HCA
- (13) Ichimura, K; Supramol Sci 1996, V3, P67 HCA
- (14) Kurita, E; J Mater Chem 1998, V8, P397 HCA
- (15) Liu, Z; J Phys Chem 1996, V100, P17337 HCA
- (16) Moon, J; Langmuir 1997, V13, P4305 HCA
- (17) Yoshino, N; Bull Chem Soc 1992, V65, P2141 HCA

L31 ANSWER 53 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 132:7004 HCA Full-text

ED Entered STN: 24 Dec 1999

TI Adsorption and Desorption of Electroactive Self-
Assembled Thiolate Monolayers on Gold

AU Voicu, Raluca; Ellis, Thomas H.; Ju, Huangxian; Leech, Donal

CS Departement de Chimie, Universite de Montreal, Montreal, QC, H3C 3J7, Can.

SO Langmuir (1999), 15(23), 8170-8177

CODEN: LANGD5; ISSN: 0743-7463

PB American Chemical Society

DT Journal

LA English

CC 72-2 (Electrochemistry)

Section cross-reference(s): 66

AB The influence of different chemical pretreatments on the formation and electrochem. of self-assembled mixed monolayers of 11-(ferrocenylcarbonyloxy)undecanethiol and n-decanethiol was examined using cyclic voltammetry (CV) and XPS. The hot-etched pretreated surface yields mixed monolayers with higher surface coverages of the electroactive thiol than a cold-etched surface. Probably the former surface presents a greater percentage of higher energy binding sites than the latter surface. The higher stability of these sites for the ferrocenylalkanethiolate is confirmed by desorption expts. in EtOH. The electroactive species are in dynamic adsorption/desorption equilibrium with the EtOH solution, which helps to explain a number of important properties.

ST electroactive thiolate SAM adsorption desorption electrochem
gold; piranha treated gold thiolate SAM

IT Adsorption

(electrochem.; influence of different chemical pretreatments of gold on adsorption, desorption, and electrochem. of electroactive self-assembled thiolate monolayers on gold)

IT Desorption

Self-assembled monolayers

(influence of different chemical pretreatments of gold on adsorption, desorption, and electrochem. of electroactive self-assembled thiolate monolayers on gold)

IT 7440-57-5, Gold, uses 128705-31-7
(influence of different chemical pretreatments of gold on adsorption,
desorption, and electrochem. of electroactive self-
assembled thiolate monolayers on gold)

IT 143-10-2, n-Decanethiol 127087-31-4,
11-(Ferrocenylcarbonyloxy)undecanethiol
(influence of different chemical pretreatments of gold on adsorption,
desorption, and electrochem. of electroactive self-
assembled thiolate monolayers on gold)

OSC.G 13 THERE ARE 13 CAPLUS RECORDS THAT CITE THIS RECORD (13 CITINGS)

UPOS.G Date last citing reference entered STN: 21 May 2010

OS.G CAPLUS 2010:596993; 2010:508626; 2009:1342726; 2009:1093118;
2009:605487; 2008:856632; 2008:275977; 2007:781486; 2007:171216;
2006:933747; 2006:261647; 2002:920077; 2001:893507

RE.CNT 44 THERE ARE 44 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Bain, C; J Am Chem Soc 1989, V111, P321 HCA
- (2) Bain, C; J Am Chem Soc 1989, V111, P7155 HCA
- (3) Bain, C; J Am Chem Soc 1989, V111, P7164 HCA
- (4) Bain, C; J Am Chem Soc 1989, V111, P723
- (5) Bensebaa, F; J Vac Sci Technol A 1995, V13, P1331 HCA
- (6) Bensebaa, F; Langmuir 1997, V13, P5335 HCA
- (7) Bensebaa, F; Surface Science 1998, V405, PL472 HCA
- (8) Biebuyck, H; Langmuir 1993, V9, P1766 HCA
- (9) Biebuyck, H; Langmuir 1994, V10(0), P1825 HCA
- (10) Bucher, J; Langmuir 1994, V10, P979 HCA
- (11) Camillone, N; J Chem Phys 1994, V101, P11031
- (12) Castner, D; Langmuir 1996, V12, P5083 HCA
- (13) Chidsey, C; J Am Chem Soc 1990, V112, P4301 HCA
- (14) Collard, D; Langmuir 1991, V7, P1192 HCA
- (15) Creager, S; Langmuir 1992, V8, P854 HCA
- (16) Cruanes, M; Langmuir 1995, V11, P4089 HCA
- (17) Curtin, L; Anal Chem 1993, V65, P368
- (18) Delamarche, E; Langmuir 1994, V10, P2869 HCA
- (19) Fenter, P; Phys Rev Lett 1993, V70, P2447 HCA
- (20) Folkers, J; Langmuir 1992, V8, P1330 HCA
- (21) Groat, K; Langmuir 1993, V9, P3668 HCA
- (22) Guo, L; J Phys Chem 1995, V99, P8458 HCA
- (23) Guo, L; Langmuir 1994, V10, P4588 HCA
- (24) Hickman, J; J Am Chem Soc 1991, V113, P1128 HCA
- (25) Ishida, T; Langmuir 1997, V13, P4638 HCA
- (26) Murray, R; Electroanalytical Chemistry 1984, V13, P191 HCA
- (27) Nuzzo, R; J Am Chem Soc 1983, V105, P4481 HCA
- (28) Nuzzo, R; J Am Chem Soc 1990, V112, P558 HCA
- (29) Oesch, U; Electrochim Acta 1983, V28, P1237 HCA
- (30) Ohtsuka, T; Langmuir 1994, V10, P3658 HCA
- (31) Porter, M; J Am Chem Soc 1987, V109, P3559 HCA
- (32) Ravenscroft, M; J Phys Chem 1994, V98, P3843 HCA
- (33) Ron, H; J Am Chem Soc 1998, V120, P13444 HCA
- (34) Rowe, G; Langmuir 1991, V7, P2307 HCA
- (35) Sato, Y; Bull Chem Soc Jpn 1994, V67, P21 HCA
- (36) Schlenoff, J; J Am Chem Soc 1995, V117, P12528 HCA
- (37) Schonenberger, C; J Phys Chem 1995, V99, P3259
- (38) Shimazu, K; J Electroanal Chem 1994, V375, P409 HCA
- (39) Tirado, J; Langmuir 1994, V10, P1971 HCA
- (40) Truong, K; Prog Surf Sci 1995, V50, P207 HCA
- (41) Ulman, A; Chem Rev 1996, V96, P1533 HCA
- (42) Uosaki, K; Langmuir 1991, V7, P1510 HCA
- (43) Walczak, M; J Am Chem Soc 1991, V113, P2370 HCA
- (44) Walczak, M; J Electroanal Chem 1995, V396, P103 HCA

L31 ANSWER 54 OF 60 HCA COPYRIGHT 2011 ACS on STN
AN 131:149831 HCA Full-text
ED Entered STN: 04 Sep 1999
TI **Self-Assembled Monolayers** of Small
Aromatic Disulfide and Diselenide Molecules on Polycrystalline
Gold Films: A Comparative Study of the Geometrical Constraint Using
Temperature-Dependent Surface-Enhanced Raman Spectroscopy, X-ray
Photoelectron Spectroscopy, and Electrochemistry
AU Bandyopadhyay, Krisanu; Vijayamohanan, K.; Venkataramanan, M.; Pradeep, T.
CS Physical/Materials Chemistry Division, National Chemical Laboratory, Pune,
411008, India
SO Langmuir (1999), 15(16), 5314-5322
CODEN: LANGD5; ISSN: 0743-7463
PB American Chemical Society
DT Journal
LA English
CC 66-4 (Surface Chemistry and Colloids)
Section cross-reference(s): 72, 73, 76
AB A detailed investigation of the **self-assembled monolayers** of di-Ph disulfide
(DDS), di-Ph diselenide (DDSe), and naphthalene disulfide (NDS) on polycryst.
gold films using **surface** -enhanced Raman spectroscopy (SERS), XPS, and
electrochem. is presented. Whereas DDS dissociatively chemisorbed on Au, in
both DDSe and NDS, the Se-Se and S-S bonds, resp., are preserved upon
adsorption. All of the mols. adsorb with the mol. plane perpendicular to the
surface. Temperature-dependent SERS studies suggested that the DDS monolayer
was by far the most stable one and was stable up to a temperature of 423 K.
Both DDSe and NDS desorbed without breaking the diselenide and disulfide
bonds. None of the monolayers show any structural change upon **heating**. XPS
investigations show the presence of beam-induced damage upon X-ray exposure to
DDS and NDS monolayers, and the damage is greater in the latter. Electrochem.
investigations support the SERS and XPS data. Number of pinholes and defects
are much less in the DDS monolayer than in NDS and DDSe. The impedance
parameters such as double-layer capacitance, charge-transfer resistance, and
diffusion coeffs. measured at different frequencies support the above
conclusion. It is suggested that the geometric constraint imposed by the
rigid naphthalene **ring** inhibits the cleavage of the S-S bond, and
consequently, the adsorption sites for sulfurs are not strongly bonded. For
DDSe, it appears that the Se-Se distance is such that appropriate binding
sites are available, thus leading to a more ordered monolayer. For DDS, the
facile cleavage of the S-S bond leads to strong binding of the adsorbate mols.
at the preferred **surface** sites, resulting in a rather well-ordered self-
assembled structure.
ST **SAM** gold modified electrode disulfide diselenide SERS XPS CV
IT **Surface** defects
(Number of pinholes and defects in **self-assembled**
monolayers of small aromatic disulfide and diselenide
mols. on polycryst. gold films)
IT Electric current-potential relationship
(**cyclic** voltammogram in acetonitrile containing iron redox system
to study bare gold and modified gold electrodes)
IT Dissociative chemisorption
(dissociatively chemisorption of di-Ph disulfide on polycryst. gold
films)
IT Adsorption
Self-assembled monolayers
(investigation of **self-assembled monolayers**
of di-Ph disulfide, di-Ph diselenide, and naphthalene disulfide on
polycryst. gold films using SERS, XPS and **cycling**
voltammetry)

IT Desorption
(of di-Ph diselenide, and naphthalene disulfide without breaking diselenide and disulfide bonds)

IT Chemically modified electrodes
Electric impedance
(plot of real part of faradaic impedance in aqueous KF solution for di-Ph disulfide, di-Ph diselenide, and naphthalene disulfide modified Au electrodes)

IT 7789-23-3, Potassium fluoride
(cyclic voltammogram in acetonitrile containing iron redox system to study bare gold and modified gold electrodes)

IT 75-05-8, Acetonitrile, uses
(cyclic voltammogram in acetonitrile containing iron redox system to study bare gold and modified gold electrodes)

IT 13408-62-3 13408-63-4
(cyclic voltammogram in acetonitrile containing iron redox system to study bare gold and modified gold electrodes)

IT 209-22-3, Naphtho[1,8-cd]-1,2-dithiole 882-33-7, Diphenyl disulfide 1666-13-3, Diphenyl diselenide
(investigation of self-assembled monolayers of di-Ph disulfide, di-Ph diselenide, and naphthalene disulfide on polycryst. gold films using SERS, XPS and cycling voltammetry)

IT 7440-57-5, Gold, properties
(polycryst. films; investigation of self-assembled monolayers of di-Ph disulfide, di-Ph diselenide, and naphthalene disulfide on polycryst. gold films using SERS, XPS and cycling voltammetry)

OSC.G 77 THERE ARE 77 CAPLUS RECORDS THAT CITE THIS RECORD (80 CITINGS)

UPOS.G Date last citing reference entered STN: 15 Dec 2010

OS.G CAPLUS 2010:1527351; 2010:1340212; 2010:719255; 2010:551903;
2010:127751; 2010:127098; 2010:69306; 2009:810971; 2009:963119;
2009:779243; 2008:1079405; 2008:859310; 2008:652100; 2008:549641;
2008:549398; 2008:310674; 2008:23202; 2007:1342793; 2007:1342781;
2007:822721; 2007:713469; 2007:709166; 2007:683564; 2007:671396;
2007:490065; 2007:414923; 2007:203443; 2007:130993; 2006:1346169;
2006:1320109; 2006:907856; 2006:509724; 2006:398586;
2005:1226945; 2005:1226920; 2005:1179572; 2005:1112989;
2005:955062; 2005:708268; 2005:702445; 2005:655364; 2005:573850;
2005:538765; 2005:162482; 2005:113453; 2004:1011836; 2004:956588;
2004:944086; 2004:745973; 2004:559544

RE.CNT 49 THERE ARE 49 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

- (1) Bain, C; J Am Chem Soc 1989, V111, P321 HCA
- (2) Bain, C; J Am Chem Soc 1989, V111, P7155 HCA
- (3) Bandyopadhyay, K; Langmuir 1997, V13, P866 HCA
- (4) Bandyopadhyay, K; Langmuir 1998, V14, P625 HCA
- (5) Bandyopadhyay, K; Langmuir 1998, V14, P625 HCA
- (6) Bryant, M; J Am Chem Soc 1991, V113, P3629 HCA
- (7) Castner, D; Langmuir 1996, V12, P5083 HCA
- (8) Chailapakul, O; Langmuir 1995, V11, P1329 HCA
- (9) Chambers, J; Encyclopedia of Electrochemistry of the Elements 1979, VXII, P403
- (10) Colvin, V; J Am Chem Soc 1992, V114, P5221 HCA
- (11) Delahay, P; Double Layer and Electrode Kinetics 1965
- (12) Dishner, M; Langmuir 1997, V13, P4788 HCA
- (13) Droff, C; J Phys Chem 1982, V86, P3277
- (14) Fenter, P; Science 1994, V266, P1216 HCA
- (15) Finklea, H; Langmuir 1993, V9, P3660 HCA
- (16) Gamage, S; Tetrahedron 1990, V46, P2111 HCA

- (17) Gao, M; Adv Mater 1997, V9, P802 HCA
- (18) Gco, X; J Phys Chem 1990, V94, P6858
- (19) Grasselli, J; Chemical Application of Raman Spectroscopy 1976
- (20) Hickman, J; Science 1991, V252, P688 HCA
- (21) Ishida, T; Langmuir 1998, V14, P2092 HCA
- (22) Joo, T; J Phys Chem 1986, V90, P5816 HCA
- (23) Kawanishi, Y; Langmuir 1992, V8, P2601 HCA
- (24) Kwon, C; J Raman Spectrosc 1989, V20, P575 HCA
- (25) Lee, S; J Raman Spectrosc 1991, V22, P811 HCA
- (26) Lee, T; J Raman Spectrosc 1991, V22, P339 HCA
- (27) Li, D; J Am Chem Soc 1990, V112, P7389 HCA
- (28) Miler, C; J Phys Chem 1991, V95, P877
- (29) Mirkin, C; Annu Rev Phys Chem 1992, V43, P719 HCA
- (30) Morris, M; Encyclopedia of Electrochemistry of Elements 1979, VXIII, P67
- (31) Murty, K; Langmuir 1998, V14, P5446 HCA
- (32) Patai, S; Organic Selenium and Tellurium Compounds 1986, V1
- (33) Porter, M; J Am Chem Soc 1987, V109, P3559 HCA
- (34) Sabatani, E; Langmuir 1993, V9, P2974 HCA
- (35) Sabatini, E; J Phys Chem 1987, V91, P6663
- (36) Samant, M; Langmuir 1992, V8, P1615 HCA
- (37) Sandhyarani, N; J Raman Spectrosc 1998, V29, P359 HCA
- (38) Sandhyarani, N; Vacuum 1998, V49, P179
- (39) Sawyer, D; Experimental Electrochemistry for Chemists 1974, P77
- (40) Scott, P; J Am Chem Soc 1956, V78, P5463
- (41) Scrader, B; Angew Chem Int Ed Engl 1973, V12, P884
- (42) Strong, L; Langmuir 1988, V4, P546 HCA
- (43) Tarirov, M; J Am Chem Soc 1993, V115, P5305
- (44) Ulman, A; An Introduction to Ultrathin Organic Films from
Langmuir-Blodgett to Self-Assembly 1991
- (45) Ulman, A; Chem Rev 1996, V96, P1533 HCA
- (46) van Wart, H; J Phys Chem 1976, V8, P1823
- (47) West, R; CRC Handbook of Chemistry and Physics 1984, V64 ed
- (48) Wollman, E; J Am Chem Soc 1994, V116, P4395 HCA
- (49) Zweig, A; J Org Chem 1965, V30, P3997 HCA

L31 ANSWER 55 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 130:213976 HCA Full-text

ED Entered STN: 10 Apr 1999

TI Molecular Dynamics Simulation of Benzenethiolate and Benzyl Mercaptide on
Au(111)

AU Jung, Hun Huy; Won, Young Do; Shin, Seokmin; Kim, Kwan

CS Department of Chemistry and Center for Molecular Catalysis, Seoul National
University, Seoul, 151-742, S. Korea

SO Langmuir (1999), 15(4), 1147-1154

CODEN: LANGD5; ISSN: 0743-7463

PB American Chemical Society

DT Journal

LA English

CC 66-3 (Surface Chemistry and Colloids)

Section cross-reference(s): 65

AB The results of theor. studies on the self-assembled monolayers of
benzenethiolate (BT) and benzyl mercaptide (BZM) on a Au(111) surface were
presented. A few relevant potential energy parameters were determined
Annealing type mol. dynamics simulations where the minimized initial
configurations are heated to 1000 K and then cooled to room temperature,
assuming two types of unit cells: $\sqrt{3}\times\sqrt{3}R30^\circ$ and 2x2 were performed. The
results of the simulations showed that BZM formed a nearly perfect herringbone
structure, while the apparent herringbone type structure of BT was somewhat
disordered in the $\sqrt{3}\times\sqrt{3}R30^\circ$ unit cell. For the 2x2 unit cell with larger area
per mol., both monolayers did not form well-ordered structures, but the BZM

showed some local ordering with herringbone structure. In both cases, the mols. of BZM are found to be nearly vertical to the surface, while those of BT are tilted from the surface normal. All these theor. results are consistent with recent exptl. findings. The role of a flexible methylene unit near the sulfur headgroup in discriminating stable packing structures of the self-assembled monolayers is discussed.

- ST gold self assembled monolayers arom
thiol mol dynamics simulation
- IT Thiols (organic), properties
Thiols (organic), properties
(aryl; annealing type mol. dynamics simulation of
benzenethiolate and benzyl mercaptide on Au(111))
- IT Adsorbed substances
Molecular orientation
Self-assembled monolayers
Surface structure
(effect of aromatic thiol headgroups on packing structures of
self-assembled monolayers on Au(111)
studied by mol. dynamics simulation)
- IT Potential energy
(mol. dynamics simulation of interaction between aromatic thiol
headgroups during self-assembly on Au(111) surface)
- IT Simulation and Modeling, physicochemical
(mol. dynamics; annealing type mol. dynamics simulation of
benzenethiolate and benzyl mercaptide on Au(111))
- IT Phenols, properties
Phenols, properties
(thiophenols; annealing type mol. dynamics simulation of
benzenethiolate and benzyl mercaptide on Au(111))
- IT 1492-49-5, Benzenemethanethiol, ion(1-) 13133-62-5, Benzenethiolate,
properties
(annealing type mol. dynamics simulation of benzenethiolate and benzyl
mercaptide on Au(111))
- IT 7440-57-5, Gold, properties
(effect of aromatic thiol headgroups on packing structures of
self-assembled monolayers on Au(111)
studied by mol. dynamics simulation)
- OSC.G 76 THERE ARE 76 CAPLUS RECORDS THAT CITE THIS RECORD (76 CITINGS)
- UPOS.G Date last citing reference entered STN: 15 Aug 2011
- OS.G CAPLUS 2011:951374; 2011:304847; 2010:501749; 2009:1586786;
2009:1184243; 2009:337278; 2008:1347674; 2008:1294064;
2008:731050; 2008:606560; 2008:567272; 2008:428924; 2008:345426;
2007:1203773; 2007:1167996; 2007:1055823; 2007:902116;
2007:827459; 2007:689956; 2006:1194779; 2006:976163; 2006:791337;
2006:384358; 2006:108002; 2006:83267; 2006:31114; 2005:1191756;
2005:965153; 2005:481012; 2005:477227; 2005:273948; 2005:239862;
2005:230410; 2005:150905; 2005:150904; 2005:45635; 2004:1119922;
2004:836769; 2004:410582; 2004:207993; 2004:199500; 2004:189389;
2004:90698; 2004:48817; 2003:915634; 2003:866805; 2003:826227;
2003:790321; 2003:787093; 2003:784432
- RE.CNT 31 THERE ARE 31 CITED REFERENCES AVAILABLE FOR THIS RECORD
- RE CITED REFERENCES
- (1) Alves, C; J Am Chem Soc 1992, V114, P1222 HCA
 - (2) Bareman, J; J Phys Chem 1990, V94, P5202 HCA
 - (3) Bayly, C; J Phys Chem 1993, V97, P10269 HCA
 - (4) Bhatia, R; Langmuir 1997, V13, P4038 HCA
 - (5) Bhatia, R; Langmuir 1997, V13, P765 HCA
 - (6) Brooks, B; J Comput Chem 1983, V4, P187 HCA
 - (7) Cornell, W; J Am Chem Soc 1993, V115, P9620 HCA
 - (8) Dhirani, A; J Am Chem Soc 1996, V118, P3319 HCA

- (9) Dubois, L; Annu Rev Phys Chem 1992, V43, P437 HCA
- (10) Dubois, L; J Am Chem Soc 1990, V112, P570 HCA
- (11) Gao, J; J Chem Phys 1993, V99, P7020 HCA
- (12) Hautman, J; J Chem Phys 1989, V91, P4994 HCA
- (13) Hautman, J; J Chem Phys 1990, V93, P7483 HCA
- (14) Hautman, J; J Chem Soc Faraday Trans 1991, V87, P2031 HCA
- (15) Labinis, P; J Am Chem Soc 1991, V113, P7152
- (16) Li, T; J Phys Chem B 1998, V102, P2935 HCA
- (17) Mahaffy, R; J Phys Chem B 1997, V101, P771 HCA
- (18) Mar, W; Langmuir 1994, V10, P188 HCA
- (19) Momany, F; J Comput Chem 1990, V11, P654 HCA
- (20) Morgner, H; Langmuir 1997, V13, P3990 HCA
- (21) Nuzzo, R; J Am Chem Soc 1990, V112, P558 HCA
- (22) Poirier, G; Science 1996, V272, P1145 HCA
- (23) Porter, M; J Am Chem Soc 1987, V109, P3559 HCA
- (24) Sabatini, E; Langmuir 1993, V9, P2974
- (25) Sellers, H; J Am Chem Soc 1993, V115, P9389 HCA
- (26) Tao, Y; Langmuir 1997, V13, P4018 HCA
- (27) Taut, C; Langmuir 1996, V12, P3481 HCA
- (28) Ulman, A; An Introduction to Ultrathin Organic Films 1991
- (29) Ulman, A; Chem Rev 1996, V96, P1533 HCA
- (30) Walczak, M; J Am Chem Soc 1991, V113, P2370 HCA
- (31) Zhang, Z; Langmuir 1996, V12, P1227 HCA

L31 ANSWER 56 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 130:188401 HCA Full-text

ED Entered STN: 27 Mar 1999

TI Self-assembled monolayers on electrode
surfaces: a probe for redox kinetics

AU Berchmans, Sheela; Yegnaraman, Venkatraman; Rao, Gollakota Prabhakara

CS Central Electrochemical Research Institute, Karaikudi, 630 006, India

SO Journal of Solid State Electrochemistry (1998), 3(1), 52-54

CODEN: JSSEFS; ISSN: 1432-8488

PB Springer-Verlag

DT Journal

LA English

CC 72-2 (Electrochemistry)

Section cross-reference(s): 66, 67

AB The formation and characterization of self-assembled monolayers of organosulfur compds. like alkanethiols and dialkyl (di)sulfides on metal surfaces such as gold are areas of current research interest. The presence of an aromatic ring in a thiol mol. can enhance the binding between Au and the thiol, giving compact and impervious self-assembled monolayers. The formation of a monolayer of 2-mercaptobenzothiazole (MBT), containing an aromatic group with a fused thiazole ring but no long alkyl chain, is achieved on a gold electrode surface. Voltammetric studies of ferro/ferricyanide and ferrous/ferric redox systems carried out on this Au|MBT electrode are reported. Further, the possibility of using such an Au|MBT electrode to distinguish between inner and outer sphere electron transfer reactions is indicated.

ST self assembled monolayer electrode
surface probe redox kinetics; mercaptobenzothiazole self
assembled monolayer gold electrode redox kinetics;
octadecyl mercaptan mercaptobenzothiazole monolayer gold electrode redox
kinetics; cyanoferrate redox kinetics self assembled
monolayer gold electrode; iron redox kinetics self
assembled monolayer gold electrode

IT Electron transfer

(adsorbed aromatic thiol monolayers on electrodes in
distinguishing between inner and outer sphere electron transfer)

IT Thiols (organic), uses
Thiols (organic), uses
(aryl; adsorbed monolayers on electrodes in distinguishing
between inner and outer sphere electron transfer)

IT Redox reaction
Redox reaction kinetics
(electrochem.; of Fe²⁺/Fe³⁺ and cyanoferrates on self-
assembled monolayers from octadecyl mercaptan and
from mercaptobenzothiazole on gold electrode in sulfuric acid solns.)

IT Adsorbed monolayers
(octadecyl mercaptan and mercaptobenzothiazole on gold electrode in
study electrochem. redox reaction kinetics)

IT Cyclic voltammetry
(of gold electrodes modified with mercaptobenzothiazole or octadecyl
mercaptan in sulfuric acid solution containing ferrous ammonium sulfate or
potassium ferrocyanide)

IT Self-assembled monolayers
(on electrode surfaces: probe for redox kinetics)

IT Electrodes
(self-assembled monolayers on electrode
surfaces: probe for redox kinetics)

IT Phenols, uses
Phenols, uses
(thiophenols; adsorbed monolayers on electrodes in distinguishing
between inner and outer sphere electron transfer)

IT 10045-89-3, Ferrous ammonium sulfate 13943-58-3, Potassium ferrocyanide
(cyclic voltammetry of gold electrodes modified with
mercaptobenzothiazole or octadecyl mercaptan in sulfuric acid solution
containing ferrous ammonium sulfate or potassium ferrocyanide)

IT 7664-93-9, Sulfuric acid, properties
(electrochem. redox reaction kinetics of Fe²⁺/Fe³⁺ and cyanoferrates on
self-assembled monolayers from octadecyl
mercaptan and from mercaptobenzothiazole on gold electrode in sulfuric
acid solns.)

IT 7439-89-6, Iron, properties 13408-62-3, Ferricyanide 13408-63-4,
Ferrocyanide
(electrochem. redox reaction kinetics on self-
assembled monolayers from octadecyl mercaptan and
from mercaptobenzothiazole on gold electrode in sulfuric acid solns.)

IT 2885-00-9, Octadecyl mercaptan 7440-57-5, Gold, uses
(self-assembled monolayers from octadecyl
mercaptan and from mercaptobenzothiazole on gold electrode
surfaces: probe for redox kinetics)

IT 149-30-4, 2-Mercaptobenzothiazole
(self-assembled monolayers on gold
electrode surfaces: probe for redox kinetics)

OSC.G 11 THERE ARE 11 CAPLUS RECORDS THAT CITE THIS RECORD (11 CITINGS)

UPOS.G Date last citing reference entered STN: 16 Feb 2009

OS.G CAPLUS 2008:24206; 2007:766705; 2006:395114; 2004:575168; 2004:220891;
2004:4559; 2003:897111; 2002:908591; 2002:567720; 2002:558393;
2000:214037

RE.CNT 26 THERE ARE 26 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE CITED REFERENCES

(1) Bard, A; J Phys Chem 1993, V97, P7147 HCA

(2) Bharathi, S; Langmuir 1993, V9, P1614 HCA

(3) Bharathi, S; Langmuir 1995, V11, P666 HCA

(4) Bryant, M; Langmuir 1993, V9, P385 HCA

(5) Carter, F; Molecular electronic devices 1987, VI & II

(6) Cheng, Q; Anal Chem 1992, V64, P1998 HCA

(7) Chilapakul, O; Langmuir 1993, V9, P884

- (8) Creager, S; Langmuir 1995, V11, P1852 HCA
(9) Dhirani, A; J Am Chem Soc 1996, V118, P3319 HCA
(10) Evans, S; J Am Chem Soc 1991, V113, P4121 HCA
(11) Finklea, H; Electroanalytical chemistry 1996, V19, P109 HCA
(12) Finklea, H; J Am Chem Soc 1992, V114, P3173 HCA
(13) Gui, J; Langmuir 1991, V7, P955 HCA
(14) Hong, F; Biosensors and biocomputers 1989
(15) Laibinis, P; J Am Chem Soc 1992, V114, P1990 HCA
(16) Lipkowski, J; Adsorption of molecules at metal electrodes 1992, P231
(17) Lipkowski, J; Modern aspects of electrochemistry 1992, V23, P1 HCA
(18) Malem, F; Anal Chem 1993, V65, P37 HCA
(19) Miller, C; J Phys Chem 1991, V95, P877 HCA
(20) Nuzzo, R; J Am Chem Soc 1987, V109, P2358 HCA
(21) Porter, M; J Am Chem Soc 1987, V109, P3559 HCA
(22) Sabatani, E; J Electroanal Chem 1987, V219, P365 HCA
(23) Sabatani, E; Langmuir 1993, V9, P2974 HCA
(24) Steinberg, S; J Am Chem Soc 1991, V113, P5176 HCA
(25) Sun, L; J Phys Chem 1990, V94, P8869 HCA
(26) Ulman, A; J Am Chem Soc 1991, V113, P1499 HCA
- L31 ANSWER 57 OF 60 HCA COPYRIGHT 2011 ACS on STN
AN 130:173479 HCA Full-text
ED Entered STN: 20 Mar 1999
TI "Rotoball": a strategy for preparing defect-minimized fullerene monolayers
AU Caldwell, W. Brett; Mirkin, Chad A.
CS Chemistry Department, Northwestern University, Evanston, IL, 60208-3113,
USA
SO Springer Series in Materials Science (1998), 33(Supercarbon),
177-186
CODEN: SSMSE2; ISSN: 0933-033X
PB Springer-Verlag
DT Journal
LA English
CC 66-4 (Surface Chemistry and Colloids)
AB Rotoball, a surface-confinable piperazine adduct of C60, was prepared and
studied as a Langmuir-Blodgett film on gold substrate. A combination of 2D
NMR techniques was used to determine that the piperazine group is fused to the
fullerene and locked into a boat structure with an alc. group at one of the
axial positions. This novel compound was designed to have amphiphilic
character and maximize fullerene-fullerene interactions when incorporated in a
monolayer structure.
ST fullerene piperazine ring fused rotoball prepn
monolayer; Langmuir Blodgett monolayer piperazine fullerene rotoball;
amphiphilicity piperazine fullerene rotoball self
assembled monolayer
IT Fullerenes
(hydroxymethylpiperazine-containing; preparation of defect-minimized
amphiphilic
fullerene self-assembled monolayer by
fusing of hydroxymethylpiperazine group)
IT Amphiphiles
Langmuir-Blodgett films
Molecular structure
Self-assembled monolayers
(preparation of defect-minimized amphiphilic fullerene self-
assembled monolayer by fusing of
hydroxymethylpiperazine group)
IT 183205-52-9P
(preparation of defect-minimized amphiphilic fullerene self-
assembled monolayer by fusing of

hydroxymethylpiperazine group)
IT 28795-50-8, 2-(Hydroxymethyl)piperazine 99685-96-8, C60 Fullerene
(preparation of defect-minimized amphiphilic fullerene self-
assembled monolayer by fusing of
hydroxymethylpiperazine group)
IT 7440-57-5, Gold, uses
(substrate; preparation of defect-minimized amphiphilic fullerene
self-assembled monolayer by fusing
of hydroxymethylpiperazine group)
OSC.G 2 THERE ARE 2 CAPLUS RECORDS THAT CITE THIS RECORD (2 CITINGS)
UPOS.G Date last citing reference entered STN: 16 Feb 2009
OS.G CAPLUS 2008:1365254; 2007:1264515
RE.CNT 20 THERE ARE 20 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE CITED REFERENCES

- (1) Bain, C; Int Ed Engl 1989, V28, P506
- (2) Balch, A; J Chem Soc Chem Commun 1995, P2287 HCA
- (3) Caldwell, W; Langmuir 1994, V10, P4109 HCA
- (4) Caldwell, W; Proceedings of the Electrochemical Society 1996
- (5) Campbell, D; J Am Chem Soc 1996, V118, P10211 HCA
- (6) Chen, K; J Am Chem Soc 1995, V117, P6374 HCA
- (7) Covington, M; Phys Rev Lett 1997, V79, P277 HCA
- (8) Dubois, L; Annu Rev Phys Chem 1992, V43, P437 HCA
- (9) Henderson, C; Science 1993, V259, P1885 HCA
- (10) Koh, W; J Phys Chem 1992, V96, P4163 HCA
- (11) Koh, W; Phys Chem 1993, V97, P6871 HCA
- (12) Matsumoto, M; Langmuir 1995, V11, P660 HCA
- (13) McDevitt, J; Chem Mater 1996, V8, P811 HCA
- (14) Pan, C; J Phys Chem 1991, V95, P2944 HCA
- (15) Shi, X; J Am Chem Soc 1994, V116, P11598 HCA
- (16) Suzuki, T; Science 1991, V254, P1186 HCA
- (17) Thorson, B; Superconductor Industry 1995, V31
- (18) Tomioka, Y; Langmuir 1993, V9, P32 HCA
- (19) Ulman, A; An Introduction to Ultrathin Organic Films:From
Langmuir-Blodgett to Self-assembly 1991
- (20) Ziegler, C; J Med Chem 1990, V33, P142 HCA

L31 ANSWER 58 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 128:252279 HCA [Full-text](#)

OREF 128:49785a,49788a

ED Entered STN: 12 May 1998

TI Surface acoustic wave chemical sensor arrays: new chemically
sensitive interfaces combined with novel cluster analysis to detect
volatile organic compounds and mixtures

AU Ricco, Antonio J.; Crooks, Richard M.; Osbourn, Gordon C.

CS Microsensor RD and Vision Science, Sandia National Laboratories,
Albuquerque, NM, 87185-1425, USA

SO Accounts of Chemical Research (1998), 31(5), 289-296
CODEN: ACHRE4; ISSN: 0001-4842

PB American Chemical Society

DT Journal; General Review

LA English

CC 80-0 (Organic Analytical Chemistry)
Section cross-reference(s): 66, 76

AB A review with 27 refs. The authors focus in this Account on chemical sensor
arrays as a means to obviate the difficult, costly process of developing a new
material with high chemical specificity for each analyte: one array can
provide distinct responses for tens of chems. and mixts. The authors
emphasize that many of the subsections of this Account are, to varying degree,
"platform independent", so that arrays of optical fibers, electrochem.
sensors, chemiresistors, metal oxides, or thermal devices can be conceptually

substituted for the SAW platforms that the authors discuss in detail. The moderate selectivity requirements for arrays allow consideration of a much wider range of materials--everything from common organic polymers to porous ceramics--than for molecularly specific sensors. Furthermore, arrays retain some of the "passive sampling" features of discrete sensors that μ -TAS must relinquish due to its reliance upon addition of reagents, pumping, mixing, and the like.

- ST SAW sensor array org volatile review; interface SAW sensor org volatile review; cluster analysis SAW org volatile review
- IT Surface acoustic wave sensors
(arrays; surface acoustic wave chemical sensor arrays: new chemical sensitive interfaces combined with novel cluster anal. to detect volatile organic compds. and mixts.)
- IT Hydrocarbons, analysis
(chloro, volatile; surface acoustic wave chemical sensor arrays: new chemical sensitive interfaces combined with novel cluster anal. to detect volatile organic compds. and mixts.)
- IT Self-assembled monolayers
(for surface acoustic wave chemical sensor arrays combined with novel cluster anal. to detect volatile organic compds. and mixts.)
- IT Films
(plasma processed; for surface acoustic wave chemical sensor arrays combined with novel cluster anal. to detect volatile organic compds. and mixts.)
- IT Cluster analysis
(surface acoustic wave chemical sensor arrays: new chemical sensitive interfaces combined with novel cluster anal. to detect volatile organic compds. and mixts.)
- IT Volatile organic compounds
(surface acoustic wave chemical sensor arrays: new chemical sensitive interfaces combined with novel cluster anal. to detect volatile organic compds. and mixts.)
- IT Alcohols, analysis
Aromatic hydrocarbons, analysis
Hydrocarbons, analysis
Ketones, analysis
(volatile; surface acoustic wave chemical sensor arrays: new chemical sensitive interfaces combined with novel cluster anal. to detect volatile organic compds. and mixts.)
- IT 7723-14-0D, Phosphorus, organic compds., analysis
(volatile; surface acoustic wave chemical sensor arrays: new chemical sensitive interfaces combined with novel cluster anal. to detect volatile organic compds. and mixts.)
- OSC.G 87 THERE ARE 87 CAPLUS RECORDS THAT CITE THIS RECORD (87 CITINGS)
- UPOS.G Date last citing reference entered STN: 07 Mar 2011
- OS.G CAPLUS 2011:251481; 2010:762048; 2010:515026; 2010:93722; 2010:177361; 2009:661854; 2008:1075522; 2008:633863; 2008:102159; 2008:97380; 2008:63264; 2008:532; 2007:1428767; 2007:1363452; 2007:1277320; 2007:1077964; 2006:1293464; 2006:1106097; 2006:912258; 2006:803917; 2006:139513; 2006:92829; 2005:1323355; 2005:799846; 2005:699979; 2005:526660; 2005:520681; 2005:128416; 2004:1063094; 2004:889458; 2004:785121; 2004:509624; 2004:392101; 2004:318754; 2004:178947; 2004:55839; 2003:818055; 2003:776469; 2003:684194; 2003:569794; 2003:170569; 2003:168088; 2003:120363; 2003:101156; 2003:74893; 2002:450486; 2002:215110; 2002:184782; 2002:116425; 2002:67382
- RE.CNT 25 THERE ARE 25 CITED REFERENCES AVAILABLE FOR THIS RECORD
- RE CITED REFERENCES
- (1) Adamson, A; Physical Chemistry of Surfaces, 4th ed, Chapter XVI 1982
- (2) Ballantine, D; Acoustic Wave Sensors:Theory, Design, and Physico-Chemical

Applications 1997

- (3) Ballantine, D; Anal Chem 1986, V58, P3058 HCA
- (4) Dubois, L; Annu Rev Phys Chem 1992, V43, P437 HCA
- (5) Duda, R; Pattern Classification and Scene Analysis 1973
- (6) Frye, G; Chemical Sensors and Microinstrumentation, ACS Symposium Series No 403, Chapter 14 1998
- (7) Grate, J; Sens Actuators, B 1991, V3, P85
- (8) Harrison, D; Science 1993, V261, P895 HCA
- (9) Hoyt, A; Anal Chem 1998, V70, P2137 HCA
- (10) Hoyt, A; J Am Chem Soc 1995, V117, P8672 HCA
- (11) Hsieh, Y; J Appl Polym Sci 1991, V43, P2067 HCA
- (12) Jacobson, S; Anal Chem 1995, V67, P2059 HCA
- (13) Kepley, L; Anal Chem 1992, V64, P3191 HCA
- (14) Kovacs, G; Anal Chem 1997, V68, P4407A
- (15) Martin, S; Anal Chem 1994, V66, P2201 HCA
- (16) Martin, S; IEEE Trans UFFC 1987, UFFC-34, P142
- (17) Osbourn, G; Acc Chem Res 1998, V31, P297 HCA
- (18) Osbourn, G; Automated Pattern Recognition Based on the Visual Empirical Region of Influence (VERI) Method: A User's Guide, <http://www.sandia.gov/1100/1155Web/1155home.htm>
- (19) Osbourn, G; Pattern Recognit 1995, V28, P1793
- (20) Ricco, A; Interfacial Design and Chemical Sensing, ACS Symposium Series No 561, Chapter 23 1994, P264 HCA
- (21) Ricco, A; Sens Actuators 1985, V8, P319 HCA
- (22) Ricco, A; Thin Solid Films 1991, V206, P94 HCA
- (23) Swalen, J; Langmuir 1987, V3, P932 HCA
- (24) Thomas, R; Langmuir 1996, V12, P2239 HCA
- (25) Wells, M; J Am Chem Soc 1996, V118, P3988 HCA

L31 ANSWER 59 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 123:301389 HCA Full-text

OREF 123:53771a,53774a

ED Entered STN: 25 Nov 1995

TI Scanning probe lithography. 2. Selective chemical vapor

deposition of copper into scanning tunneling microscope-defined patterns

AU Schoer, J. K.; Ross, C. B.; Crooks, R. M.; Corbitt, T. S.; Hampden-Smith, M. J.

CS Dept. Chem., New Mexico Univ., Albuquerque, NM, USA

SO Report (1993), Rept. No. TR-12; Order No. AD-A273304, 22 pp.

Avail.: NTIS

From: Gov. Rep. Announce. Index (U. S.) 1994, 94(6), Abstr. No. 416,540

DT Report

LA English

CC 74-13 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)

Section cross-reference(s): 66

AB A scanning tunneling microscope (STM) has been used to define features having critical dimensions 0.05-5.0 μm within a self-assembled monolayer resist of octadecylmercaptan confined to a Au(111) surface. Low-temperature chemical vapor deposition methods were used to metalize the STM-patterned surface with Cu. At substrate temps. near 120°C, the precursor hexafluoroacetylacetonatocopper(I) (1,5-cyclooctadiene) disproportionates to deposit Cu on the STM-etched portion of the substrate, but not on the unetched methyl-terminated monolayer resist surface. At substrate temps. significantly above 120°C the degree of selectivity is reduced, probably as a result of thermal desorption of the organomercaptan monolayer.

ST copper CVD STM lithog pattern; octadecylmercaptan resist copper

CVD STM lithog; mercaptan monolayer resist copper CVD

IT Etching

Vapor deposition processes

(selective CVD of copper into STM-defined patterns in octadecylmercaptan monolayers on gold)

IT Lithography
(micron, selective CVD of copper into STM-defined patterns in octadecylmercaptan monolayers on gold)

IT Adsorbed substances
(monolayer, selective CVD of copper into STM-defined patterns in octadecylmercaptan monolayers on gold)

IT 2885-00-9, Octadecylmercaptan
(resist; selective CVD of copper into STM-defined patterns in octadecylmercaptan monolayers on gold)

IT 7440-50-8, Copper, processes
(selective CVD of copper into STM-defined patterns in octadecylmercaptan monolayers on gold)

L31 ANSWER 60 OF 60 HCA COPYRIGHT 2011 ACS on STN

AN 120:231703 HCA Full-text

OREF 120:40813a,40816a

ED Entered STN: 30 Apr 1994

TI Scanning Probe Lithography. 2. Selective Chemical Vapor Deposition of Copper into Scanning Tunneling Microscope-Defined Patterns

AU Schoer, Jonathan K.; Ross, Claudia B.; Crooks, Richard M.; Corbitt, Thomas S.; Hampden-Smith, Mark J.

CS Department of Chemistry, Texas A and M University, College Station, TX, 77843-3255, USA

SO Langmuir (1994), 10(3), 615-18
CODEN: LANGD5; ISSN: 0743-7463

DT Journal

LA English

CC 74-5 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)

AB A scanning tunneling microscope (STM) has been used to define features having critical dimensions ranging from 0.05 to 5.0 μm within a self-assembled monolayer resist of octadecyl mercaptan, $\text{HS}(\text{CH}_2)_{17}\text{CH}_3$, confined to a Au(111) surface. Low temperature chemical vapor deposition (CVD) methods were used to metalize the STM-patterned surface with Cu. At substrate temps. near 120 °, the Cu CVD precursor, hexafluoroacetylacetonatocopper(I)-(1,5-cyclooctadiene), disproportionates to deposit Cu on the STM-etched portion of the substrate, but not on the unetched methyl-terminated monolayer resist surface. At substrate temperature significantly above 120 ° the degree of selectivity is reduced, probably as a result of thermal desorption of the organomercaptan monolayer.

ST octadecyl mercaptan resist copper vapor deposition; electron microscope lithog octadecyl mercaptan metalization

IT Vapor deposition processes
(of copper from complex precursor, on gold, in scanning tunneling microscope lithog.)

IT Microscopes
(electron tunneling, scanning, lithog. by, of self-assembled monolayer resist of octadecyl mercaptan on gold, vapor deposition of copper in)

IT Resists
(electron-beam, self-assembled monolayer of octadecyl mercaptan on gold as, STM patterning and vapor deposition of copper on)

IT 86233-74-1
(chemical vapor deposition of copper by from precursor of, in lithog. using STM patterning of gold surface)

IT 7440-50-8, Copper, uses
(chemical vapor deposition of, on gold surface, patterned by STM)

lithog.)

IT 7440-57-5, Gold, uses
(resists from self-assembled monolayer of
alkanethiol on gold, STM imaging and vapor deposition of copper on)

IT 2885-00-9, Octadecyl mercaptan
(resists from self-assembled monolayer
of, on gold, STM imaging and vapor deposition of copper on)

OSC.G 54 THERE ARE 54 CAPLUS RECORDS THAT CITE THIS RECORD (54 CITINGS)

UPOS.G Date last citing reference entered STN: 03 Dec 2010

OS.G CAPLUS 2010:1321991; 2009:899157; 2009:595757; 2009:79474; 2008:307574;
2007:780273; 2007:583672; 2005:69763; 2004:745601; 2004:395820;
2003:767313; 2003:638652; 2003:545529; 2002:281424; 2001:924454;
2001:456179; 2001:89068; 2001:75284; 2000:891173; 2000:891165;
2000:732646; 2000:474025; 2000:375564; 2000:51835; 2000:31618;
1999:792580; 1999:611785; 1999:539014; 1999:470556; 1999:357826;
1999:240757; 1999:204983; 1999:143703; 1999:97072; 1999:35430;
1998:655827; 1998:586979; 1998:501961; 1998:390674; 1998:381490;
1998:151482; 1998:132667; 1998:123549; 1998:66675; 1998:36671;
1997:493720; 1997:353428; 1997:351115; 1997:298471; 1997:207714